

# Symbols defined by unicode-math

Will Robertson

Modified (df) to show Kpfonts Math symbols

This document uses the file `unicode-math-table.tex` to print every symbol defined by the `unicode-math` package. Use this document to find the command name or the Unicode glyph slot for a symbol that you wish to use. The following fonts are shown: (with approximate symbol counts)

M **Latin Modern Math** (1602)

S **STIX Two Math** (2447)

E **Erewhon Math** (1679)

K **KpMath Regular** (1619)

P **TeX Gyre Pagella Math** (1655)

L **Libertinus Math** (1660)

G **Garamond Math** (1647)

Symbols defined in Plain  $\TeX$  are indicated with <sup>(p)</sup> after their macro name.  $\LaTeX$  follows Plain  $\TeX$ , but defines a handful more, indicated with <sup>(l)</sup>. Symbols defined in `amssymb` are indicated with <sup>(a)</sup>.

Note that this list of fonts is not intended to be exhaustive but I am happy to add new fonts by request if they are distributed in  $\TeX$  Live.<sup>1</sup>

## Contents

1	Opening symbols, <code>\mathopen</code>	3
2	Closing symbols, <code>\mathclose</code>	4
3	Fence symbols, <code>\mathfence</code>	5
4	Punctuation symbols, <code>\mathpunct</code>	5
5	‘Over’ symbols, <code>\mathover</code>	5
6	‘Under’ symbols, <code>\mathunder</code>	6
7	Accents, <code>\mathaccent</code>	6
8	Accents wide, <code>\mathaccentwide</code>	7
9	Bottom accents, <code>\mathbotaccent</code>	7
10	Bottom accents wide, <code>\mathbotaccentwide</code>	8
11	Big operators, <code>\mathop</code>	8

---

<sup>1</sup>Only a single  $\TeX$  Gyre Math font is shown here by design as they all largely have the same symbol coverage.

<b>12</b>	<b>Binary relations, <math>\backslash\mathbin</math></b>	<b>11</b>
<b>13</b>	<b>Ordinary symbols, <math>\backslash\mathord</math></b>	<b>17</b>
<b>14</b>	<b>Relation symbols, <math>\backslash\mathrel</math></b>	<b>32</b>
<b>15</b>	<b>Alphabetical symbols, <math>\backslash\mathalpha</math></b>	<b>52</b>
15.1	Normal weight . . . . .	52
15.1.1	Upright Greek, uppercase . . . . .	52
15.1.2	Upright Greek, lowercase . . . . .	53
15.1.3	Italic, Latin, uppercase . . . . .	54
15.1.4	Italic, Latin, lowercase . . . . .	55
15.1.5	Italic Greek, uppercase . . . . .	56
15.1.6	Italic Greek, lowercase . . . . .	57
15.1.7	Script, Latin, uppercase . . . . .	58
15.1.8	Script, Latin, lowercase . . . . .	58
15.1.9	Fraktur, Latin, uppercase . . . . .	59
15.1.10	Fraktur, Latin, lowercase . . . . .	60
15.1.11	Blackboard, Latin, uppercase . . . . .	61
15.1.12	Blackboard, Latin, lowercase . . . . .	62
15.1.13	Sans serif, Latin, uppercase . . . . .	63
15.1.14	Sans serif, Latin, lowercase . . . . .	64
15.1.15	Italic sans serif, Latin, uppercase . . . . .	65
15.1.16	Italic sans serif, Latin, lowercase . . . . .	66
15.1.17	Typewriter, Latin, uppercase . . . . .	67
15.1.18	Typewriter, Latin, lowercase . . . . .	68
15.2	<b>Bold . . . . .</b>	<b>70</b>
15.2.1	Bold, Latin, uppercase . . . . .	70
15.2.2	Bold, Latin, lowercase . . . . .	70
15.2.3	Bold Greek, uppercase . . . . .	71
15.2.4	Bold Greek, lowercase . . . . .	72
15.2.5	Bold italic, Latin, uppercase . . . . .	73
15.2.6	Bold italic, Latin, lowercase . . . . .	75
15.2.7	Bold italic Greek, uppercase . . . . .	76
15.2.8	Bold italic Greek, lowercase . . . . .	77
15.2.9	Bold script, Latin, uppercase . . . . .	78
15.2.10	Bold script, Latin, lowercase . . . . .	79
15.2.11	Bold fraktur, Latin, uppercase . . . . .	80
15.2.12	Bold fraktur, Latin, lowercase . . . . .	81
15.2.13	Bold sans serif, Latin, uppercase . . . . .	83
15.2.14	Bold sans serif, Latin, lowercase . . . . .	84
15.2.15	Bold italic sans serif, Latin, uppercase . . . . .	85
15.2.16	Bold italic sans serif, Latin, lowercase . . . . .	86
15.2.17	Bold sans serif Greek, uppercase . . . . .	87
15.2.18	Bold sans serif Greek, lowercase . . . . .	88
15.2.19	Bold italic sans serif Greek, uppercase . . . . .	90
15.2.20	Bold italic sans serif Greek, lowercase . . . . .	91
15.3	Miscellaneous . . . . .	92

# 1 Opening symbols, `\mathopen`

USV	M	S	E	K	P	L	G	Macro	Description
U+00028	(	(	(	(	(	(	(	<code>\lparen</code>	left parenthesis
U+0005B	[	[	[	[	[	[	[	<code>\lbrack</code>	left square bracket
U+0007B	{	{	{	{	{	{	{	<code>\lbrace<sup>(p)</sup></code>	left curly bracket
U+0221A	√	√	√	√	√	√	√	<code>\sqrt<sup>(p)</sup></code>	radical
U+0221B	$\sqrt[3]{}$	<code>\cuberoot</code>	cube root						
U+0221C	$\sqrt[4]{}$	<code>\fourthroot</code>	fourth root						
U+02308	⌈	⌈	⌈	⌈	⌈	⌈	⌈	<code>\lceil<sup>(p)</sup></code>	left ceiling
U+0230A	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\lfloor<sup>(p)</sup></code>	left floor
U+0231C	⌜	⌜	⌜	⌜	⌜	⌜	⌜	<code>\ulcorner</code>	upper left corner
U+0231E	⏟	⏟	⏟	⏟	⏟	⏟	⏟	<code>\llcorner</code>	lower left corner
U+023B0	⌿	⌿	⌿	⌿	⌿	⌿	⌿	<code>\lmoustache<sup>(p)</sup></code>	upper left or lower right curly bracket section
U+02772	⌘							<code>\lbrbrak</code>	light left tortoise shell bracket ornament
U+027C5	⌚			⌚				<code>\lbag</code>	left s-shaped bag delimiter
U+027CC	⌝							<code>\longdivision</code>	long division
U+027E6	⌞	⌞	⌞	⌞	⌞	⌞	⌞	<code>\lBrack</code>	mathematical left white square bracket
U+027E8	⌟	⌟	⌟	⌟	⌟	⌟	⌟	<code>\langle<sup>(p)</sup></code>	mathematical left angle bracket
U+027EA	⌠	⌠	⌠	⌠	⌠	⌠	⌠	<code>\lAngle</code>	mathematical left double angle bracket
U+027EC	⌡						⌡	<code>\Lbrbrak</code>	mathematical left white tortoise shell bracket
U+027EE	⌢	⌢	⌢	⌢	⌢	⌢	⌢	<code>\lgroup<sup>(p)</sup></code>	mathematical left flattened parenthesis
U+02983	⌣							<code>\lBrace</code>	left white curly bracket
U+02985	⌤							<code>\lParen</code>	left white parenthesis
U+02987	⌥						⌥	<code>\llparenthesis</code>	z notation left image bracket
U+02989	⌦							<code>\llangle</code>	z notation left binding bracket
U+0298B	⌧							<code>\lbrackubar</code>	left square bracket with underbar
U+0298D	⌨							<code>\lbrackultick</code>	left square bracket with tick in top corner
U+0298F	〈							<code>\lbracklltick</code>	left square bracket with tick in bottom corner
U+02991	〉							<code>\langledot</code>	left angle bracket with dot
U+02993	⌫							<code>\lparenless</code>	left arc less-than bracket

USV	M	S	E	K	P	L	G	Macro	Description
U+02995		⌞						<code>\Lparengtr</code>	double left arc greater-than bracket
U+02997		⌜						<code>\lblkbrbrak</code>	left black tortoise shell bracket
U+029D8		⌚						<code>\lvzigzag</code>	left wiggly fence
U+029DA		⌛						<code>\Lvzigzag</code>	left double wiggly fence
U+029FC		⌵					⌵	<code>\lcurvyangle</code>	left pointing curved angle bracket

## 2 Closing symbols, `\mathclose`

USV	M	S	E	K	P	L	G	Macro	Description
U+00021	!	!	!	!	!	!	!	<code>\mathexclam</code>	exclamation mark
U+00029	)	)	)	)	)	)	)	<code>\rparen</code>	right parenthesis
U+0005D	]	]	]	]	]	]	]	<code>\rbrack</code>	right square bracket
U+0007D	}	}	}	}	}	}	}	<code>\rbrace<sup>(p)</sup></code>	right curly bracket
U+02309	⌈	⌈	⌈	⌈	⌈	⌈	⌈	<code>\rceil<sup>(p)</sup></code>	right ceiling
U+0230B	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\rfloor<sup>(p)</sup></code>	right floor
U+0231D	⌵	⌵	⌵	⌵	⌵	⌵	⌵	<code>\urcorner</code>	upper right corner
U+0231F	⌴	⌴	⌴	⌴	⌴	⌴	⌴	<code>\lrcorner</code>	lower right corner
U+023B1		⌵	⌴	⌵		⌵		<code>\rmoustache<sup>(p)</sup></code>	upper right or lower left curly bracket section
U+02773		)						<code>\rbrbrak</code>	light right tortoise shell bracket ornament
U+027C6		⌋		⌋				<code>\rbag</code>	right s-shaped bag delimiter
U+027E7	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\rBrack</code>	mathematical right white square bracket
U+027E9	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\rangle<sup>(p)</sup></code>	mathematical right angle bracket
U+027EB	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\rAngle</code>	mathematical right double angle bracket
U+027ED		⌋				⌋		<code>\Rbrbrak</code>	mathematical right white tortoise shell bracket
U+027EF	)	)	)	)	)	)	)	<code>\rgroup<sup>(p)</sup></code>	mathematical right flattened parenthesis
U+02984		⌋						<code>\rBrace</code>	right white curly bracket
U+02986		)						<code>\rParen</code>	right white parenthesis
U+02988		⌋				⌋		<code>\rrparenthesis</code>	z notation right image bracket
U+0298A		⌋						<code>\rrangle</code>	z notation right binding bracket

USV	M	S	E	K	P	L	G	Macro	Description
U+0298C		]						<code>\rbrackubar</code>	right square bracket with underbar
U+0298E		]						<code>\rbracklrtick</code>	right square bracket with tick in bottom corner
U+02990		]						<code>\rbrackurtick</code>	right square bracket with tick in top corner
U+02992		⟩						<code>\rangledot</code>	right angle bracket with dot
U+02994		⤵						<code>\rparengtr</code>	right arc greater-than bracket
U+02996		⤴						<code>\Rparenless</code>	double right arc less-than bracket
U+02998		)						<code>\rblkbrbrak</code>	right black tortoise shell bracket
U+029D9		⋈						<code>\rvzigzag</code>	right wiggly fence
U+029DB		⋈						<code>\Rvzigzag</code>	right double wiggly fence
U+029FD		⟩					⟩	<code>\rcurvyangle</code>	right pointing curved angle bracket

### 3 Fence symbols, `\mathfence`

USV	M	S	E	K	P	L	G	Macro	Description
U+0007C								<code>\vert<sup>(p)</sup></code>	vertical bar
U+02016								<code>\Vert<sup>(p)</sup></code>	double vertical bar
U+02980								<code>\Vvert</code>	triple vertical bar delimiter

### 4 Punctuation symbols, `\mathpunct`

USV	M	S	E	K	P	L	G	Macro	Description
U+0002C	,	,	,	,	,	,	,	<code>\mathcomma</code>	comma
U+0003A	:	:	:	:	:	:	:	<code>\mathcolon</code>	colon
U+0003B	;	;	;	;	;	;	;	<code>\mathsemicolon</code>	semicolon p:

### 5 ‘Over’ symbols, `\mathover`

USV	M	S	E	K	P	L	G	Macro	Description
U+023B4	$\overline{x+y}$	<code>\overbracket</code>	top square bracket						
U+023DC	$\overparen{x+y}$	<code>\overparen</code>	top parenthesis (mathematical use)						
U+023DE	$\overbrace{x+y}$	<code>\overbrace<sup>(p)</sup></code>	top curly bracket (mathematical use)						

## 6 'Under' symbols, `\mathunder`

USV	M	S	E	K	P	L	G	Macro	Description
U+023B5	$\underline{x+y}$	<code>\underbracket</code>	bottom square bracket						
U+023DD	$\underparen{x+y}$	<code>\underparen</code>	bottom parenthesis (mathematical use)						
U+023DF	$\underbrace{x+y}$	<code>\underbrace<sup>(p)</sup></code>	bottom curly bracket (mathematical use)						

## 7 Accents, `\mathaccent`

Note that accents will only be properly placed if used with an OpenType font with the necessary information.

USV	M	S	E	K	P	L	G	Macro	Description
U+00300	$\grave{x}$	<code>\grave<sup>(p)</sup></code>	grave accent						
U+00301	$\acute{x}$	<code>\acute<sup>(p)</sup></code>	acute accent						
U+00302	$\hat{x}$	<code>\hat<sup>(p)</sup></code>	circumflex accent						
U+00303	$\tilde{x}$	<code>\tilde<sup>(p)</sup></code>	tilde						
U+00304	$\bar{x}$	<code>\bar<sup>(p)</sup></code>	macron						
U+00305	$\overbar{x}$	<code>\overbar</code>	overbar embellishment						
U+00306	$\breve{x}$	<code>\breve<sup>(p)</sup></code>	breve						
U+00307	$\dot{x}$	<code>\dot<sup>(p)</sup></code>	dot above						
U+00308	$\ddot{x}$	<code>\ddot<sup>(p)</sup></code>	dieresis						
U+00309	$\overset{\circ}{x}$	<code>\ovhook</code>	combining hook above						
U+0030A	$\overset{\circ}{x}$	<code>\ocirc</code>	ring						
U+0030C	$\check{x}$	<code>\check<sup>(p)</sup></code>	caron						
U+00310	$\check{x}$	<code>\candra</code>	candrabindu (non-spacing)						
U+00312	$\check{x}$	<code>\oturnedcomma</code>	combining turned comma above						
U+00315	$\check{x}$	<code>\ocommatopright</code>	combining comma above right						

USV	M	S	E	K	P	L	G	Macro	Description
U+0031A		$\hat{x}$					$\hat{x}$	<code>\droang</code>	left angle above (non-spacing)
U+020D0	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	<code>\leftharpoonaccent</code>	combining left harpoon above
U+020D1	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	<code>\rightharpoonaccent</code>	combining right harpoon above
U+020D2	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$		$\bar{x}$	<code>\vertoverlay</code>	combining long vertical line overlay
U+020D7	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	<code>\vec<sup>(p)</sup></code>	combining right arrow above
U+020DB	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	<code>\dddot</code>	combining three dots above
U+020DC	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	$\ddot{x}$	<code>\ddddot</code>	combining four dots above
U+020E7		$\overline{x}$						<code>\annuity</code>	combining annuity symbol
U+020E9	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$	$\bar{x}$		$\bar{x}$	<code>\widebridgeabove</code>	combining wide bridge above
U+020F0	$\ast$	$\ast$	$\ast$	$\ast$	$\ast$		$\ast$	<code>\asteraccent</code>	combining asterisk above

## 8 Accents wide, `\mathaccentwide`

USV	M	S	E	K	P	L	G	Macro	Description
U+00302	$\widehat{x+y}$	<code>\widehat<sup>(p)</sup></code>	circumflex accent						
U+00303	$\widetilde{x+y}$	<code>\widetilde<sup>(p)</sup></code>	tilde						
U+00305	$\overline{x+y}$	<code>\wideoverbar</code>	stretchy overbar embellishment						
U+00306	$\overline{x+y}$	<code>\widebreve</code>	stretchy breve						
U+0030C	$\overline{x+y}$	<code>\widecheck</code>	stretchy caron						
U+020D0	$\overleftarrow{x+y}$	<code>\overleftarrowharpoon</code>	combining left harpoon above						
U+020D1	$\overrightarrow{x+y}$	<code>\overrightarrowharpoon</code>	combining right harpoon above						
U+020D6	$\overleftarrow{x+y}$	<code>\overleftarrow<sup>(p)</sup></code>	combining left arrow above						
U+020D7	$\overrightarrow{x+y}$	<code>\overrightarrow<sup>(p)</sup></code>	combining left arrow above						
U+020E1	$\overleftrightarrow{x+y}$	<code>\overleftrightarrow<sup>(p)</sup></code>	combining left right arrow above						

## 9 Bottom accents, `\mathbotaccent`

USV	M	S	E	K	P	L	G	Macro	Description
U+020E8	$\underline{\underline{\underline{x}}}$	$\underline{\underline{\underline{x}}}$	$\underline{\underline{\underline{x}}}$	$\underline{\underline{\underline{x}}}$	$\underline{\underline{\underline{x}}}$		$\underline{\underline{\underline{x}}}$	<code>\threeunderdot</code>	combining triple underdot

## 10 Bottom accents wide, `\mathbotaccentwide`

USV	M	S	E	K	P	L	G	Macro	Description
U+00330	$\underline{x+y}$	<code>\wideutilde</code>	under tilde accent (multiple characters and non-spacing)						
U+00332	$\underline{x+y}$	<code>\mathunderbar</code>	combining low line						
U+0034D	$\underline{x+y}$	<code>\underleftrightharpoonarrow</code>	underleftrightharpoonarrow accent						
U+020EC	$\underline{x+y}$	$\underline{x+y}$	$\underline{x+y}$	$\underline{x+y}$	$\underline{x+y}$		$\underline{x+y}$	<code>\underrightharpoondown</code>	combining rightwards harpoon with barb downwards
U+020ED	$\underline{x+y}$	$\underline{x+y}$	$\underline{x+y}$	$\underline{x+y}$	$\underline{x+y}$		$\underline{x+y}$	<code>\underlefttharpoondown</code>	combining leftwards harpoon with barb downwards
U+020EE	$\underline{x+y}$	<code>\underleftarrow</code>	combining left arrow below						
U+020EF	$\underline{x+y}$	<code>\underrightarrow</code>	combining right arrow below						

## 11 Big operators, `\mathop`

Of the operators shown below, a subset need to be flagged by unicode-math for `\nolimits` adjustments. The limits behaviour as specified by unicode-math are shown with grey subscripts and superscripts.

USV	M	S	E	K	P	L	G	Macro	Description
U+02140	$\sum_0^1$	$\sum_0^1$	$\sum_0^1$	$\sum_0^1$	$\sum_0^1$		$\sum_0^1$	<code>\Bbbsum</code>	double-struck n-ary summation
U+0220F	$\prod_0^1$	<code>\prod<sup>(P)</sup></code>	product operator						
U+02210	$\coprod_0^1$	<code>\coprod<sup>(P)</sup></code>	coproduct operator						
U+02211	$\sum_0^1$	<code>\sum<sup>(P)</sup></code>	summation operator						
U+0222B	$\int_0^1$	<code>\int<sup>(P)</sup></code>	integral operator						
U+0222C	$\iint_0^1$	<code>\iint</code>	double integral operator						
U+0222D	$\iiint_0^1$	<code>\iiint</code>	triple integral operator						
U+0222E	$\oint_0^1$	<code>\oint<sup>(P)</sup></code>	contour integral operator						
U+0222F	$\oiint_0^1$	<code>\oiint</code>	double contour integral operator						
U+02230	$\oiiint_0^1$	<code>\oiiint</code>	triple contour integral operator						
U+02231	$\int_0^1$	<code>\intclockwise</code>	clockwise integral						

USV	M	S	E	K	P	L	G	Macro	Description
U+02232								<code>\varointclockwise</code>	contour integral, clockwise
U+02233								<code>\ointctrckwise</code>	contour integral, anticlockwise
U+022C0								<code>\bigwedge<sup>(p)</sup></code>	logical and operator
U+022C1								<code>\bigvee<sup>(p)</sup></code>	logical or operator
U+022C2								<code>\bigcap<sup>(p)</sup></code>	intersection operator
U+022C3								<code>\bigcup<sup>(p)</sup></code>	union operator
U+027D5								<code>\leftouterjoin</code>	left outer join
U+027D6								<code>\rightouterjoin</code>	right outer join
U+027D7								<code>\fullouterjoin</code>	full outer join
U+027D8								<code>\bigbot</code>	large up tack
U+027D9								<code>\bigtop</code>	large down tack
U+029F8								<code>\xsol</code>	big solidus
U+029F9								<code>\xbsol</code>	big reverse solidus
U+02A00								<code>\bigodot<sup>(p)</sup></code>	n-ary circled dot operator
U+02A01								<code>\bigoplus<sup>(p)</sup></code>	n-ary circled plus operator
U+02A02								<code>\bigotimes<sup>(p)</sup></code>	n-ary circled times operator
U+02A03								<code>\bigcupdot</code>	n-ary union operator with dot
U+02A04								<code>\bigupplus<sup>(p)</sup></code>	n-ary union operator with plus
U+02A05								<code>\bigsqcap</code>	n-ary square intersection operator
U+02A06								<code>\bigsqcup<sup>(p)</sup></code>	n-ary square union operator
U+02A07								<code>\conjquant</code>	two logical and operator
U+02A08								<code>\disjquant</code>	two logical or operator

USV	M	S	E	K	P	L	G	Macro	Description
U+02A09								<code>\bigtimes</code>	n-ary times operator
U+02A0A								<code>\modtwosum</code>	modulo two sum
U+02A0B								<code>\sumint</code>	summation with integral
U+02A0C								<code>\iiiint</code>	quadruple integral operator
U+02A0D								<code>\intbar</code>	finite part integral
U+02A0E								<code>\intBar</code>	integral with double stroke
U+02A0F								<code>\fint</code>	integral average with slash
U+02A10								<code>\cirfnint</code>	circulation function
U+02A11								<code>\awint</code>	anticlockwise integration
U+02A12								<code>\rppoint</code>	line integration with rectangular path around pole
U+02A13								<code>\scpoint</code>	line integration with semicircular path around pole
U+02A14								<code>\npoint</code>	line integration not including the pole
U+02A15								<code>\pointint</code>	integral around a point operator
U+02A16								<code>\sqint</code>	quaternion integral operator
U+02A17								<code>\intlarhk</code>	integral with leftwards arrow with hook
U+02A18								<code>\intx</code>	integral with times sign
U+02A19								<code>\intcap</code>	integral with intersection
U+02A1A								<code>\intcup</code>	integral with union
U+02A1B								<code>\upint</code>	integral with overbar
U+02A1C								<code>\lowint</code>	integral with underbar
U+02A1D								<code>\Join</code>	join
U+02A1E								<code>\bigtriangleleft</code>	large left triangle operator

USV	M	S	E	K	P	L	G	Macro	Description
U+02A1F								<code>\zcmp</code>	z notation schema composition
U+02A20								<code>\zpipe</code>	z notation schema piping
U+02A21								<code>\zproject</code>	z notation schema projection
U+02AFC								<code>\biginterleave</code>	large triple vertical bar operator
U+02AFF								<code>\bigtalloblong</code>	n-ary white vertical bar
U+1EEF0								<code>\arabicmaj</code>	arabic mathematical operator meem with hah with tatweel
U+1EEF1								<code>\arabichad</code>	arabic mathematical operator hah with dal

## 12 Binary relations, `\mathbin`

USV	M	S	E	K	P	L	G	Macro	Description
U+0002B								<code>\mathplus</code>	plus sign b:
U+000B1								<code>\pm<sup>(p)</sup></code>	plus-or-minus sign
U+000B7								<code>\cdot<sup>(p)</sup></code>	/centerdot b: middle dot
U+000D7								<code>\times<sup>(p)</sup></code>	multiply sign
U+000F7								<code>\div<sup>(p)</sup></code>	divide sign
U+02020								<code>\dagger<sup>(p)</sup></code>	dagger relation
U+02021								<code>\ddagger<sup>(p)</sup></code>	double dagger relation
U+02022								<code>\smbllkcircle</code>	/bullet b: round bullet, filled
U+02040								<code>\tieconcat</code>	character tie, z notation sequence concatenation
U+02044								<code>\fracslash</code>	fraction slash
U+0214B								<code>\upand</code>	turned ampersand
U+02212								<code>\minus</code>	minus sign
U+02213								<code>\mp<sup>(p)</sup></code>	minus-or-plus sign
U+02214								<code>\dotplus<sup>(a)</sup></code>	plus sign, dot above
U+02215								<code>\divslash</code>	division slash
U+02216								<code>\setminus<sup>(p)</sup></code>	set minus (cf. reverse solidus)
U+02217								<code>\ast<sup>(p)</sup></code>	centered asterisk
U+02218								<code>\ysmwhtcircle</code>	composite function (small circle)

USV	M	S	E	K	P	L	G	Macro	Description
U+02219	•	•	•	•	•	•	•	<code>\vysmblkcircle</code>	bullet operator
U+02227	∧	∧	∧	∧	∧	∧	∧	<code>\wedge<sup>(p)</sup></code>	/wedge /land b: logical and
U+02228	∨	∨	∨	∨	∨	∨	∨	<code>\vee<sup>(p)</sup></code>	/vee /lor b: logical or
U+02229	∩	∩	∩	∩	∩	∩	∩	<code>\cap<sup>(p)</sup></code>	intersection
U+0222A	∪	∪	∪	∪	∪	∪	∪	<code>\cup<sup>(p)</sup></code>	union or logical sum
U+02238	⋅	⋅	⋅	⋅	⋅	⋅	⋅	<code>\dotminus</code>	minus sign, dot above
U+0223E	∿	∿	∿	∿	∿	∿	∿	<code>\invlazys</code>	most positive [inverted lazy s]
U+02240	⌘	⌘	⌘	⌘	⌘	⌘	⌘	<code>\wr<sup>(p)</sup></code>	wreath product
U+0228C	⊞	⊞	⊞	⊞	⊞	⊞	⊞	<code>\cupleftarrow</code>	multiset
U+0228D	∪	∪	∪	∪	∪	∪	∪	<code>\cupdot</code>	union, with dot
U+0228E	⊕	⊕	⊕	⊕	⊕	⊕	⊕	<code>\uplus<sup>(p)</sup></code>	plus sign in union
U+02293	⊓	⊓	⊓	⊓	⊓	⊓	⊓	<code>\sqcap<sup>(p)</sup></code>	square intersection
U+02294	⊔	⊔	⊔	⊔	⊔	⊔	⊔	<code>\sqcup<sup>(p)</sup></code>	square union
U+02295	⊕	⊕	⊕	⊕	⊕	⊕	⊕	<code>\oplus<sup>(p)</sup></code>	plus sign in circle
U+02296	⊖	⊖	⊖	⊖	⊖	⊖	⊖	<code>\ominus<sup>(p)</sup></code>	minus sign in circle
U+02297	⊗	⊗	⊗	⊗	⊗	⊗	⊗	<code>\otimes<sup>(p)</sup></code>	multiply sign in circle
U+02298	⊘	⊘	⊘	⊘	⊘	⊘	⊘	<code>\oslash<sup>(p)</sup></code>	solidus in circle
U+02299	⊙	⊙	⊙	⊙	⊙	⊙	⊙	<code>\odot<sup>(p)</sup></code>	middle dot in circle
U+0229A	⊚	⊚	⊚	⊚	⊚	⊚	⊚	<code>\circledcirc<sup>(a)</sup></code>	small circle in circle
U+0229B	⊛	⊛	⊛	⊛	⊛	⊛	⊛	<code>\circledast<sup>(a)</sup></code>	asterisk in circle
U+0229C	⊜	⊜	⊜	⊜	⊜	⊜	⊜	<code>\circledequal</code>	equal in circle
U+0229D	⊝	⊝	⊝	⊝	⊝	⊝	⊝	<code>\circleddash<sup>(a)</sup></code>	hyphen in circle
U+0229E	⊞	⊞	⊞	⊞	⊞	⊞	⊞	<code>\boxplus<sup>(a)</sup></code>	plus sign in box
U+0229F	⊟	⊟	⊟	⊟	⊟	⊟	⊟	<code>\boxminus<sup>(a)</sup></code>	minus sign in box
U+022A0	⊠	⊠	⊠	⊠	⊠	⊠	⊠	<code>\boxtimes<sup>(a)</sup></code>	multiply sign in box
U+022A1	⊡	⊡	⊡	⊡	⊡	⊡	⊡	<code>\boxdot<sup>(a)</sup></code>	/dotsquare /boxdot b: small dot in box
U+022BA	⌞	⌞	⌞	⌞	⌞		⌞	<code>\intercal<sup>(a)</sup></code>	intercal
U+022BB	∨	∨	∨	∨	∨		∨	<code>\veebar<sup>(a)</sup></code>	logical or, bar below (large vee); exclusive disjunction
U+022BC	⌞	⌞	⌞	⌞	⌞		⌞	<code>\barwedge<sup>(a)</sup></code>	bar, wedge (large wedge)
U+022BD	∨	∨	∨	∨	∨		∨	<code>\barvee</code>	bar, vee (large vee)
U+022C4	◇	◇	◇	◇	◇		◇	<code>\smwhtdiamond</code>	white diamond
U+022C5	·	·	·	·	·		·	<code>\cdot<sup>(p)</sup></code>	small middle dot
U+022C6	★	★	★	★	★		★	<code>\star<sup>(p)</sup></code>	small star, filled, low
U+022C7	✳	✳	✳	✳	✳		✳	<code>\divideontimes<sup>(a)</sup></code>	division on times

USV	M	S	E	K	P	L	G	Macro	Description
U+022C9	✕	✕	✕	✕	✕	✕	✕	<code>\ltimes<sup>(a)</sup></code>	times sign, left closed
U+022CA	✕	✕	✕	✕	✕	✕	✕	<code>\rtimes<sup>(a)</sup></code>	times sign, right closed
U+022CB	⋈	⋈	⋈	⋈				<code>\leftthreetimes<sup>(a)</sup></code>	left semidirect product
U+022CC	⋈	⋈	⋈	⋈				<code>\rightthreetimes<sup>(a)</sup></code>	right semidirect product
U+022CE	⋈	⋈	⋈	⋈	⋈	⋈	⋈	<code>\curlyvee<sup>(a)</sup></code>	curly logical or
U+022CF	⋈	⋈	⋈	⋈	⋈	⋈	⋈	<code>\curlywedge<sup>(a)</sup></code>	curly logical and
U+022D2	⋈	⋈	⋈	⋈	⋈			<code>\Cap<sup>(a)</sup></code>	<code>/cap</code> /doublecap b: double intersection
U+022D3	⋈	⋈	⋈	⋈	⋈			<code>\Cup<sup>(a)</sup></code>	<code>/cup</code> /doublecup b: double union
U+02305	⋈	⋈	⋈	⋈	⋈			<code>\varbarwedge</code>	<code>/barwedge</code> b: logical and, bar above [projective (bar over small wedge)]
U+02306	⋈	⋈	⋈	⋈	⋈			<code>\vardoublebarwedge</code>	<code>/doublebarwedge</code> b: logical and, double bar above [perspective (double bar over small wedge)]
U+0233D		⊖						<code>\obar</code>	circle with vertical bar
U+025B3	△	△	△	△	△	△	△	<code>\bigtriangleup<sup>(p)</sup></code>	big up triangle, open
U+025B7	▷	▷	▷	▷	▷	▷	▷	<code>\triangleright<sup>(p)</sup></code>	(large) right triangle, open; z notation range restriction
U+025C1	◁	◁	◁	◁	◁	◁	◁	<code>\triangleleft<sup>(p)</sup></code>	(large) left triangle, open; z notation domain restriction
U+025CB	○	○	○	○	○	○	○	<code>\mdlgwhtcircle</code>	medium large circle
U+025EB		⏏		⏏				<code>\boxbar</code>	vertical bar in box
U+027C7		⋈						<code>\veedot</code>	or with dot inside
U+027D1		⋈						<code>\wedgedot</code>	and with dot
U+027E0	◊	◊	◊	◊	◊			<code>\lozengeminus</code>	lozenge divided by horizontal rule
U+027E1	◊	◊	◊	◊	◊			<code>\concavediamond</code>	white concave-sided diamond
U+027E2	◊	◊	◊	◊	◊			<code>\concavediamondtickleft</code>	white concave-sided diamond with leftwards tick
U+027E3	◊	◊	◊	◊	◊			<code>\concavediamondtickright</code>	white concave-sided diamond with rightwards tick
U+027E4		⏏						<code>\whitesquaretickleft</code>	white square with leftwards tick
U+027E5		⏏						<code>\whitesquaretickright</code>	white square with rightwards tick
U+029B5		⊖						<code>\circlehbar</code>	circle with horizontal bar
U+029B6		⊖						<code>\circledvert</code>	circled vertical bar
U+029B7		⊖						<code>\circledparallel</code>	circled parallel
U+029B8		⊖		⊖				<code>\obslash</code>	circled reverse solidus
U+029B9		⊖				⊖		<code>\operp</code>	circled perpendicular

USV	M	S	E	K	P	L	G	Macro	Description
U+029C0		⊗		⊗				<code>\olessthan</code>	circled less-than
U+029C1		⊗		⊗				<code>\ogreaterthan</code>	circled greater-than
U+029C4		⊠		⊠				<code>\boxdiag</code>	squared rising diagonal slash
U+029C5		⊠		⊠				<code>\boxbslash</code>	squared falling diagonal slash
U+029C6		⊠		⊠				<code>\boxast</code>	squared asterisk
U+029C7		⊠						<code>\boxcircle</code>	squared small circle
U+029C8		⊠						<code>\boxbox</code>	squared square
U+029CD		△						<code>\triangleserifs</code>	triangle with serifs at bottom
U+029D6		⌚						<code>\hourglass</code>	white hourglass
U+029D7		⌚						<code>\blackhourglass</code>	black hourglass
U+029E2		⌞						<code>\shuffle</code>	shuffle product
U+029EB		◆	◆	◆				<code>\mdlgblklozenge</code>	black lozenge
U+029F5		↖	↖	↖		↖	↖	<code>\reversesolidus</code>	reverse solidus
U+029F6		↗				↗		<code>\dsol</code>	solidus with overbar
U+029F7		↖				↖		<code>\rsolbar</code>	reverse solidus with horizontal stroke
U+029FA		≡						<code>\doubleplus</code>	double plus
U+029FB		≡						<code>\tripleplus</code>	triple plus
U+029FE		+						<code>\tplus</code>	tiny
U+029FF		-						<code>\tminus</code>	miny
U+02A22		⊕						<code>\ringplus</code>	plus sign with small circle above
U+02A23		⊕						<code>\plushat</code>	plus sign with circumflex accent above
U+02A24		⊕						<code>\simplus</code>	plus sign with tilde above
U+02A25		⊕						<code>\plusdot</code>	plus sign with dot below
U+02A26		⊕						<code>\plussim</code>	plus sign with tilde below
U+02A27		⊕						<code>\plussubtwo</code>	plus sign with subscript two
U+02A28		⊕						<code>\plustrif</code>	plus sign with black triangle
U+02A29		⊖						<code>\commaminus</code>	minus sign with comma above
U+02A2A		⊖						<code>\minusdot</code>	minus sign with dot below
U+02A2B		⊖						<code>\minusfdots</code>	minus sign with falling dots
U+02A2C		⊖						<code>\minusrdots</code>	minus sign with rising dots
U+02A2D		⊕						<code>\oplushrim</code>	plus sign in left half circle
U+02A2E		⊕						<code>\oplusrhrim</code>	plus sign in right half circle
U+02A2F	×	×	×	×	×		×	<code>\vectimes</code>	vector or cross product

USV	M	S	E	K	P	L	G	Macro	Description
U+02A30		×						<code>\dottimes</code>	multiplication sign with dot above
U+02A31		⌞						<code>\timesbar</code>	multiplication sign with underbar
U+02A32		⋈						<code>\btimes</code>	semidirect product with bottom closed
U+02A33		⌘						<code>\smashtimes</code>	smash product
U+02A34		⌘						<code>\otimeslhrim</code>	multiplication sign in left half circle
U+02A35		⌘						<code>\otimesrhrim</code>	multiplication sign in right half circle
U+02A36		⊗				⊗		<code>\otimeshat</code>	circled multiplication sign with circumflex accent
U+02A37		⊗						<code>\Otimes</code>	multiplication sign in double circle
U+02A38		⊕						<code>\odiv</code>	circled division sign
U+02A39		⊕						<code>\triangleplus</code>	plus sign in triangle
U+02A3A		⊖						<code>\triangleminus</code>	minus sign in triangle
U+02A3B		⊗						<code>\triangletimes</code>	multiplication sign in triangle
U+02A3C		⌋						<code>\intprod</code>	interior product
U+02A3D		⌋						<code>\intprodr</code>	righthand interior product
U+02A3E		⋈				⋈		<code>\fcmp</code>	z notation relational composition
U+02A3F	⊎	⊎	⊎	⊎	⊎	⊎	⊎	<code>\amalg<sup>(p)</sup></code>	amalgamation or coproduct
U+02A40		∩						<code>\capdot</code>	intersection with dot
U+02A41		∪						<code>\uminus</code>	union with minus sign
U+02A42		∪						<code>\barcup</code>	union with overbar
U+02A43		∩						<code>\barcap</code>	intersection with overbar
U+02A44		∩						<code>\capwedge</code>	intersection with logical and
U+02A45		∪						<code>\cupvee</code>	union with logical or
U+02A46		∩						<code>\cupovercap</code>	union above intersection
U+02A47		∩						<code>\capovercup</code>	intersection above union
U+02A48		∩						<code>\cupbarcap</code>	union above bar above intersection
U+02A49		∩						<code>\capbarcup</code>	intersection above bar above union
U+02A4A		∩						<code>\twocups</code>	union beside and joined with union
U+02A4B		∩						<code>\twocaps</code>	intersection beside and joined with intersection
U+02A4C		∩						<code>\closedvarcup</code>	closed union with serifs

USV	M	S	E	K	P	L	G	Macro	Description
U+02A4D								<code>\closedvarcap</code>	closed intersection with serifs
U+02A4E								<code>\Sqcap</code>	double square intersection
U+02A4F								<code>\Sqcup</code>	double square union
U+02A50								<code>\closedvarcupsmashprod</code>	closed union with serifs and smash product
U+02A51								<code>\wedgedot</code>	logical and with dot above
U+02A52								<code>\veedot</code>	logical or with dot above
U+02A53								<code>\Wedge</code>	double logical and
U+02A54								<code>\Vee</code>	double logical or
U+02A55								<code>\wedgonwedge</code>	two intersecting logical and
U+02A56								<code>\veeonvee</code>	two intersecting logical or
U+02A57								<code>\bigslowedvee</code>	sloping large or
U+02A58								<code>\bigslowedwedge</code>	sloping large and
U+02A5A								<code>\wedgemidvert</code>	logical and with middle stem
U+02A5B								<code>\veemidvert</code>	logical or with middle stem
U+02A5C								<code>\midbarwedge</code>	logical and with horizontal dash
U+02A5D								<code>\midbarvee</code>	logical or with horizontal dash
U+02A5E								<code>\doublebarwedge<sup>(a)</sup></code>	logical and with double overbar
U+02A5F								<code>\wedgebar</code>	logical and with underbar
U+02A60								<code>\wedgedoublebar</code>	logical and with double underbar
U+02A61								<code>\varveebar</code>	small vee with underbar
U+02A62								<code>\doublebarvee</code>	logical or with double overbar
U+02A63								<code>\veedoublebar</code>	logical or with double underbar
U+02A64								<code>\dsub</code>	z notation domain antirestriction
U+02A65								<code>\rsub</code>	z notation range antirestriction
U+02A71								<code>\eqqplus</code>	equals sign above plus sign
U+02A72								<code>\pluseqq</code>	plus sign above equals sign
U+02AF4								<code>\interleave</code>	triple vertical bar binary relation
U+02AF5								<code>\nhVvert</code>	triple vertical bar with horizontal stroke
U+02AF6								<code>\threedotcolon</code>	triple colon operator
U+02AFB								<code>\trslash</code>	triple solidus binary relation
U+02AFD								<code>\sslash</code>	double solidus operator
U+02AFE								<code>\talloblong</code>	white vertical bar

usv	M	S	E	K	P	L	G	Macro	Description
-----	---	---	---	---	---	---	---	-------	-------------

### 13 Ordinary symbols, \mathord

usv	M	S	E	K	P	L	G	Macro	Description
U+00023	#	#	#	#	#	#	#	\mathoctothorpe	number sign
U+00024	\$	\$	\$	\$	\$	\$	\$	\mathdollar	dollar sign
U+00025	%	%	%	%	%	%	%	\mathpercent	percent sign
U+00026	&	&	&	&	&	&	&	\mathampersand	ampersand
U+0002E	.	.	.	.	.	.	.	\mathperiod	full stop, period
U+0002F	/	/	/	/	/	/	/	\mathslash	solidus
U+0003F	?	?	?	?	?	?	?	\mathquestion	question mark
U+00040	@	@	@	@	@	@	@	\mathatsign	commercial at
U+0005C	\	\	\	\	\	\	\	\backslash <sup>(p)</sup>	reverse solidus
U+000A3	£	£	£	£	£	£	£	\mathsterling	pound sign
U+000A5	¥	¥	¥	¥	¥	¥	¥	\mathyen	yen sign
U+000A7	§	§	§	§	§	§	§	\mathsection	section symbol
U+000AC	¬	¬	¬	¬	¬	¬	¬	\neg <sup>(p)</sup>	/neg /Inot not sign
U+000B6	¶	¶	¶	¶	¶	¶	¶	\mathparagraph	paragraph symbol
U+001B5		Z	Z	Z		Z		\Zbar	impedance (latin capital letter z with stroke)
U+003F6		ε	ε	ε		ε		\upbackepsilon	greek reversed lunate epsilon symbol
U+02015	—	—	—		—	—	—	\horizbar	horizontal bar
U+02017	=	=	=		=	=	=	\twolowline	double low line (spacing)
U+02025		..				..		\enleadertwodots	double baseline dot (en leader)
U+02026	...	...	...	...	...	...	...	\unicodeellipsis	ellipsis (horizontal)
U+02032	′	′	′	′	′	′	′	\prime <sup>(p)</sup>	prime or minute, not superscripted
U+02033	″	″	″	″	″	″	″	\dprime	double prime or second, not superscripted
U+02034	‴	‴	‴	‴	‴	‴	‴	\trprime	triple prime (not superscripted)
U+02035	′	′	′	′	′	′	′	\backprime <sup>(a)</sup>	reverse prime, not superscripted
U+02036	″	″	″	″	″	″	″	\backdprime	double reverse prime, not superscripted
U+02037	‴	‴	‴	‴	‴	‴	‴	\backtrprime	triple reverse prime, not superscripted

USV	M	S	E	K	P	L	G	Macro	Description
U+02038		^						\caretinsert	caret (insertion mark)
U+0203C		!!					!!	\Exclam	double exclamation mark
U+02043		▪						\hyphenbullet	rectangle, filled (hyphen bullet)
U+02047		??					??	\Question	double question mark
U+02057	'''	'''	'''	'''	'''	'''	'''	\qprime	quadruple prime, not super-scripted
U+020AC	€	€	€	€	€	€	€	\euro	euro sign
U+020DD	○	○	○	○	○		○	\enclosecircle	combining enclosing circle
U+020DE	□	□	□	□	□		□	\enclosesquare	combining enclosing square
U+020DF	◇	◇	◇	◇	◇		◇	\enclosediamond	combining enclosing diamond
U+020E4	△	△	△	△	△		△	\enclosetriangle	combining enclosing upward pointing triangle
U+02107	ε	ε	ε	ε	ε		ε	\Eulerconst	euler constant
U+0210E	h	h	h	h	h	h	b	\Planckconst	planck constant
U+02127	℧	℧	℧	℧	℧	℧	℧	\mho	conductance
U+02132		ƒ	ƒ	ƒ				\Finv <sup>(a)</sup>	turned capital f
U+0213C	⍷	⍷	⍷		⍷		⍷	\Bbbpi	double-struck small pi
U+02141		Ɔ	Ɔ	Ɔ				\Game <sup>(a)</sup>	turned sans-serif capital g
U+02142		⌐						\sansLturned	turned sans-serif capital l
U+02143		⌑						\sansLmirrored	reversed sans-serif capital l
U+02144		⌒						\Yup	turned sans-serif capital y
U+02145	𝔻	𝔻	𝔻		𝔻		𝔻	\mitBbbD	double-struck italic capital d
U+02146	𝔡	𝔡	𝔡		𝔡		𝔡	\mitBbbd	double-struck italic small d
U+02147	𝔢	𝔢	𝔢		𝔢		𝔢	\mitBbbe	double-struck italic small e
U+02148	𝔦	𝔦	𝔦		𝔦		𝔦	\mitBbbi	double-struck italic small i
U+02149	𝔧	𝔧	𝔧		𝔧		𝔧	\mitBbbj	double-struck italic small j
U+0214A		ℙ						\PropertyLine	property line
U+021A8		↕				↕	↕	\updownarrowbar	up down arrow with base (perpendicular)
U+021B4	↴	↴	↴	↴	↴	↴	↴	\linefeed	rightwards arrow with corner downwards
U+021B5	↵	↵	↵	↵	↵	↵	↵	\carriagereturn	downwards arrow with corner leftward = carriage return
U+021B8		↖				↖	↖	\barovernorthwestarrow	north west arrow to long bar
U+021B9		↞			↞	↞	↞	\barleftarrowrightarrowbar	leftwards arrow to bar over rightwards arrow to bar
U+021BA	↻	↻	↻	↻	↻	↻	↻	\acwopencirclearrow	anticlockwise open circle arrow
U+021BB	↻	↻	↻	↻	↻	↻	↻	\cwopencirclearrow	clockwise open circle arrow

USV	M	S	E	K	P	L	G	Macro	Description
U+021DE		⇕				⇕	⇕	<code>\nHuparrow</code>	upwards arrow with double stroke
U+021DF		⇓				⇓	⇓	<code>\nHdownarrow</code>	downwards arrow with double stroke
U+021E0		↔	↔	↔		↔	↔	<code>\leftdasharrow</code>	leftwards dashed arrow
U+021E1		↕	↕	↕		↕	↕	<code>\updasharrow</code>	upwards dashed arrow
U+021E2		↔	↔	↔		↔	↔	<code>\rightdasharrow</code>	rightwards dashed arrow
U+021E3		↕	↕	↕		↕	↕	<code>\downdasharrow</code>	downwards dashed arrow
U+021E6	↔	↔	↔		↔	↔	↔	<code>\leftwhitearrow</code>	leftwards white arrow
U+021E7	↕	↕	↕		↕	↕	↕	<code>\upwhitearrow</code>	upwards white arrow
U+021E8	↔	↔	↔		↔	↔	↔	<code>\rightwhitearrow</code>	rightwards white arrow
U+021E9	↕	↕	↕		↕	↕	↕	<code>\downwhitearrow</code>	downwards white arrow
U+021EA		↕				↕	↕	<code>\whitearrowupfrombar</code>	upwards white arrow from bar
U+02200	∀	∀	∀	∀	∀	∀	∀	<code>\forall</code> <sup>(p)</sup>	for all
U+02201	∁	∁	∁	∁	∁	∁	∁	<code>\complement</code> <sup>(a)</sup>	complement sign
U+02203	∃	∃	∃	∃	∃	∃	∃	<code>\exists</code> <sup>(p)</sup>	at least one exists
U+02204	∄	∄	∄	∄	∄	∄	∄	<code>\nexists</code> <sup>(a)</sup>	negated exists
U+02205	∅	∅	∅	∅	∅	∅	∅	<code>\varnothing</code> <sup>(a)</sup>	circle, slash
U+02206	Δ	Δ	Δ	Δ	Δ	Δ	Δ	<code>\increment</code>	laplacian (delta; nabla^2)
U+0220E	■	■	■	■	■	■	■	<code>\QED</code>	end of proof
U+0221A	√	√	√	√	√	√	√	<code>\surd</code> <sup>(p)</sup>	radical
U+0221E	∞	∞	∞	∞	∞	∞	∞	<code>\infty</code> <sup>(p)</sup>	infinity
U+0221F	∟	∟	∟	∟	∟	∟	∟	<code>\rightangle</code>	right (90 degree) angle
U+02220	∠	∠	∠	∠	∠	∠	∠	<code>\angle</code> <sup>(p)</sup>	angle
U+02221	∠	∠	∠	∠	∠	∠	∠	<code>\measuredangle</code> <sup>(a)</sup>	angle-measured
U+02222	∠	∠	∠	∠	∠	∠	∠	<code>\sphericalangle</code> <sup>(a)</sup>	angle-spherical
U+02234	∴	∴	∴	∴	∴	∴	∴	<code>\therefore</code> <sup>(a)</sup>	therefore
U+02235	∵	∵	∵	∵	∵	∵	∵	<code>\because</code> <sup>(a)</sup>	because
U+0223F	∿	∿	∿	∿	∿	∿	∿	<code>\sinewave</code>	sine wave
U+022A4	⤴	⤴	⤴	⤴	⤴	⤴	⤴	<code>\top</code> <sup>(p)</sup>	top
U+022A5	⤵	⤵	⤵	⤵	⤵	⤵	⤵	<code>\bot</code> <sup>(p)</sup>	bottom
U+022B9	†	†	†		†		†	<code>\hermitmatrix</code>	hermitian conjugate matrix
U+022BE	⊳	⊳	⊳		⊳		⊳	<code>\measuredrightangle</code>	right angle-measured [with arc]
U+022BF	⊲	⊲	⊲		⊲		⊲	<code>\varltriangleright</code>	right triangle
U+022EF	⋯	⋯	⋯	⋯	⋯	⋯	⋯	<code>\unicodcdots</code>	three dots, centered
U+02300	∅	∅	∅		∅	∅	∅	<code>\diameter</code>	diameter sign

usv	M	S	E	K	P	L	G	Macro	Description
U+02302								<code>\house</code>	house
U+02310								<code>\invnot</code>	reverse not
U+02311								<code>\sqlozenge</code>	square lozenge
U+02312								<code>\profline</code>	profile of a line
U+02313								<code>\profsurf</code>	profile of a surface
U+02317								<code>\viewdata</code>	viewdata square
U+02319								<code>\turnednot</code>	turned not sign
U+02320								<code>\inttop</code>	top half integral
U+02321								<code>\intbottom</code>	bottom half integral
U+0232C								<code>\varhexagonlrbonds</code>	six carbon ring, corner down, double bonds lower right etc
U+02332								<code>\conictaper</code>	conical taper
U+02336								<code>\topbot</code>	top and bottom
U+02340								<code>\APLnotbackslash</code>	apl functional symbol backslash bar
U+02353								<code>\APLboxupcaret</code>	boxed up caret
U+02370								<code>\APLboxquestion</code>	boxed question mark
U+0237C								<code>\rangledownzigzagarrow</code>	right angle with downwards zigzag arrow
U+02394								<code>\hexagon</code>	horizontal benzene ring [hexagon flat open]
U+0239B								<code>\lparenuend</code>	left parenthesis upper hook
U+0239C								<code>\lparenextender</code>	left parenthesis extension
U+0239D								<code>\lparenlend</code>	left parenthesis lower hook
U+0239E								<code>\rparenuend</code>	right parenthesis upper hook
U+0239F								<code>\rparenextender</code>	right parenthesis extension
U+023A0								<code>\rparenlend</code>	right parenthesis lower hook
U+023A1								<code>\lbrackuend</code>	left square bracket upper corner
U+023A2								<code>\lbrackextender</code>	left square bracket extension

USV	M	S	E	K	P	L	G	Macro	Description
U+023A3								<code>\lbracklend</code>	left square bracket lower corner
U+023A4								<code>\rbrackuend</code>	right square bracket upper corner
U+023A5								<code>\rbrackextender</code>	right square bracket extension
U+023A6								<code>\rbracklend</code>	right square bracket lower corner
U+023A7								<code>\lbraceuend</code>	left curly bracket upper hook
U+023A8								<code>\lbracemid</code>	left curly bracket middle piece
U+023A9								<code>\lbracelend</code>	left curly bracket lower hook
U+023AA								<code>\vbraceextender</code>	curly bracket extension
U+023AB								<code>\rbraceuend</code>	right curly bracket upper hook
U+023AC								<code>\rbracemid</code>	right curly bracket middle piece
U+023AD								<code>\rbracelend</code>	right curly bracket lower hook
U+023AE								<code>\intextender</code>	integral extension
U+023AF								<code>\harrowextender</code>	horizontal line extension (used to extend arrows)
U+023B2								<code>\sumtop</code>	summation top
U+023B3								<code>\sumbottom</code>	summation bottom
U+023B6								<code>\bbrktbrk</code>	bottom square bracket over top square bracket
U+023B7								<code>\sqrtbottom</code>	radical symbol bottom
U+023B8								<code>\lvboxline</code>	left vertical box line
U+023B9								<code>\rvboxline</code>	right vertical box line
U+023CE								<code>\varcarriagereturn</code>	return symbol
U+023E0								<code>\obrbrak</code>	top tortoise shell bracket (mathematical use)
U+023E1								<code>\ubrbrak</code>	bottom tortoise shell bracket (mathematical use)

USV	M	S	E	K	P	L	G	Macro	Description
U+023E2								<code>\trapezium</code>	white trapezium
U+023E3								<code>\benzenr</code>	benzene ring with circle
U+023E4								<code>\strns</code>	straightness
U+023E5								<code>\fltns</code>	flatness
U+023E6								<code>\accurent</code>	ac current
U+023E7								<code>\elinters</code>	electrical intersection
U+02422								<code>\blanksymbol</code>	blank symbol
U+02423								<code>\mathvisiblespace</code>	open box
U+02506								<code>\bdtriplevdash</code>	doubly broken vert
U+02580								<code>\blockuphalf</code>	upper half block
U+02584								<code>\blocklowhalf</code>	lower half block
U+02588								<code>\blockfull</code>	full block
U+0258C								<code>\blocklefthalf</code>	left half block
U+02590								<code>\blockrighthalf</code>	right half block
U+02591								<code>\blockqtrshaded</code>	25% shaded block
U+02592								<code>\blockhalfshaded</code>	50% shaded block
U+02593								<code>\blockthreeqtrshaded</code>	75% shaded block
U+025A0								<code>\mdlgbksquare</code>	square, filled
U+025A1								<code>\mdlgwhtsquare</code>	square, open
U+025A2								<code>\squoval</code>	white square with rounded corners
U+025A3								<code>\blackinwhitesquare</code>	white square containing black small square
U+025A4								<code>\squarehfill</code>	square, horizontal rule filled
U+025A5								<code>\squarevfill</code>	square, vertical rule filled
U+025A6								<code>\squarehvfill</code>	square with orthogonal crosshatch fill
U+025A7								<code>\squarenwsefill</code>	square, nw-to-se rule filled
U+025A8								<code>\squareneswfill</code>	square, ne-to-sw rule filled
U+025A9								<code>\squarecrossfill</code>	square with diagonal crosshatch fill
U+025AA								<code>\smbksquare</code>	/blacksquare - sq bullet, filled
U+025AB								<code>\smwhtsquare</code>	white small square
U+025AC								<code>\hrectangleblack</code>	black rectangle
U+025AD								<code>\hrectangle</code>	horizontal rectangle, open
U+025AE								<code>\vrectangleblack</code>	black vertical rectangle

USV	M	S	E	K	P	L	G	Macro	Description
U+025AF								<code>\vrectangle</code>	rectangle, white (vertical)
U+025B0								<code>\parallelogramblack</code>	black parallelogram
U+025B1								<code>\parallelogram</code>	parallelogram, open
U+025B2								<code>\bigblacktriangleup</code>	black up-pointing triangle
U+025B4								<code>\blacktriangle<sup>(a)</sup></code>	up triangle, filled
U+025B6								<code>\blacktriangleright<sup>(a)</sup></code>	(large) right triangle, filled
U+025B8								<code>\smallblacktriangleright</code>	right triangle, filled
U+025B9								<code>\smalltriangleright</code>	right triangle, open
U+025BA								<code>\blackpointerright</code>	black right-pointing pointer
U+025BB								<code>\whitepointerright</code>	white right-pointing pointer
U+025BC								<code>\bigblacktriangledown</code>	big down triangle, filled
U+025BD								<code>\bigtriangledown<sup>(p)</sup></code>	big down triangle, open
U+025BE								<code>\blacktriangledown<sup>(a)</sup></code>	down triangle, filled
U+025BF								<code>\triangledown<sup>(a)</sup></code>	down triangle, open
U+025C0								<code>\blacktriangleleft<sup>(a)</sup></code>	(large) left triangle, filled
U+025C2								<code>\smallblacktriangleleft</code>	left triangle, filled
U+025C3								<code>\smalltriangleleft</code>	left triangle, open
U+025C4								<code>\blackpointerleft</code>	black left-pointing pointer
U+025C5								<code>\whitepointerleft</code>	white left-pointing pointer
U+025C6								<code>\mdlgblkdiamond</code>	black diamond
U+025C7								<code>\mdlgwhtdiamond</code>	white diamond; diamond, open
U+025C8								<code>\blackinwhitediamond</code>	white diamond containing black small diamond
U+025C9								<code>\fisheye</code>	fisheye
U+025CA								<code>\mdlgwhtlozenge</code>	lozenge or total mark
U+025CC								<code>\dottedcircle</code>	dotted circle
U+025CD								<code>\circlevertfill</code>	circle with vertical fill
U+025CE								<code>\bullseye</code>	bullseye
U+025CF								<code>\mdlgblkcircle</code>	circle, filled
U+025D0								<code>\circlelefthalfblack</code>	circle, filled left half [harvey ball]
U+025D1								<code>\circlerighthalfblack</code>	circle, filled right half
U+025D2								<code>\circlebottomhalfblack</code>	circle, filled bottom half
U+025D3								<code>\circletophalfblack</code>	circle, filled top half
U+025D4								<code>\circleurquadblack</code>	circle with upper right quadrant black

USV	M	S	E	K	P	L	G	Macro	Description
U+025D5								<code>\blackcircleulquadwhite</code>	circle with all but upper left quadrant black
U+025D6								<code>\blacklefthalfcircle</code>	left half black circle
U+025D7								<code>\blackrighthalfcircle</code>	right half black circle
U+025D8								<code>\inversebullet</code>	inverse bullet
U+025D9								<code>\inversewhitecircle</code>	inverse white circle
U+025DA								<code>\invwhiteupperhalfcircle</code>	upper half inverse white circle
U+025DB								<code>\invwhitelowerhalfcircle</code>	lower half inverse white circle
U+025DC								<code>\ularc</code>	upper left quadrant circular arc
U+025DD								<code>\urarc</code>	upper right quadrant circular arc
U+025DE								<code>\lrarc</code>	lower right quadrant circular arc
U+025DF								<code>\llarc</code>	lower left quadrant circular arc
U+025E0								<code>\topsemicircle</code>	upper half circle
U+025E1								<code>\botsemicircle</code>	lower half circle
U+025E2								<code>\lrblacktriangle</code>	lower right triangle, filled
U+025E3								<code>\llblacktriangle</code>	lower left triangle, filled
U+025E4								<code>\ulblacktriangle</code>	upper left triangle, filled
U+025E5								<code>\urblacktriangle</code>	upper right triangle, filled
U+025E6								<code>\smwhtcircle</code>	white bullet
U+025E7								<code>\squareleftblack</code>	square, filled left half
U+025E8								<code>\squarerightblack</code>	square, filled right half
U+025E9								<code>\squareulblack</code>	square, filled top left corner
U+025EA								<code>\squarelrblack</code>	square, filled bottom right corner
U+025EC								<code>\trianglecdot</code>	triangle with centered dot
U+025ED								<code>\triangleleftblack</code>	up-pointing triangle with left half black
U+025EE								<code>\trianglerightblack</code>	up-pointing triangle with right half black
U+025EF								<code>\lgwhtcircle</code>	large circle
U+025F0								<code>\squareulquad</code>	white square with upper left quadrant
U+025F1								<code>\squarellquad</code>	white square with lower left quadrant
U+025F2								<code>\squarelrquad</code>	white square with lower right quadrant
U+025F3								<code>\squareurquad</code>	white square with upper right quadrant

USV	M	S	E	K	P	L	G	Macro	Description
U+025F4								<code>\circleulquad</code>	white circle with upper left quadrant
U+025F5								<code>\circellelquad</code>	white circle with lower left quadrant
U+025F6								<code>\circlelquad</code>	white circle with lower right quadrant
U+025F7								<code>\circleurquad</code>	white circle with upper right quadrant
U+025F8								<code>\ultriangle</code>	upper left triangle
U+025F9								<code>\urtriangle</code>	upper right triangle
U+025FA								<code>\lltriangle</code>	lower left triangle
U+025FB								<code>\mdwhtsquare</code>	white medium square
U+025FC								<code>\mdblksquare</code>	black medium square
U+025FD								<code>\msmwhtsquare</code>	white medium small square
U+025FE								<code>\msmblksquare</code>	black medium small square
U+025FF								<code>\lrtriangle</code>	lower right triangle
U+02605								<code>\bigstar<sup>(a)</sup></code>	star, filled
U+02606								<code>\bigwhitestar</code>	star, open
U+02609								<code>\astrosun</code>	sun
U+02621								<code>\danger</code>	dangerous bend (caution sign)
U+0263B								<code>\blacksmiley</code>	black smiling face
U+0263C								<code>\sun</code>	white sun with rays
U+0263D								<code>\rightmoon</code>	first quarter moon
U+0263E								<code>\leftmoon</code>	last quarter moon
U+02640								<code>\female</code>	venus, female
U+02642								<code>\male</code>	mars, male
U+02660								<code>\spadesuit<sup>(p)</sup></code>	spades suit symbol
U+02661								<code>\heartsuit<sup>(p)</sup></code>	heart suit symbol
U+02662								<code>\diamondsuit<sup>(p)</sup></code>	diamond suit symbol
U+02663								<code>\clubsuit<sup>(p)</sup></code>	club suit symbol
U+02664								<code>\varspadesuit</code>	spade, white (card suit)
U+02665								<code>\varheartsuit</code>	filled heart (card suit)
U+02666								<code>\vardiamondsuit</code>	filled diamond (card suit)
U+02667								<code>\varclubsuit</code>	club, white (card suit)
U+02669								<code>\quaternote</code>	music note (sung text sign)
U+0266A								<code>\eighthnote</code>	eighth note
U+0266B								<code>\twonotes</code>	beamed eighth notes

USV	M	S	E	K	P	L	G	Macro	Description
U+0266D								<code>\flat<sup>(p)</sup></code>	musical flat
U+0266E								<code>\natural<sup>(p)</sup></code>	music natural
U+0266F								<code>\sharp<sup>(p)</sup></code>	musical sharp
U+0267E								<code>\acidfree</code>	permanent paper sign
U+02680								<code>\dicei</code>	die face-1
U+02681								<code>\diceii</code>	die face-2
U+02682								<code>\diceiii</code>	die face-3
U+02683								<code>\diceiv</code>	die face-4
U+02684								<code>\dicev</code>	die face-5
U+02685								<code>\dicevi</code>	die face-6
U+02686								<code>\circledrightdot</code>	white circle with dot right
U+02687								<code>\circledtwodots</code>	white circle with two dots
U+02688								<code>\blackcircledrightdot</code>	black circle with white dot right
U+02689								<code>\blackcircledtwodots</code>	black circle with two white dots
U+026A5								<code>\Hermaphrodite</code>	male and female sign
U+026AA								<code>\mdwhtcircle</code>	medium white circle
U+026AB								<code>\mdblkcircle</code>	medium black circle
U+026AC								<code>\msmwhtcircle</code>	medium small white circle
U+026B2								<code>\neuter</code>	neuter
U+02713								<code>\checkmark</code>	tick, check mark
U+02720								<code>\maltese</code>	maltese cross
U+0272A								<code>\circledstar</code>	circled white star
U+02736								<code>\varstar</code>	six pointed black star
U+0273D								<code>\dingasterisk</code>	heavy teardrop-spoked asterisk
U+0279B								<code>\draftingarrow</code>	right arrow with bold head (drafting)
U+027C0								<code>\threeangle</code>	three dimensional angle
U+027C1								<code>\whiteinwhitetrangle</code>	white triangle containing small white triangle
U+027C3								<code>\subsetcirc</code>	open subset
U+027C4								<code>\supsetcirc</code>	open superset
U+027CB								<code>\diagup<sup>(a)</sup></code>	mathematical rising diagonal
U+027CD								<code>\diagdown<sup>(a)</sup></code>	mathematical falling diagonal
U+027D0								<code>\diamondcdot</code>	white diamond with centred dot
U+0292B								<code>\rdiagovfdiag</code>	rising diagonal crossing falling diagonal

USV	M	S	E	K	P	L	G	Macro	Description
U+0292C		✕						<code>\fdiagovrdiag</code>	falling diagonal crossing rising diagonal
U+0292D		↘						<code>\seovnearrow</code>	south east arrow crossing north east arrow
U+0292E		↗						<code>\neovsearrow</code>	north east arrow crossing south east arrow
U+0292F		↘						<code>\fdiagovnearrow</code>	falling diagonal crossing north east arrow
U+02930		↗						<code>\rdiagovsearrow</code>	rising diagonal crossing south east arrow
U+02931		↗						<code>\neovnwarrow</code>	north east arrow crossing north west arrow
U+02932		↖						<code>\nwovnearrow</code>	north west arrow crossing north east arrow
U+02934		↗	↗					<code>\uprightcurvearrow</code>	arrow pointing rightwards then curving upwards
U+02935		↘	↘					<code>\downrightcurvedarrow</code>	arrow pointing rightwards then curving downwards
U+02981		●	●	●				<code>\mdsmbkcircle</code>	z notation spot
U+02999		⋮						<code>\fourvdots</code>	dotted fence
U+0299A		⋮						<code>\vzigzag</code>	vertical zigzag line
U+0299B		∟						<code>\measuredangleleft</code>	measured angle opening left
U+0299C		⊥						<code>\rightanglesqr</code>	right angle variant with square
U+0299D		⊥						<code>\rightanglemdot</code>	measured right angle with dot
U+0299E		∠						<code>\angles</code>	angle with s inside
U+0299F		∠						<code>\angdnr</code>	acute angle
U+029A0		∠						<code>\gtlpar</code>	spherical angle opening left
U+029A1		∠						<code>\sphericalangleup</code>	spherical angle opening up
U+029A2		∠						<code>\turnangle</code>	turned angle
U+029A3		∠						<code>\revangle</code>	reversed angle
U+029A4		∠						<code>\angleubar</code>	angle with underbar
U+029A5		∠						<code>\revangleubar</code>	reversed angle with underbar
U+029A6		∠						<code>\wideangledown</code>	oblique angle opening up
U+029A7		∠						<code>\wideangleup</code>	oblique angle opening down
U+029A8		∠						<code>\measanglerutone</code>	measured angle with open arm ending in arrow pointing up and right
U+029A9		∠						<code>\measanglelutonw</code>	measured angle with open arm ending in arrow pointing up and left
U+029AA		∠						<code>\measanglerdtose</code>	measured angle with open arm ending in arrow pointing down and right

USV	M	S	E	K	P	L	G	Macro	Description
U+029AB								<code>\measangleldtosw</code>	measured angle with open arm ending in arrow pointing down and left
U+029AC								<code>\measangleurtone</code>	measured angle with open arm ending in arrow pointing right and up
U+029AD								<code>\measangleultonw</code>	measured angle with open arm ending in arrow pointing left and up
U+029AE								<code>\measangledrtose</code>	measured angle with open arm ending in arrow pointing right and down
U+029AF								<code>\measangledltosw</code>	measured angle with open arm ending in arrow pointing left and down
U+029B0								<code>\reemptyset</code>	reversed empty set
U+029B1								<code>\emptysetbar</code>	empty set with overbar
U+029B2								<code>\emptysettocirc</code>	empty set with small circle above
U+029B3								<code>\emptysettoarr</code>	empty set with right arrow above
U+029B4								<code>\emptysettoarrl</code>	empty set with left arrow above
U+029BA								<code>\obot</code>	circle divided by horizontal bar and top half divided by vertical bar
U+029BB								<code>\olcross</code>	circle with superimposed x
U+029BC								<code>\odotslashdot</code>	circled anticlockwise-rotated division sign
U+029BD								<code>\uparrowwncircle</code>	up arrow through circle
U+029BE								<code>\circledwhitebullet</code>	circled white bullet
U+029BF								<code>\circledbullet</code>	circled bullet
U+029C2								<code>\cirscir</code>	circle with small circle to the right
U+029C3								<code>\cirE</code>	circle with two horizontal strokes to the right
U+029C9								<code>\boxonbox</code>	two joined squares
U+029CA								<code>\triangleodot</code>	triangle with dot above
U+029CB								<code>\triangleubar</code>	triangle with underbar
U+029CC								<code>\triangles</code>	s in triangle
U+029DC								<code>\iinfin</code>	incomplete infinity
U+029DD								<code>\tieinfty</code>	tie over infinity
U+029DE								<code>\nvinfty</code>	infinity negated with vertical bar
U+029E0								<code>\laplac</code>	square with contoured outline
U+029E7								<code>\thermod</code>	thermodynamic

USV	M	S	E	K	P	L	G	Macro	Description
U+029E8								<code>\downtriangleleftblack</code>	down-pointing triangle with left half black
U+029E9								<code>\downtrianglerightblack</code>	down-pointing triangle with right half black
U+029EA								<code>\blackdiamonddownarrow</code>	black diamond with down arrow
U+029EC								<code>\circledownarrow</code>	white circle with down arrow
U+029ED								<code>\blackcircledownarrow</code>	black circle with down arrow
U+029EE								<code>\errbarsquare</code>	error-barred white square
U+029EF								<code>\errbarblacksquare</code>	error-barred black square
U+029FO								<code>\errbardiamond</code>	error-barred white diamond
U+029F1								<code>\errbarblackdiamond</code>	error-barred black diamond
U+029F2								<code>\errbarcircle</code>	error-barred white circle
U+029F3								<code>\errbarblackcircle</code>	error-barred black circle
U+02AE1								<code>\perps</code>	perpendicular with s
U+02AF1								<code>\topcir</code>	down tack with circle below
U+02B12								<code>\squaretopblack</code>	square with top half black
U+02B13								<code>\squarebotblack</code>	square with bottom half black
U+02B14								<code>\squareurblack</code>	square with upper right diagonal half black
U+02B15								<code>\squarellblack</code>	square with lower left diagonal half black
U+02B16								<code>\diamondleftblack</code>	diamond with left half black
U+02B17								<code>\diamondrightblack</code>	diamond with right half black
U+02B18								<code>\diamondtopblack</code>	diamond with top half black
U+02B19								<code>\diamondbotblack</code>	diamond with bottom half black
U+02B1A								<code>\dottedsquare</code>	dotted square
U+02B1B								<code>\lgblksquare</code>	black large square
U+02B1C								<code>\lgwhtsquare</code>	white large square
U+02B1D								<code>\vysmblksquare</code>	black very small square
U+02B1E								<code>\vysmwhtsquare</code>	white very small square
U+02B1F								<code>\pentagonblack</code>	black pentagon
U+02B20								<code>\pentagon</code>	white pentagon
U+02B21								<code>\varhexagon</code>	white hexagon
U+02B22								<code>\varhexagonblack</code>	black hexagon
U+02B23								<code>\hexagonblack</code>	horizontal black hexagon
U+02B24								<code>\lgblkcircle</code>	black large circle

USV	M	S	E	K	P	L	G	Macro	Description
U+02B25		◆	◆	◆				\mdblkdiamond	black medium diamond
U+02B26		◇	◇	◇				\mdwhtdiamond	white medium diamond
U+02B27		◆	◆	◆				\mdblklouenge	black medium lozenge
U+02B28		◇	◇	◇				\mdwhtlozenge	white medium lozenge
U+02B29		◆	◆	◆				\smbldiamond	black small diamond
U+02B2A		◆	◆	◆				\smbldlozenge	black small lozenge
U+02B2B		◇	◇	◇				\smwhtlozenge	white small lozenge
U+02B2C		●						\blkhorzoval	black horizontal ellipse
U+02B2D		○						\whthorzoval	white horizontal ellipse
U+02B2E		●						\blkvertoval	black vertical ellipse
U+02B2F		○						\whtvertoval	white vertical ellipse
U+02B50		☆						\medwhitestar	white medium star
U+02B51		★						\medblackstar	black medium star
U+02B52		☆						\smwhitestar	white small star
U+02B53		⬠						\rightpentagonblack	black right-pointing pentagon
U+02B54		⬠						\rightpentagon	white right-pointing pentagon
U+03012		〒						\postalmark	postal mark
U+03030		⤿						\hzigzag	zigzag
U+1D7CE	0	0	0	0	0	0	0	\mbfzero	mathematical bold digit 0
U+1D7CF	1	1	1	1	1	1	1	\mbfone	mathematical bold digit 1
U+1D7D0	2	2	2	2	2	2	2	\mbftwo	mathematical bold digit 2
U+1D7D1	3	3	3	3	3	3	3	\mbfthree	mathematical bold digit 3
U+1D7D2	4	4	4	4	4	4	4	\mbffour	mathematical bold digit 4
U+1D7D3	5	5	5	5	5	5	5	\mbffive	mathematical bold digit 5
U+1D7D4	6	6	6	6	6	6	6	\mbfsix	mathematical bold digit 6
U+1D7D5	7	7	7	7	7	7	7	\mbfseven	mathematical bold digit 7
U+1D7D6	8	8	8	8	8	8	8	\mbfeight	mathematical bold digit 8
U+1D7D7	9	9	9	9	9	9	9	\mbfnine	mathematical bold digit 9
U+1D7D8	0	0	0		0	0	0	\Bbbzero	mathematical double-struck digit 0
U+1D7D9	1	1	1		1	1	1	\Bbbone	mathematical double-struck digit 1
U+1D7DA	2	2	2		2	2	2	\Bbbtwo	mathematical double-struck digit 2
U+1D7DB	3	3	3		3	3	3	\Bbbthree	mathematical double-struck digit 3
U+1D7DC	4	4	4		4	4	4	\Bbbfour	mathematical double-struck digit 4

USV	M	S	E	K	P	L	G	Macro	Description
U+1D7DD	5	5	5		5	5	5	\Bbbfive	mathematical double-struck digit 5
U+1D7DE	6	6	6		6	6	6	\Bbbsix	mathematical double-struck digit 6
U+1D7DF	7	7	7		7	7	7	\Bbbseven	mathematical double-struck digit 7
U+1D7E0	8	8	8		8	8	8	\Bbbeight	mathematical double-struck digit 8
U+1D7E1	9	9	9		9	9	9	\Bbbnine	mathematical double-struck digit 9
U+1D7E2	0	0	0	0	0	0	0	\msanszero	mathematical sans-serif digit 0
U+1D7E3	1	1	1	1	1	1	1	\msansone	mathematical sans-serif digit 1
U+1D7E4	2	2	2	2	2	2	2	\msanstwo	mathematical sans-serif digit 2
U+1D7E5	3	3	3	3	3	3	3	\msansthree	mathematical sans-serif digit 3
U+1D7E6	4	4	4	4	4	4	4	\msansfour	mathematical sans-serif digit 4
U+1D7E7	5	5	5	5	5	5	5	\msansfive	mathematical sans-serif digit 5
U+1D7E8	6	6	6	6	6	6	6	\msanssix	mathematical sans-serif digit 6
U+1D7E9	7	7	7	7	7	7	7	\msansseven	mathematical sans-serif digit 7
U+1D7EA	8	8	8	8	8	8	8	\msanseight	mathematical sans-serif digit 8
U+1D7EB	9	9	9	9	9	9	9	\msansnine	mathematical sans-serif digit 9
U+1D7EC	0	0	0	0	0	0	0	\mbfsanszero	mathematical sans-serif bold digit 0
U+1D7ED	1	1	1	1	1	1	1	\mbfsansone	mathematical sans-serif bold digit 1
U+1D7EE	2	2	2	2	2	2	2	\mbfsanstwo	mathematical sans-serif bold digit 2
U+1D7EF	3	3	3	3	3	3	3	\mbfsansthree	mathematical sans-serif bold digit 3
U+1D7F0	4	4	4	4	4	4	4	\mbfsansfour	mathematical sans-serif bold digit 4
U+1D7F1	5	5	5	5	5	5	5	\mbfsansfive	mathematical sans-serif bold digit 5
U+1D7F2	6	6	6	6	6	6	6	\mbfsanssix	mathematical sans-serif bold digit 6
U+1D7F3	7	7	7	7	7	7	7	\mbfsansseven	mathematical sans-serif bold digit 7
U+1D7F4	8	8	8	8	8	8	8	\mbfsanseight	mathematical sans-serif bold digit 8
U+1D7F5	9	9	9	9	9	9	9	\mbfsansnine	mathematical sans-serif bold digit 9
U+1D7F6	0	0	0	0	0	0	0	\mttzero	mathematical monospace digit 0
U+1D7F7	1	1	1	1	1	1	1	\mttone	mathematical monospace digit 1
U+1D7F8	2	2	2	2	2	2	2	\mttwo	mathematical monospace digit 2

USV	M	S	E	K	P	L	G	Macro	Description
U+1D7F9	3	3	3	3	3	3	3	<code>\mttthree</code>	mathematical monospace digit 3
U+1D7FA	4	4	4	4	4	4	4	<code>\mttfour</code>	mathematical monospace digit 4
U+1D7FB	5	5	5	5	5	5	5	<code>\mttfive</code>	mathematical monospace digit 5
U+1D7FC	6	6	6	6	6	6	6	<code>\mttsix</code>	mathematical monospace digit 6
U+1D7FD	7	7	7	7	7	7	7	<code>\mttseven</code>	mathematical monospace digit 7
U+1D7FE	8	8	8	8	8	8	8	<code>\mtteight</code>	mathematical monospace digit 8
U+1D7FF	9	9	9	9	9	9	9	<code>\mttnine</code>	mathematical monospace digit 9

## 14 Relation symbols, `\mathrel`

USV	M	S	E	K	P	L	G	Macro	Description
U+0003C	<	<	<	<	<	<	<	<code>\less</code>	less-than sign r:
U+0003D	=	=	=	=	=	=	=	<code>\equal</code>	equals sign r:
U+0003E	>	>	>	>	>	>	>	<code>\greater</code>	greater-than sign r:
U+02050		⊂						<code>\closure</code>	close up
U+02190	←	←	←	←	←	←	←	<code>\leftarrow<sup>(p)</sup></code>	<code>/leftarrow</code> /gets a: leftward arrow
U+02191	↑	↑	↑	↑	↑	↑	↑	<code>\uparrow<sup>(p)</sup></code>	upward arrow
U+02192	→	→	→	→	→	→	→	<code>\rightarrow<sup>(p)</sup></code>	<code>/rightarrow</code> /to a: rightward arrow
U+02193	↓	↓	↓	↓	↓	↓	↓	<code>\downarrow<sup>(p)</sup></code>	downward arrow
U+02194	↔	↔	↔	↔	↔	↔	↔	<code>\leftrightarrow<sup>(p)</sup></code>	left and right arrow
U+02195	↕	↕	↕	↕	↕	↕	↕	<code>\updownarrow<sup>(p)</sup></code>	up and down arrow
U+02196	↖	↖	↖	↖	↖	↖	↖	<code>\nwarrow<sup>(p)</sup></code>	nw pointing arrow
U+02197	↗	↗	↗	↗	↗	↗	↗	<code>\nearrow<sup>(p)</sup></code>	ne pointing arrow
U+02198	↘	↘	↘	↘	↘	↘	↘	<code>\searrow<sup>(p)</sup></code>	se pointing arrow
U+02199	↙	↙	↙	↙	↙	↙	↙	<code>\swarrow<sup>(p)</sup></code>	sw pointing arrow
U+0219A	↔	↔	↔	↔	↔	↔	↔	<code>\nleftarrow<sup>(a)</sup></code>	not left arrow
U+0219B	↔	↔	↔	↔	↔	↔	↔	<code>\nrightarrow<sup>(a)</sup></code>	not right arrow
U+0219C		↔		↔		↔	↔	<code>\leftwvearrow</code>	left arrow-wavy
U+0219D		↔		↔		↔	↔	<code>\rightwvearrow</code>	right arrow-wavy
U+0219E	↔	↔	↔	↔	↔	↔	↔	<code>\twoheadleftarrow<sup>(a)</sup></code>	left two-headed arrow

USV	M	S	E	K	P	L	G	Macro	Description
U+0219F	↕	↕	↕	↕	↕	↕	↕	<code>\twoheaduparrow</code>	up two-headed arrow
U+021A0	↔	↔	↔	↔	↔	↔	↔	<code>\twoheadrightarrow<sup>(a)</sup></code>	right two-headed arrow
U+021A1	↕	↕	↕	↕	↕	↕	↕	<code>\twoheaddownarrow</code>	down two-headed arrow
U+021A2	↔	↔	↔	↔	↔	↔	↔	<code>\leftarrowtail<sup>(a)</sup></code>	left arrow-tailed
U+021A3	↔	↔	↔	↔	↔	↔	↔	<code>\rightarrowtail<sup>(a)</sup></code>	right arrow-tailed
U+021A4	↔	↔	↔	↔	↔	↔	↔	<code>\mapsfrom</code>	maps to, leftward
U+021A5	↕	↕	↕	↕	↕	↕	↕	<code>\mapsup</code>	maps to, upward
U+021A6	↔	↔	↔	↔	↔	↔	↔	<code>\mapsto<sup>(p)</sup></code>	maps to, rightward
U+021A7	↕	↕	↕	↕	↕	↕	↕	<code>\mapsdown</code>	maps to, downward
U+021A9	↔	↔	↔	↔	↔	↔	↔	<code>\hookleftarrow<sup>(p)</sup></code>	left arrow-hooked
U+021AA	↔	↔	↔	↔	↔	↔	↔	<code>\hookrightarrow<sup>(p)</sup></code>	right arrow-hooked
U+021AB	↔	↔	↔	↔	↔	↔	↔	<code>\looparrowleft<sup>(a)</sup></code>	left arrow-looped
U+021AC	↔	↔	↔	↔	↔	↔	↔	<code>\looparrowright<sup>(a)</sup></code>	right arrow-looped
U+021AD	↔	↔	↔	↔	↔	↔	↔	<code>\leftrightsquigarrow<sup>(a)</sup></code>	left and right arr-wavy
U+021AE	↔	↔	↔	↔	↔	↔	↔	<code>\leftrightharpoonarrow<sup>(a)</sup></code>	not left and right arrow
U+021AF		↘				↘	↘	<code>\downzigzagarrow</code>	downwards zigzag arrow
U+021B0	↙	↙	↙	↙	↙	↙	↙	<code>\Lsh<sup>(a)</sup></code>	/lsh a:
U+021B1	↘	↘	↘	↘	↘	↘	↘	<code>\Rsh<sup>(a)</sup></code>	/rsh a:
U+021B2	↙	↙	↙	↙	↙	↙	↙	<code>\Ldsh</code>	left down angled arrow
U+021B3	↘	↘	↘	↘	↘	↘	↘	<code>\Rdsh</code>	right down angled arrow
U+021B6	↪	↪	↪	↪	↪	↪	↪	<code>\curvearrowleft<sup>(a)</sup></code>	left curved arrow
U+021B7	↩	↩	↩	↩	↩	↩	↩	<code>\curvearrowright<sup>(a)</sup></code>	right curved arrow
U+021BC	↔	↔	↔	↔	↔	↔	↔	<code>\leftharpoonup<sup>(p)</sup></code>	left harpoon-up
U+021BD	↔	↔	↔	↔	↔	↔	↔	<code>\leftharpoondown<sup>(p)</sup></code>	left harpoon-down
U+021BE	↔	↔	↔	↔	↔	↔	↔	<code>\upharpoonright<sup>(a)</sup></code>	/upharpoonright /restriction a: up harpoon-right
U+021BF	↔	↔	↔	↔	↔	↔	↔	<code>\upharpoonleft<sup>(a)</sup></code>	up harpoon-left
U+021C0	↔	↔	↔	↔	↔	↔	↔	<code>\rightharpoonup<sup>(p)</sup></code>	right harpoon-up
U+021C1	↔	↔	↔	↔	↔	↔	↔	<code>\rightharpoondown<sup>(p)</sup></code>	right harpoon-down
U+021C2	↔	↔	↔	↔	↔	↔	↔	<code>\downharpoonright<sup>(a)</sup></code>	down harpoon-right
U+021C3	↔	↔	↔	↔	↔	↔	↔	<code>\downharpoonleft<sup>(a)</sup></code>	down harpoon-left
U+021C4	↔	↔	↔	↔	↔	↔	↔	<code>\rightleftarrows<sup>(a)</sup></code>	right arrow over left arrow
U+021C5	↕	↕	↕	↕	↕	↕	↕	<code>\updownarrows</code>	up arrow, down arrow
U+021C6	↔	↔	↔	↔	↔	↔	↔	<code>\leftrightarrows<sup>(a)</sup></code>	left arrow over right arrow
U+021C7	↔	↔	↔	↔	↔	↔	↔	<code>\leftleftarrows<sup>(a)</sup></code>	two left arrows

USV	M	S	E	K	P	L	G	Macro	Description
U+021C8								<code>\upuparrows<sup>(a)</sup></code>	two up arrows
U+021C9								<code>\rightrightarrows<sup>(a)</sup></code>	two right arrows
U+021CA								<code>\downdownarrows<sup>(a)</sup></code>	two down arrows
U+021CB								<code>\leftrightharpoons<sup>(a)</sup></code>	left harpoon over right
U+021CC								<code>\rightleftharpoons<sup>(l)</sup></code>	right harpoon over left
U+021CD								<code>\nLeftarrow<sup>(a)</sup></code>	not implied by
U+021CE								<code>\nLeftrightarrow<sup>(a)</sup></code>	not left and right double arrows
U+021CF								<code>\nRightarrow<sup>(a)</sup></code>	not implies
U+021D0								<code>\Leftarrow<sup>(p)</sup></code>	is implied by
U+021D1								<code>\Uparrow<sup>(p)</sup></code>	up double arrow
U+021D2								<code>\Rightarrow<sup>(p)</sup></code>	implies
U+021D3								<code>\Downarrow<sup>(p)</sup></code>	down double arrow
U+021D4								<code>\Leftrightarrow<sup>(p)</sup></code>	left and right double arrow
U+021D5								<code>\Updownarrow<sup>(p)</sup></code>	up and down double arrow
U+021D6								<code>\Nwarrow</code>	nw pointing double arrow
U+021D7								<code>\Nearrow</code>	ne pointing double arrow
U+021D8								<code>\Searrow</code>	se pointing double arrow
U+021D9								<code>\Swarrow</code>	sw pointing double arrow
U+021DA								<code>\Lleftarrow<sup>(a)</sup></code>	left triple arrow
U+021DB								<code>\Rrightarrow<sup>(a)</sup></code>	right triple arrow
U+021DC								<code>\leftsquigarrow</code>	leftwards squiggle arrow
U+021DD								<code>\rightsquigarrow<sup>(a)</sup></code>	rightwards squiggle arrow
U+021E4								<code>\barleftarrow</code>	leftwards arrow to bar
U+021E5								<code>\rightarrowbar</code>	rightwards arrow to bar
U+021F4								<code>\circlearrowright</code>	right arrow with small circle
U+021F5								<code>\downuparrows</code>	downwards arrow leftwards of upwards arrow
U+021F6								<code>\rightthreearrows</code>	three rightwards arrows
U+021F7								<code>\nleftarrow</code>	leftwards arrow with vertical stroke
U+021F8								<code>\nrightarrow</code>	rightwards arrow with vertical stroke
U+021F9								<code>\nleftrightarrow</code>	left right arrow with vertical stroke
U+021FA								<code>\nVleftarrow</code>	leftwards arrow with double vertical stroke
U+021FB								<code>\nVrightarrow</code>	rightwards arrow with double vertical stroke

USV	M	S	E	K	P	L	G	Macro	Description
U+021FC		↔					↔	<code>\nVleftrightharrow</code>	left right arrow with double vertical stroke
U+021FD		←				←	←	<code>\leftarrowtriangle</code>	leftwards open-headed arrow
U+021FE		→				→	→	<code>\rightarrowtriangle</code>	rightwards open-headed arrow
U+021FF		↔				↔	↔	<code>\leftrightharrowtriangle</code>	left right open-headed arrow
U+02208	∈	∈	∈	∈	∈	∈	∈	<code>\in<sup>(p)</sup></code>	set membership, variant
U+02209	∉	∉	∉	∉	∉	∉	∉	<code>\notin<sup>(l)</sup></code>	negated set membership
U+0220A	∈	∈	∈	∈	∈	∈	∈	<code>\smallin</code>	set membership (small set membership)
U+0220B	⊃	⊃	⊃	⊃	⊃	⊃	⊃	<code>\ni<sup>(p)</sup></code>	contains, variant
U+0220C	⊄	⊄	⊄	⊄	⊄	⊄	⊄	<code>\nni</code>	negated contains, variant
U+0220D	⊃	⊃	⊃	⊃	⊃	⊃	⊃	<code>\smallni</code>	/ni /owns r: contains (small contains as member)
U+0221D	∝	∝	∝	∝	∝	∝	∝	<code>\propto<sup>(p)</sup></code>	is proportional to
U+02223								<code>\mid<sup>(p)</sup></code>	/mid r.
U+02224	‖	‖	‖	‖	‖	‖	‖	<code>\nmid<sup>(a)</sup></code>	negated mid
U+02225	∥	∥	∥	∥	∥	∥	∥	<code>\parallel<sup>(p)</sup></code>	parallel
U+02226	∦	∦	∦	∦	∦	∦	∦	<code>\nparallel<sup>(a)</sup></code>	not parallel
U+02236	:	:	:	:	:	:	:	<code>\mathratio</code>	ratio
U+02237	::	::	::	::	::	::	::	<code>\Colon</code>	two colons
U+02239	⋮	⋮	⋮	⋮	⋮	⋮	⋮	<code>\dashcolon</code>	excess (⋮)
U+0223A	⋮	⋮	⋮	⋮	⋮	⋮	⋮	<code>\dotsminusdots</code>	minus with four dots, geometric properties
U+0223B	⋈	⋈	⋈	⋈	⋈	⋈	⋈	<code>\kernelcontraction</code>	homothetic
U+0223C	≈	≈	≈	≈	≈	≈	≈	<code>\sim<sup>(p)</sup></code>	similar
U+0223D	≈	≈	≈	≈	≈	≈	≈	<code>\backsim<sup>(a)</sup></code>	reverse similar
U+02241	≈	≈	≈	≈	≈	≈	≈	<code>\nsim<sup>(a)</sup></code>	not similar
U+02242	≈	≈	≈	≈	≈	≈	≈	<code>\eqsim<sup>(a)</sup></code>	equals, similar
U+02243	≈	≈	≈	≈	≈	≈	≈	<code>\simeq<sup>(p)</sup></code>	similar, equals
U+02244	≈	≈	≈	≈	≈	≈	≈	<code>\nsime</code>	not similar, equals
U+02243	≈	≈	≈	≈	≈	≈	≈	<code>\sime</code>	similar, equals (alias)
U+02244	≈	≈	≈	≈	≈	≈	≈	<code>\nsimeq</code>	not similar, equals (alias)
U+02245	≅	≅	≅	≅	≅	≅	≅	<code>\cong<sup>(l)</sup></code>	congruent with
U+02246	≇	≇	≇	≇	≇	≇	≇	<code>\simneqq</code>	similar, not equals [vert only for 9573 entity]
U+02247	≇	≇	≇	≇	≇	≇	≇	<code>\ncong<sup>(a)</sup></code>	not congruent with
U+02248	≈	≈	≈	≈	≈	≈	≈	<code>\approx<sup>(p)</sup></code>	approximate

USV	M	S	E	K	P	L	G	Macro	Description
U+02249	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\napprox</code>	not approximate
U+0224A	⋏	⋐	⋑	⋒	⋓	⋔	⋕	<code>\approxeq<sup>(a)</sup></code>	approximate, equals
U+0224B	⋖	⋗	⋘	⋙	⋚	⋛	⋜	<code>\approxident</code>	approximately identical to
U+0224C	⋝	⋞	⋟	⋠	⋡	⋢	⋣	<code>\backcong</code>	all equal to
U+0224D	⋤	⋥	⋦	⋧	⋨	⋩	⋪	<code>\asymp<sup>(p)</sup></code>	asymptotically equal to
U+0224E	⋬	⋭	⋮	⋯	⋰		⋱	<code>\Bumpeq<sup>(a)</sup></code>	bumpy equals
U+0224F	⋲	⋳	⋴	⋵	⋶		⋷	<code>\bumpeq<sup>(a)</sup></code>	bumpy equals, equals
U+02250	⋷	⋸	⋹	⋺	⋻	⋼	⋽	<code>\doteq<sup>(l)</sup></code>	equals, single dot above
U+02251	⋿	⋰	⋱	⋲	⋳	⋴	⋵	<code>\Doteq<sup>(a)</sup></code>	<code>/doteqdot /doteq r</code> : equals, even dots
U+02252	⋱	⋲	⋳	⋴	⋵	⋶	⋷	<code>\fallingdotseq<sup>(a)</sup></code>	equals, falling dots
U+02253	⋸	⋹	⋺	⋻	⋼	⋽	⋾	<code>\risingdotseq<sup>(a)</sup></code>	equals, rising dots
U+02254	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\coloneq</code>	colon, equals
U+02255	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\eqcolon</code>	equals, colon
U+02256	⋱	⋲	⋳	⋴	⋵	⋶	⋷	<code>\eqcirc<sup>(a)</sup></code>	circle on equals sign
U+02257	⋱	⋲	⋳	⋴	⋵	⋶	⋷	<code>\circeq<sup>(a)</sup></code>	circle, equals
U+02258	⋰	⋱	⋲		⋰	⋱		<code>\arceq</code>	arc, equals; corresponds to
U+02259	⋰	⋱	⋲		⋰	⋱		<code>\wedgeq</code>	corresponds to (wedge, equals)
U+0225A	⋰	⋱	⋲		⋰	⋱		<code>\veeq</code>	logical or, equals
U+0225B	⋰	⋱	⋲		⋰	⋱		<code>\stareq</code>	star equals
U+0225C	⋰	⋱	⋲	⋳	⋰	⋱		<code>\triangleq<sup>(a)</sup></code>	triangle, equals
U+0225D	⋰	⋱	⋲		⋰	⋱		<code>\eqdef</code>	equals by definition
U+0225E	⋰	⋱	⋲		⋰	⋱		<code>\measeq</code>	measured by (m over equals)
U+0225F	⋰	⋱	⋲		⋰	⋱		<code>\questeq</code>	equal with questionmark
U+02260	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\ne<sup>(p)</sup></code>	<code>/ne /neq r</code> : not equal
U+02261	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\equiv<sup>(p)</sup></code>	identical with
U+02262	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\nequiv</code>	not identical with
U+02263	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\Equiv</code>	strict equivalence (4 lines)
U+02264	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\leq<sup>(p)</sup></code>	<code>/leq /le r</code> : less-than-or-equal
U+02265	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\geq<sup>(p)</sup></code>	<code>/geq /ge r</code> : greater-than-or-equal
U+02266	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\leqq<sup>(a)</sup></code>	less, double equals
U+02267	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\geqq<sup>(a)</sup></code>	greater, double equals
U+02268	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\lneqq<sup>(a)</sup></code>	less, not double equals
U+02269	⋮	⋷	⋸	⋹	⋺	⋻	⋼	<code>\gneqq<sup>(a)</sup></code>	greater, not double equals

USV	M	S	E	K	P	L	G	Macro	Description
U+0226A	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\ll<sup>(p)</sup></code>	much less than, type 2
U+0226B	⋏	⋐	⋑	⋒	⋓	⋔	⋕	<code>\gg<sup>(p)</sup></code>	much greater than, type 2
U+0226C	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\between<sup>(a)</sup></code>	between
U+0226D	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nasymp</code>	not asymptotically equal to
U+0226E	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nless<sup>(a)</sup></code>	not less-than
U+0226F	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\ngtr<sup>(a)</sup></code>	not greater-than
U+02270	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nleq<sup>(a)</sup></code>	not less-than-or-equal
U+02271	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\ngeq<sup>(a)</sup></code>	not greater-than-or-equal
U+02272	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\lesssim<sup>(a)</sup></code>	less, similar
U+02273	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\gtrsim<sup>(a)</sup></code>	greater, similar
U+02274	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nlesssim</code>	not less, similar
U+02275	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\ngtrsim</code>	not greater, similar
U+02276	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\lessgtr<sup>(a)</sup></code>	less, greater
U+02277	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\gtrless<sup>(a)</sup></code>	greater, less
U+02278	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nlessgtr</code>	not less, greater
U+02279	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\ngtrless</code>	not greater, less
U+0227A	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\prec<sup>(p)</sup></code>	precedes
U+0227B	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\succ<sup>(p)</sup></code>	succeeds
U+0227C	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\preccurlyeq<sup>(a)</sup></code>	precedes, curly equals
U+0227D	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\succcurlyeq<sup>(a)</sup></code>	succeeds, curly equals
U+0227E	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\precsim<sup>(a)</sup></code>	precedes, similar
U+0227F	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\succsim<sup>(a)</sup></code>	succeeds, similar
U+02280	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nprec<sup>(a)</sup></code>	not precedes
U+02281	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nsucc<sup>(a)</sup></code>	not succeeds
U+02282	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\subset<sup>(p)</sup></code>	subset or is implied by
U+02283	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\supset<sup>(p)</sup></code>	superset or implies
U+02284	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nsubset</code>	not subset, variant [slash negation]
U+02285	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nsupset</code>	not superset, variant [slash negation]
U+02286	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\subteq<sup>(p)</sup></code>	subset, equals
U+02287	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\supteq<sup>(p)</sup></code>	superset, equals
U+02288	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nsubteq<sup>(a)</sup></code>	not subset, equals
U+02289	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\nsupteq<sup>(a)</sup></code>	not superset, equals
U+0228A	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\subsetneq<sup>(a)</sup></code>	subset, not equals
U+0228B	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\supsetneq<sup>(a)</sup></code>	superset, not equals

USV	M	S	E	K	P	L	G	Macro	Description
U+0228F								<code>\sqsubset</code>	square subset
U+02290								<code>\sqsupset</code>	square superset
U+02291								<code>\sqsubseteq<sup>(p)</sup></code>	square subset, equals
U+02292								<code>\sqsupseteq<sup>(p)</sup></code>	square superset, equals
U+022A2								<code>\vdash<sup>(p)</sup></code>	vertical, dash
U+022A3								<code>\dashv<sup>(p)</sup></code>	dash, vertical
U+022A6								<code>\assert</code>	assertion (vertical, short dash)
U+022A7								<code>\models<sup>(p)</sup></code>	models (vertical, short double dash)
U+022A8								<code>\vDash<sup>(a)</sup></code>	vertical, double dash
U+022A9								<code>\Vdash<sup>(a)</sup></code>	double vertical, dash
U+022AA								<code>\Vvdash<sup>(a)</sup></code>	triple vertical, dash
U+022AB								<code>\VDash</code>	double vert, double dash
U+022AC								<code>\nvdash<sup>(a)</sup></code>	not vertical, dash
U+022AD								<code>\nvDash<sup>(a)</sup></code>	not vertical, double dash
U+022AE								<code>\nVdash<sup>(a)</sup></code>	not double vertical, dash
U+022AF								<code>\nVDash<sup>(a)</sup></code>	not double vert, double dash
U+022B0								<code>\prurel</code>	element precedes under relation
U+022B1								<code>\scurel</code>	succeeds under relation
U+022B2								<code>\vartriangleleft<sup>(a)</sup></code>	left triangle, open, variant
U+022B3								<code>\vartriangleright<sup>(a)</sup></code>	right triangle, open, variant
U+022B4								<code>\trianglelefteq<sup>(a)</sup></code>	left triangle, equals
U+022B5								<code>\trianglerighteq<sup>(a)</sup></code>	right triangle, equals
U+022B6								<code>\origof</code>	original of
U+022B7								<code>\imageof</code>	image of
U+022B8								<code>\multimap<sup>(a)</sup></code>	/multimap a:
U+022C8								<code>\bowtie<sup>(p)</sup></code>	bowtie
U+022CD								<code>\backsimeq<sup>(a)</sup></code>	reverse similar, equals
U+022D0								<code>\Subset<sup>(a)</sup></code>	double subset
U+022D1								<code>\Supset<sup>(a)</sup></code>	double superset
U+022D4								<code>\pitchfork<sup>(a)</sup></code>	pitchfork
U+022D5								<code>\equalparallel</code>	parallel, equal; equal or parallel
U+022D6								<code>\lessdot<sup>(a)</sup></code>	less than, with dot
U+022D7								<code>\gtrdot<sup>(a)</sup></code>	greater than, with dot
U+022D8								<code>\lll<sup>(a)</sup></code>	/ll /lll /lless r: triple less-than

USV	M	S	E	K	P	L	G	Macro	Description
U+022D9	➤	➥	➦	➧	➨	➩	➪	<code>\ggg<sup>(a)</sup></code>	<code>/ggg /gg /gggtr</code> r: triple greater-than
U+022DA	⋈	⋉	⋊	⋋	⋌	⋍	⋎	<code>\lesseqgtr<sup>(a)</sup></code>	less, equals, greater
U+022DB	⋏	⋐	⋑	⋒	⋓	⋔	⋕	<code>\gtreqless<sup>(a)</sup></code>	greater, equals, less
U+022DC	⋖	⋗	⋘	⋙	⋚	⋛	⋜	<code>\eqless</code>	equal-or-less
U+022DD	⋝	⋞	⋟	⋠	⋡	⋢	⋣	<code>\eqgtr</code>	equal-or-greater
U+022DE	⋤	⋥	⋦	⋧	⋨	⋩	⋪	<code>\curlyeqprec<sup>(a)</sup></code>	curly equals, precedes
U+022DF	⋫	⋬	⋭	⋮	⋯	⋰	⋱	<code>\curlyeqsucc<sup>(a)</sup></code>	curly equals, succeeds
U+022E0	⋸	⋹	⋺	⋻	⋼	⋽	⋾	<code>\npreccurlyeq</code>	not precedes, curly equals
U+022E1	⋿	⋰	⋱	⋲	⋳	⋴	⋵	<code>\nsucccurlyeq</code>	not succeeds, curly equals
U+022E2	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\nsqsubseteq</code>	not, square subset, equals
U+022E3	⋥	⋦	⋧	⋨	⋩	⋪	⋫	<code>\nsqsupseteq</code>	not, square superset, equals
U+022E4	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\sqsubsetneq</code>	square subset, not equals
U+022E5	⋥	⋦	⋧	⋨	⋩	⋪	⋫	<code>\sqsupsetneq</code>	square superset, not equals
U+022E6	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\lnsim<sup>(a)</sup></code>	less, not similar
U+022E7	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\gnsim<sup>(a)</sup></code>	greater, not similar
U+022E8	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\precnsim<sup>(a)</sup></code>	precedes, not similar
U+022E9	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\succnsim<sup>(a)</sup></code>	succeeds, not similar
U+022EA	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\nvartriangleleft</code>	not left triangle
U+022EB	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\nvartriangleright</code>	not right triangle
U+022EC	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\ntrianglelefteq<sup>(a)</sup></code>	not left triangle, equals
U+022ED	⋞	⋟	⋠	⋡	⋢	⋣	⋤	<code>\ntrianglerighteq<sup>(a)</sup></code>	not right triangle, equals
U+022EE	⋮	⋮	⋮	⋮	⋮	⋮	⋮	<code>\vdots<sup>(p)</sup></code>	vertical ellipsis
U+022F0	⋯	⋯	⋯	⋯	⋯	⋯	⋯	<code>\adots</code>	three dots, ascending
U+022F1	⋰	⋰	⋰	⋰	⋰	⋰	⋰	<code>\ddots<sup>(p)</sup></code>	three dots, descending
U+022F2		⋈						<code>\disin</code>	element of with long horizontal stroke
U+022F3		⋉						<code>\varisins</code>	element of with vertical bar at end of horizontal stroke
U+022F4		⋊						<code>\isins</code>	small element of with vertical bar at end of horizontal stroke
U+022F5		⋋						<code>\isindot</code>	element of with dot above
U+022F6		⋌						<code>\varisinobar</code>	element of with overbar
U+022F7		⋍						<code>\isinobar</code>	small element of with overbar
U+022F8		⋎						<code>\isinvb</code>	element of with underbar
U+022F9		⋏						<code>\isinE</code>	element of with two horizontal strokes

USV	M	S	E	K	P	L	G	Macro	Description
U+022FA		➤						\nisd	contains with long horizontal stroke
U+022FB		➦						\varnis	contains with vertical bar at end of horizontal stroke
U+022FC		➧						\nis	small contains with vertical bar at end of horizontal stroke
U+022FD		➨						\varniobar	contains with overbar
U+022FE		➩						\niobar	small contains with overbar
U+022FF		⌈						\bagmember	z notation bag membership
U+02322	⤵	⤶	⤷	⤸	⤹	⤺	⤻	\frown <sup>(p)</sup>	down curve
U+02323	⤴	⤵	⤶	⤷	⤸	⤹	⤺	\smile <sup>(p)</sup>	up curve
U+0233F		⌚						\APLnotslash	solidus, bar through (apl functional symbol slash bar)
U+025B5		△	△	△				\vartriangle <sup>(a)</sup>	/triangle - up triangle, open
U+027C2	⊥	⊥	⊥	⊥	⊥	⊥	⊥	\perp <sup>(p)</sup>	perpendicular
U+027C8		⊂						\bsolhsub	reverse solidus preceding subset
U+027C9		⊃						\suphsol	superset preceding solidus
U+027D2		⤴						\upin	element of opening upwards
U+027D3		⌋						\pullback	lower right corner with dot
U+027D4		⌌						\pushout	upper left corner with dot
U+027DA	⌘	⌘	⌘	⌘	⌘		⌘	\DashVDash	left and right double turnstile
U+027DB	⌘	⌘	⌘	⌘	⌘		⌘	\dashVdash	left and right tack
U+027DC	⌘	⌘	⌘	⌘	⌘		⌘	\multimapinv	left multimap
U+027DD	⌘	⌘	⌘	⌘	⌘		⌘	\vlongdash	long left tack
U+027DE	⌘	⌘	⌘	⌘	⌘		⌘	\longdashv	long right tack
U+027DF		⤴						\cirbot	up tack with circle above
U+027F0		⤴						\UUparrow	upwards quadruple arrow
U+027F1		⤵						\DDownarrow	downwards quadruple arrow
U+027F2		↻					↻	\acwgapcirclearrow	anticlockwise gapped circle arrow
U+027F3		↻					↻	\cwgapcirclearrow	clockwise gapped circle arrow
U+027F4	⊕	⊕	⊕	⊕	⊕			\rightarrowonoplus	right arrow with circled plus
U+027F5	←	←	←	←	←	←	←	\longleftarrow <sup>(p)</sup>	long leftwards arrow
U+027F6	→	→	→	→	→	→	→	\longrightarrow <sup>(p)</sup>	long rightwards arrow
U+027F7	↔	↔	↔	↔	↔	↔	↔	\longlefttrightarrow <sup>(p)</sup>	long left right arrow
U+027F8	⇐	⇐	⇐	⇐	⇐	⇐	⇐	\Longleftarrow <sup>(p)</sup>	long leftwards double arrow
U+027F9	⇒	⇒	⇒	⇒	⇒	⇒	⇒	\Longrightarrow <sup>(p)</sup>	long rightwards double arrow

USV	M	S	E	K	P	L	G	Macro	Description
U+027FA								<code>\Longlefttrightarrow<sup>(p)</sup></code>	long left right double arrow
U+027FB								<code>\longmapsfrom</code>	long leftwards arrow from bar
U+027FC								<code>\longmapsto<sup>(p)</sup></code>	long rightwards arrow from bar
U+027FD								<code>\Longmapsfrom</code>	long leftwards double arrow from bar
U+027FE								<code>\Longmapsto</code>	long rightwards double arrow from bar
U+027FF								<code>\longrightsquigarrow</code>	long rightwards squiggle arrow
U+02900								<code>\nvtwoheadrightarrow</code>	rightwards two-headed arrow with vertical stroke
U+02901								<code>\nVtwoheadrightarrow</code>	rightwards two-headed arrow with double vertical stroke
U+02902								<code>\nvLeftarrow</code>	leftwards double arrow with vertical stroke
U+02903								<code>\nvrightarrow</code>	rightwards double arrow with vertical stroke
U+02904								<code>\nvLeftrightarrow</code>	left right double arrow with vertical stroke
U+02905								<code>\twoheadmapsto</code>	rightwards two-headed arrow from bar
U+02906								<code>\Mapsfrom</code>	leftwards double arrow from bar
U+02907								<code>\Mapsto</code>	rightwards double arrow from bar
U+02908								<code>\downarrowbarred</code>	downwards arrow with horizontal stroke
U+02909								<code>\uparrowbarred</code>	upwards arrow with horizontal stroke
U+0290A								<code>\Uparrow</code>	upwards triple arrow
U+0290B								<code>\Ddownarrow</code>	downwards triple arrow
U+0290C								<code>\leftbkarrow</code>	leftwards double dash arrow
U+0290D								<code>\rightbkarrow</code>	rightwards double dash arrow
U+0290E								<code>\leftdbkarrow</code>	leftwards triple dash arrow
U+0290F								<code>\dbkarrow</code>	rightwards triple dash arrow
U+02910								<code>\drbkarrow</code>	rightwards two-headed triple dash arrow
U+02911								<code>\rightarrowdotarrow</code>	rightwards arrow with dotted stem
U+02912								<code>\baruparrow</code>	upwards arrow to bar
U+02913								<code>\downarrowbar</code>	downwards arrow to bar
U+02914								<code>\nrightarrowtail</code>	rightwards arrow with tail with vertical stroke
U+02915								<code>\nVrightarrowtail</code>	rightwards arrow with tail with double vertical stroke

USV	M	S	E	K	P	L	G	Macro	Description
U+02916								<code>\twoheadrightarrowtail</code>	rightwards two-headed arrow with tail
U+02917								<code>\nvtwoheadrightarrowtail</code>	rightwards two-headed arrow with tail with vertical stroke
U+02918								<code>\nVtwoheadrightarrowtail</code>	rightwards two-headed arrow with tail with double vertical stroke
U+02919								<code>\lefttail</code>	leftwards arrow-tail
U+0291A								<code>\righttail</code>	rightwards arrow-tail
U+0291B								<code>\leftdbltail</code>	leftwards double arrow-tail
U+0291C								<code>\rightdbltail</code>	rightwards double arrow-tail
U+0291D								<code>\diamondleftarrow</code>	leftwards arrow to black diamond
U+0291E								<code>\rightarrowdiamond</code>	rightwards arrow to black diamond
U+0291F								<code>\diamondleftarrowbar</code>	leftwards arrow from bar to black diamond
U+02920								<code>\barrightarrowdiamond</code>	rightwards arrow from bar to black diamond
U+02921								<code>\nwsearrow</code>	north west and south east arrow
U+02922								<code>\neswarrow</code>	north east and south west arrow
U+02923								<code>\hknwarrow</code>	north west arrow with hook
U+02924								<code>\hknearrow</code>	north east arrow with hook
U+02925								<code>\hksearrow</code>	south east arrow with hook
U+02926								<code>\hkswarrow</code>	south west arrow with hook
U+02927								<code>\tona</code>	north west arrow and north east arrow
U+02928								<code>\toea</code>	north east arrow and south east arrow
U+02929								<code>\tosa</code>	south east arrow and south west arrow
U+0292A								<code>\towa</code>	south west arrow and north west arrow
U+02933								<code>\rightarrowcurvedarrow</code>	wave arrow pointing directly right
U+02936								<code>\leftdowncurvedarrow</code>	arrow pointing downwards then curving leftwards
U+02937								<code>\rightdowncurvedarrow</code>	arrow pointing downwards then curving rightwards
U+02938								<code>\cwrightarcarrow</code>	right-side arc clockwise arrow
U+02939								<code>\acwleftarcarrow</code>	left-side arc anticlockwise arrow
U+0293A								<code>\acwoverarcarrow</code>	top arc anticlockwise arrow
U+0293B								<code>\acwunderarcarrow</code>	bottom arc anticlockwise arrow

usv	M	S	E	K	P	L	G	Macro	Description
U+0293C								<code>\curvearrowrightminus</code>	top arc clockwise arrow with minus
U+0293D								<code>\curvearrowleftplus</code>	top arc anticlockwise arrow with plus
U+0293E								<code>\cwundercurvearrow</code>	lower right semicircular clockwise arrow
U+0293F								<code>\ccwundercurvearrow</code>	lower left semicircular anticlockwise arrow
U+02940								<code>\acwcirclearrow</code>	anticlockwise closed circle arrow
U+02941								<code>\cwcirclearrow</code>	clockwise closed circle arrow
U+02942								<code>\rightarrowshortleftarrow</code>	rightwards arrow above short leftwards arrow
U+02943								<code>\leftarrowshortrightarrow</code>	leftwards arrow above short rightwards arrow
U+02944								<code>\shortrightarrowleftarrow</code>	short rightwards arrow above leftwards arrow
U+02945								<code>\rightarrowplus</code>	rightwards arrow with plus below
U+02946								<code>\leftarrowplus</code>	leftwards arrow with plus below
U+02947								<code>\rightarrowx</code>	rightwards arrow through x
U+02948								<code>\leftrightarrowcircle</code>	left right arrow through small circle
U+02949								<code>\twoheaduparrowcircle</code>	upwards two-headed arrow from small circle
U+0294A								<code>\leftrightharpoonupdown</code>	left barb up right barb down harpoon
U+0294B								<code>\leftrightharpoondownup</code>	left barb down right barb up harpoon
U+0294C								<code>\updownharpoonrightleft</code>	up barb right down barb left harpoon
U+0294D								<code>\updownharpoonleftright</code>	up barb left down barb right harpoon
U+0294E								<code>\leftrightharpoonupup</code>	left barb up right barb up harpoon
U+0294F								<code>\updownharpoonrightright</code>	up barb right down barb right harpoon
U+02950								<code>\leftrightharpoondowndown</code>	left barb down right barb down harpoon
U+02951								<code>\updownharpoonleftleft</code>	up barb left down barb left harpoon
U+02952								<code>\barleftarrowup</code>	leftwards harpoon with barb up to bar
U+02953								<code>\barrightarrowup</code>	rightwards harpoon with barb up to bar
U+02954								<code>\barupharpoonright</code>	upwards harpoon with barb right to bar

usv	M	S	E	K	P	L	G	Macro	Description
U+02955		↓						<code>\downharpoonrightbar</code>	downwards harpoon with barb right to bar
U+02956		←						<code>\barleftharpoondown</code>	leftwards harpoon with barb down to bar
U+02957		→						<code>\rightharpoondownbar</code>	rightwards harpoon with barb down to bar
U+02958		↑						<code>\barupharpoonleft</code>	upwards harpoon with barb left to bar
U+02959		↓						<code>\downharpoonleftbar</code>	downwards harpoon with barb left to bar
U+0295A		←						<code>\leftharpoonupbar</code>	leftwards harpoon with barb up from bar
U+0295B		→						<code>\barriightharpoonup</code>	rightwards harpoon with barb up from bar
U+0295C		↑						<code>\upharpoonrightbar</code>	upwards harpoon with barb right from bar
U+0295D		↓						<code>\bardownharpoonright</code>	downwards harpoon with barb right from bar
U+0295E		←						<code>\leftharpoondownbar</code>	leftwards harpoon with barb down from bar
U+0295F		→						<code>\barriightharpoondown</code>	rightwards harpoon with barb down from bar
U+02960		↑						<code>\upharpoonleftbar</code>	upwards harpoon with barb left from bar
U+02961		↓						<code>\bardownharpoonleft</code>	downwards harpoon with barb left from bar
U+02962		⇐						<code>\leftharpoonsupdown</code>	leftwards harpoon with barb up above leftwards harpoon with barb down
U+02963		⇑						<code>\upharpoonsleftright</code>	upwards harpoon with barb left beside upwards harpoon with barb right
U+02964		⇒						<code>\rightharpoonsupdown</code>	rightwards harpoon with barb up above rightwards harpoon with barb down
U+02965		⇓						<code>\downharpoonsleftright</code>	downwards harpoon with barb left beside downwards harpoon with barb right
U+02966		⇐						<code>\leftrightharpoonsup</code>	leftwards harpoon with barb up above rightwards harpoon with barb up
U+02967		⇓						<code>\leftrightharpoonsdown</code>	leftwards harpoon with barb down above rightwards harpoon with barb down
U+02968		⇒						<code>\rightleftharpoonsup</code>	rightwards harpoon with barb up above leftwards harpoon with barb up
U+02969		⇓						<code>\rightleftharpoonsdown</code>	rightwards harpoon with barb down above leftwards harpoon with barb down

usv	M	S	E	K	P	L	G	Macro	Description
U+0296A		⇐						<code>\leftharpoonupdash</code>	leftwards harpoon with barb up above long dash
U+0296B		⇑						<code>\dashleftharpoondown</code>	leftwards harpoon with barb down below long dash
U+0296C		⇒						<code>\rightharpoonupdash</code>	rightwards harpoon with barb up above long dash
U+0296D		⇒						<code>\dashrightharpoondown</code>	rightwards harpoon with barb down below long dash
U+0296E		⇕						<code>\updownharpoonsleftright</code>	upwards harpoon with barb left beside downwards harpoon with barb right
U+0296F		⇓						<code>\downupharpoonsleftright</code>	downwards harpoon with barb left beside upwards harpoon with barb right
U+02970		⇒						<code>\rightimply</code>	right double arrow with rounded head
U+02971		⇒				⇒		<code>\equalrightarrow</code>	equals sign above rightwards arrow
U+02972		⇒				⇒		<code>\similarrightarrow</code>	tilde operator above rightwards arrow
U+02973		⇐				⇐		<code>\leftarrowsimilar</code>	leftwards arrow above tilde operator
U+02974		⇒				⇒		<code>\rightarrowsimilar</code>	rightwards arrow above tilde operator
U+02975		⇒				⇒		<code>\rightarrowapprox</code>	rightwards arrow above almost equal to
U+02976		⇐						<code>\ltlarr</code>	less-than above leftwards arrow
U+02977		⇐						<code>\leftarrowless</code>	leftwards arrow through less-than
U+02978		⇒						<code>\gtrarr</code>	greater-than above rightwards arrow
U+02979		⇐						<code>\subrarr</code>	subset above rightwards arrow
U+0297A		⇐						<code>\leftarrowsubset</code>	leftwards arrow through subset
U+0297B		⇒						<code>\suplarr</code>	superset above leftwards arrow
U+0297C		⇐						<code>\leftfishtail</code>	left fish tail
U+0297D		→						<code>\rightfishtail</code>	right fish tail
U+0297E		↑						<code>\upfishtail</code>	up fish tail
U+0297F		↓						<code>\downfishtail</code>	down fish tail
U+02982		⋮				⋮		<code>\typecolon</code>	z notation type colon
U+029CE		▷						<code>\rtriltri</code>	right triangle above left triangle
U+029CF		◁						<code>\ltrivb</code>	left triangle beside vertical bar
U+029D0		▷						<code>\vbrtri</code>	vertical bar beside right triangle
U+029D1		◼						<code>\lfbowtie</code>	left black bowtie
U+029D2		◼						<code>\rfbowtie</code>	right black bowtie

USV	M	S	E	K	P	L	G	Macro	Description
U+029D3		⚔						<code>\fbowtie</code>	black bowtie
U+029D4		⚔						<code>\lftimes</code>	left black times
U+029D5		⚔						<code>\rftimes</code>	right black times
U+029DF		⦿		⦿				<code>\dualmap</code>	double-ended multimap
U+029E1		⚡						<code>\lrtriangleeq</code>	increases as
U+029E3		⚡						<code>\eparsl</code>	equals sign and slanted parallel
U+029E4		⚡						<code>\smeparsl</code>	equals sign and slanted parallel with tilde above
U+029E5		⚡						<code>\eqvparsl</code>	identical to and slanted parallel
U+029E6		⚡						<code>\gleichstark</code>	gleich stark
U+029F4		⚡						<code>\ruledelayed</code>	rule-delayed
U+02A59		⚡						<code>\veeonwedge</code>	logical or overlapping logical and
U+02A66		⚡						<code>\eqdot</code>	equals sign with dot below
U+02A67		⚡						<code>\dotequiv</code>	identical with dot above
U+02A68		⚡						<code>\equivVert</code>	triple horizontal bar with double vertical stroke
U+02A69		⚡						<code>\equivVvert</code>	triple horizontal bar with triple vertical stroke
U+02A6A		⚡					⚡	<code>\dotsim</code>	tilde operator with dot above
U+02A6B		⚡					⚡	<code>\simrdots</code>	tilde operator with rising dots
U+02A6C		⚡					⚡	<code>\simminussim</code>	similar minus similar
U+02A6D		⚡					⚡	<code>\congdot</code>	congruent with dot above
U+02A6E		⚡						<code>\asteq</code>	equals with asterisk
U+02A6F		⚡						<code>\hatapprox</code>	almost equal to with circumflex accent
U+02A70		⚡					⚡	<code>\approxqq</code>	approximately equal or equal to
U+02A73		⚡					⚡	<code>\eqqsim</code>	equals sign above tilde operator
U+02A74		⚡		⚡			⚡	<code>\Coloneq</code>	double colon equal
U+02A75		⚡					⚡	<code>\eqeq</code>	two consecutive equals signs
U+02A76		⚡					⚡	<code>\eqeqeq</code>	three consecutive equals signs
U+02A77		⚡						<code>\ddotseq</code>	equals sign with two dots above and two dots below
U+02A78		⚡						<code>\equivDD</code>	equivalent with four dots above
U+02A79		⚡					⚡	<code>\ltcir</code>	less-than with circle inside
U+02A7A		⚡					⚡	<code>\gtcir</code>	greater-than with circle inside
U+02A7B		⚡						<code>\ltquest</code>	less-than with question mark above

USV	M	S	E	K	P	L	G	Macro	Description
U+02A7C								<code>\gtquest</code>	greater-than with question mark above
U+02A7D								<code>\leqslant<sup>(a)</sup></code>	less-than or slanted equal to
U+02A7E								<code>\geqslant<sup>(a)</sup></code>	greater-than or slanted equal to
U+02A7F								<code>\lesdot</code>	less-than or slanted equal to with dot inside
U+02A80								<code>\gesdot</code>	greater-than or slanted equal to with dot inside
U+02A81								<code>\lesdoto</code>	less-than or slanted equal to with dot above
U+02A82								<code>\gesdoto</code>	greater-than or slanted equal to with dot above
U+02A83								<code>\lesdotor</code>	less-than or slanted equal to with dot above right
U+02A84								<code>\gesdoto1</code>	greater-than or slanted equal to with dot above left
U+02A85								<code>\lessapprox<sup>(a)</sup></code>	less-than or approximate
U+02A86								<code>\gtrapprox<sup>(a)</sup></code>	greater-than or approximate
U+02A87								<code>\lneq<sup>(a)</sup></code>	less-than and single-line not equal to
U+02A88								<code>\gneq<sup>(a)</sup></code>	greater-than and single-line not equal to
U+02A89								<code>\lnapprox<sup>(a)</sup></code>	less-than and not approximate
U+02A8A								<code>\gnapprox<sup>(a)</sup></code>	greater-than and not approximate
U+02A8B								<code>\lesseqgtr<sup>(a)</sup></code>	less-than above double-line equal above greater-than
U+02A8C								<code>\gtreqless<sup>(a)</sup></code>	greater-than above double-line equal above less-than
U+02A8D								<code>\lsime</code>	less-than above similar or equal
U+02A8E								<code>\gsime</code>	greater-than above similar or equal
U+02A8F								<code>\lsimg</code>	less-than above similar above greater-than
U+02A90								<code>\gsiml</code>	greater-than above similar above less-than
U+02A91								<code>\lgE</code>	less-than above greater-than above double-line equal
U+02A92								<code>\glE</code>	greater-than above less-than above double-line equal
U+02A93								<code>\lesges</code>	less-than above slanted equal above greater-than above slanted equal
U+02A94								<code>\gesles</code>	greater-than above slanted equal above less-than above slanted equal

USV	M	S	E	K	P	L	G	Macro	Description
U+02A95								<code>\eqslantless<sup>(a)</sup></code>	slanted equal to or less-than
U+02A96								<code>\eqslantgtr<sup>(a)</sup></code>	slanted equal to or greater-than
U+02A97								<code>\elsdot</code>	slanted equal to or less-than with dot inside
U+02A98								<code>\egsdot</code>	slanted equal to or greater-than with dot inside
U+02A99								<code>\eqqless</code>	double-line equal to or less-than
U+02A9A								<code>\eqqgtr</code>	double-line equal to or greater-than
U+02A9B								<code>\eqqslantless</code>	double-line slanted equal to or less-than
U+02A9C								<code>\eqqslantgtr</code>	double-line slanted equal to or greater-than
U+02A9D								<code>\simless</code>	similar or less-than
U+02A9E								<code>\simgtr</code>	similar or greater-than
U+02A9F								<code>\simlE</code>	similar above less-than above equals sign
U+02AA0								<code>\simgE</code>	similar above greater-than above equals sign
U+02AA1								<code>\Lt</code>	double nested less-than
U+02AA2								<code>\Gt</code>	double nested greater-than
U+02AA3								<code>\partialmeetcontraction</code>	double less-than with underbar
U+02AA4								<code>\glj</code>	greater-than overlapping less-than
U+02AA5								<code>\gla</code>	greater-than beside less-than
U+02AA6								<code>\ltcc</code>	less-than closed by curve
U+02AA7								<code>\gtcc</code>	greater-than closed by curve
U+02AA8								<code>\lescc</code>	less-than closed by curve above slanted equal
U+02AA9								<code>\gescc</code>	greater-than closed by curve above slanted equal
U+02AAA								<code>\smt</code>	smaller than
U+02AAB								<code>\lat</code>	larger than
U+02AAC								<code>\smte</code>	smaller than or equal to
U+02AAD								<code>\late</code>	larger than or equal to
U+02AAE								<code>\bumpeqq</code>	equals sign with bumpy above
U+02AAF								<code>\preceq<sup>(p)</sup></code>	precedes above single-line equals sign
U+02AB0								<code>\succeq<sup>(p)</sup></code>	succeeds above single-line equals sign
U+02AB1								<code>\precneq</code>	precedes above single-line not equal to

USV	M	S	E	K	P	L	G	Macro	Description
U+02AB2		≧	≧	≧		≧	≧	<code>\succneq</code>	succeeds above single-line not equal to
U+02AB3		≧	≧	≧		≧	≧	<code>\preceqq</code>	precedes above equals sign
U+02AB4		≧	≧	≧		≧	≧	<code>\succeqq</code>	succeeds above equals sign
U+02AB5		≧	≧	≧		≧	≧	<code>\precneqq<sup>(a)</sup></code>	precedes above not equal to
U+02AB6		≧	≧	≧		≧	≧	<code>\succneqq<sup>(a)</sup></code>	succeeds above not equal to
U+02AB7		≧	≧	≧			≧	<code>\preccapprox<sup>(a)</sup></code>	precedes above almost equal to
U+02AB8		≧	≧	≧			≧	<code>\succapprox<sup>(a)</sup></code>	succeeds above almost equal to
U+02AB9		≧	≧	≧			≧	<code>\precnapprox<sup>(a)</sup></code>	precedes above not almost equal to
U+02ABA		≧	≧	≧			≧	<code>\succnapprox<sup>(a)</sup></code>	succeeds above not almost equal to
U+02ABB		≧					≧	<code>\Prec</code>	double precedes
U+02ABC		≧					≧	<code>\Succ</code>	double succeeds
U+02ABD		⊆					⊆	<code>\subsetdot</code>	subset with dot
U+02ABE		⊇					⊇	<code>\supsetdot</code>	superset with dot
U+02ABF		⊆+						<code>\subsetplus</code>	subset with plus sign below
U+02AC0		⊇+						<code>\supsetplus</code>	superset with plus sign below
U+02AC1		⊆×						<code>\submult</code>	subset with multiplication sign below
U+02AC2		⊇×						<code>\supmult</code>	superset with multiplication sign below
U+02AC3		⊆⋅						<code>\subedot</code>	subset of or equal to with dot above
U+02AC4		⊇⋅						<code>\supedot</code>	superset of or equal to with dot above
U+02AC5		⊆	⊆	⊆			⊆	<code>\subseteqq<sup>(a)</sup></code>	subset of above equals sign
U+02AC6		⊆	⊆	⊆			⊆	<code>\supseteqq<sup>(a)</sup></code>	superset of above equals sign
U+02AC7		⊆					⊆	<code>\subsim</code>	subset of above tilde operator
U+02AC8		⊆					⊆	<code>\supsim</code>	superset of above tilde operator
U+02AC9		⊆					⊆	<code>\subsetapprox</code>	subset of above almost equal to
U+02ACA		⊆					⊆	<code>\supsetapprox</code>	superset of above almost equal to
U+02ACB		⊆	⊆	⊆			⊆	<code>\subsetneqq<sup>(a)</sup></code>	subset of above not equal to
U+02ACC		⊆	⊆	⊆			⊆	<code>\supsetneqq<sup>(a)</sup></code>	superset of above not equal to
U+02ACD		⌊						<code>\lsqhook</code>	square left open box operator
U+02ACE		⌋						<code>\rsqhook</code>	square right open box operator
U+02ACF		⊂						<code>\csub</code>	closed subset
U+02AD0		⊃						<code>\csup</code>	closed superset

USV	M	S	E	K	P	L	G	Macro	Description
U+02AD1		⊂						<code>\csube</code>	closed subset or equal to
U+02AD2		⊃						<code>\csupe</code>	closed superset or equal to
U+02AD3		⊆						<code>\subsup</code>	subset above superset
U+02AD4		⊇						<code>\supsub</code>	superset above subset
U+02AD5		⊆						<code>\subsub</code>	subset above subset
U+02AD6		⊇						<code>\supsup</code>	superset above superset
U+02AD7		⊂⊃						<code>\suphsub</code>	superset beside subset
U+02AD8		⊃⊂						<code>\supdsub</code>	superset beside and joined by dash with subset
U+02AD9		⌋						<code>\forkv</code>	element of opening downwards
U+02ADA		⌋						<code>\topfork</code>	pitchfork with tee top
U+02ADB		⌋						<code>\mlcp</code>	transversal intersection
U+02ADC		⌋						<code>\forks</code>	forking
U+02ADD		⌋						<code>\forksnot</code>	nonforking
U+02ADE		┌						<code>\shortlefttack</code>	short left tack
U+02ADF		└						<code>\shortdowntack</code>	short down tack
U+02AE0		┐						<code>\shortuptack</code>	short up tack
U+02AE2		⌋						<code>\vDdash</code>	vertical bar triple right turnstile
U+02AE3		⌋						<code>\dashV</code>	double vertical bar left turnstile
U+02AE4		⌋						<code>\Dashv</code>	vertical bar double left turnstile
U+02AE5		⌋						<code>\DashV</code>	double vertical bar double left turnstile
U+02AE6		⌋						<code>\varVdash</code>	long dash from left member of double vertical
U+02AE7		┘						<code>\Barv</code>	short down tack with overbar
U+02AE8		┘						<code>\vBar</code>	short up tack with underbar
U+02AE9		┘						<code>\vBarv</code>	short up tack above short down tack
U+02AEA		⌋		⌋				<code>\barV</code>	double down tack
U+02AEB		⌋		⌋				<code>\Vbar</code>	double up tack
U+02AEC		≡						<code>\Not</code>	double stroke not sign
U+02AED		≡						<code>\bNot</code>	reversed double stroke not sign
U+02AEE		⊄						<code>\revnmid</code>	does not divide with reversed negation slash
U+02AEF		∩						<code>\circamid</code>	vertical line with circle above
U+02AF0		∪						<code>\midcir</code>	vertical line with circle below
U+02AF2		∥						<code>\nhpar</code>	parallel with horizontal stroke

USV	M	S	E	K	P	L	G	Macro	Description
U+02AF3								<code>\parsim</code>	parallel with tilde operator
U+02AF7								<code>\lllnest</code>	stacked very much less-than
U+02AF8								<code>\gggnest</code>	stacked very much greater-than
U+02AF9								<code>\leqqslant</code>	double-line slanted less-than or equal to
U+02AFA								<code>\geqqslant</code>	double-line slanted greater-than or equal to
U+02B30								<code>\circleleftarrow</code>	left arrow with small circle
U+02B31								<code>\leftthreearrows</code>	three leftwards arrows
U+02B32								<code>\leftarrowonoplus</code>	left arrow with circled plus
U+02B33								<code>\longleftsquigarrow</code>	long leftwards squiggle arrow
U+02B34								<code>\nvtwoheadleftarrow</code>	leftwards two-headed arrow with vertical stroke
U+02B35								<code>\nVtwoheadleftarrow</code>	leftwards two-headed arrow with double vertical stroke
U+02B36								<code>\twoheadmapsfrom</code>	leftwards two-headed arrow from bar
U+02B37								<code>\twoheadleftdbkarrow</code>	leftwards two-headed triple-dash arrow
U+02B38								<code>\leftdotarrow</code>	leftwards arrow with dotted stem
U+02B39								<code>\nvleftarrowtail</code>	leftwards arrow with tail with vertical stroke
U+02B3A								<code>\nVleftarrowtail</code>	leftwards arrow with tail with double vertical stroke
U+02B3B								<code>\twoheadleftarrowtail</code>	leftwards two-headed arrow with tail
U+02B3C								<code>\nvtwoheadleftarrowtail</code>	leftwards two-headed arrow with tail with vertical stroke
U+02B3D								<code>\nVtwoheadleftarrowtail</code>	leftwards two-headed arrow with tail with double vertical stroke
U+02B3E								<code>\leftarrowx</code>	leftwards arrow through x
U+02B3F								<code>\leftcurvedarrow</code>	wave arrow pointing directly left
U+02B40								<code>\equalleftarrow</code>	equals sign above leftwards arrow
U+02B41								<code>\bsimilarleftarrow</code>	reverse tilde operator above leftwards arrow
U+02B42								<code>\leftarrowbackapprox</code>	leftwards arrow above reverse almost equal to
U+02B43								<code>\rightarrowgtr</code>	rightwards arrow through greater-than
U+02B44								<code>\rightarrowsupset</code>	rightwards arrow through subset
U+02B45								<code>\Lleftarrow</code>	leftwards quadruple arrow

USV	M	S	E	K	P	L	G	Macro	Description
U+02B46		⇒					⇒	<code>\RRightarrow</code>	rightwards quadruple arrow
U+02B47		↵						<code>\bsimilarrightarrow</code>	reverse tilde operator above rightwards arrow
U+02B48		↻						<code>\rightarrowbackapprox</code>	rightwards arrow above reverse almost equal to
U+02B49		↵						<code>\similarleftarrow</code>	tilde operator above leftwards arrow
U+02B4A		↻						<code>\leftarrowapprox</code>	leftwards arrow above almost equal to
U+02B4B		↵						<code>\leftarrowbsimilar</code>	leftwards arrow above reverse tilde operator
U+02B4C		↻						<code>\rightarrowbsimilar</code>	rightwards arrow above reverse tilde operator

## 15 Alphabetical symbols, `\mathalpha`

### 15.1 Normal weight

#### 15.1.1 Upright Greek, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+00391	Α	Α	Α	Α	Α	Α	Α	<code>\mupAlpha</code>	capital alpha, greek
U+00392	Β	Β	Β	Β	Β	Β	Β	<code>\mupBeta</code>	capital beta, greek
U+00393	Γ	Γ	Γ	Γ	Γ	Γ	Γ	<code>\mupGamma</code>	capital gamma, greek
U+00394	Δ	Δ	Δ	Δ	Δ	Δ	Δ	<code>\mupDelta</code>	capital delta, greek
U+00395	Ε	Ε	Ε	Ε	Ε	Ε	Ε	<code>\mupEpsilon</code>	capital epsilon, greek
U+00396	Ζ	Ζ	Ζ	Ζ	Ζ	Ζ	Ζ	<code>\mupZeta</code>	capital zeta, greek
U+00397	Η	Η	Η	Η	Η	Η	Η	<code>\mupEta</code>	capital eta, greek
U+00398	Θ	Θ	Θ	Θ	Θ	Θ	Θ	<code>\mupTheta</code>	capital theta, greek
U+00399	Ι	Ι	Ι	Ι	Ι	Ι	Ι	<code>\mupIota</code>	capital iota, greek
U+0039A	Κ	Κ	Κ	Κ	Κ	Κ	Κ	<code>\mupKappa</code>	capital kappa, greek
U+0039B	Λ	Λ	Λ	Λ	Λ	Λ	Λ	<code>\mupLambda</code>	capital lambda, greek
U+0039C	Μ	Μ	Μ	Μ	Μ	Μ	Μ	<code>\mupMu</code>	capital mu, greek
U+0039D	Ν	Ν	Ν	Ν	Ν	Ν	Ν	<code>\mupNu</code>	capital nu, greek
U+0039E	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<code>\mupXi</code>	capital xi, greek
U+0039F	Ο	Ο	Ο	Ο	Ο	Ο	Ο	<code>\mupOmicron</code>	capital omicron, greek
U+003A0	Π	Π	Π	Π	Π	Π	Π	<code>\mupPi</code>	capital pi, greek
U+003A1	Ρ	Ρ	Ρ	Ρ	Ρ	Ρ	Ρ	<code>\mupRho</code>	capital rho, greek
U+003A3	Σ	Σ	Σ	Σ	Σ	Σ	Σ	<code>\mupSigma</code>	capital sigma, greek

USV	M	S	E	K	P	L	G	Macro	Description
U+003A4	Τ	Τ	Τ	Τ	Τ	Τ	Τ	<code>\mupTau</code>	capital tau, greek
U+003A5	Υ	Υ	Υ	Υ	Υ	Υ	Υ	<code>\mupUpsilon</code>	capital upsilon, greek
U+003A6	Φ	Φ	Φ	Φ	Φ	Φ	Φ	<code>\mupPhi</code>	capital phi, greek
U+003A7	Χ	Χ	Χ	Χ	Χ	Χ	Χ	<code>\mupChi</code>	capital chi, greek
U+003A8	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	<code>\mupPsi</code>	capital psi, greek
U+003A9	Ω	Ω	Ω	Ω	Ω	Ω	Ω	<code>\mupOmega</code>	capital omega, greek

### 15.1.2 Upright Greek, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+003B1	α	α	α	α	α	α	α	<code>\mupalpha</code>	small alpha, greek
U+003B2	β	β	β	β	β	β	β	<code>\mupbeta</code>	small beta, greek
U+003B3	γ	γ	γ	γ	γ	γ	γ	<code>\mupgamma</code>	small gamma, greek
U+003B4	δ	δ	δ	δ	δ	δ	δ	<code>\mupdelta</code>	small delta, greek
U+003B5	ε	ε	ε	ε	ε	ε	ε	<code>\mupvarepsilon</code>	rounded small varepsilon, greek
U+003B6	ζ	ζ	ζ	ζ	ζ	ζ	ζ	<code>\mupzeta</code>	small zeta, greek
U+003B7	η	η	η	η	η	η	η	<code>\mupeta</code>	small eta, greek
U+003B8	θ	θ	θ	θ	θ	θ	θ	<code>\muptheta</code>	straight theta, small theta, greek
U+003B9	ι	ι	ι	ι	ι	ι	ι	<code>\mupiota</code>	small iota, greek
U+003BA	κ	κ	κ	κ	κ	κ	κ	<code>\mupkappa</code>	small kappa, greek
U+003BB	λ	λ	λ	λ	λ	λ	λ	<code>\muplambda</code>	small lambda, greek
U+003BC	μ	μ	μ	μ	μ	μ	μ	<code>\mupmu</code>	small mu, greek
U+003BD	ν	ν	ν	ν	ν	ν	ν	<code>\mupnu</code>	small nu, greek
U+003BE	ξ	ξ	ξ	ξ	ξ	ξ	ξ	<code>\mupxi</code>	small xi, greek
U+003BF	ο	ο	ο	ο	ο	ο	ο	<code>\mupomicron</code>	small omicron, greek
U+003C0	π	π	π	π	π	π	π	<code>\muppi</code>	small pi, greek
U+003C1	ρ	ρ	ρ	ρ	ρ	ρ	ρ	<code>\muprho</code>	small rho, greek
U+003C2	ς	ς	ς	ς	ς	ς	ς	<code>\mupvarsigma</code>	terminal sigma, greek
U+003C3	σ	σ	σ	σ	σ	σ	σ	<code>\mupsigma</code>	small sigma, greek
U+003C4	τ	τ	τ	τ	τ	τ	τ	<code>\muptau</code>	small tau, greek
U+003C5	υ	υ	υ	υ	υ	υ	υ	<code>\mupupsilon</code>	small upsilon, greek
U+003C6	φ	φ	φ	φ	φ	φ	φ	<code>\mupvarphi</code>	curly or open small phi, greek
U+003C7	χ	χ	χ	χ	χ	χ	χ	<code>\mupchi</code>	small chi, greek

USV	M	S	E	K	P	L	G	Macro	Description
U+003C8	ψ	ψ	ψ	ψ	ψ	ψ	ψ	\muppsi	small psi, greek
U+003C9	ω	ω	ω	ω	ω	ω	ω	\mupomega	small omega, greek
U+003D1	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	\mupvarthetaeta	/vartheta - curly or open theta
U+003D5	φ	φ	φ	φ	φ	φ	φ	\mupphi	/straightphi - small phi, greek
U+003D6	ϖ	ϖ	ϖ	ϖ	ϖ	ϖ	ϖ	\mupvarpi	rounded small pi (pomega), greek
U+003DC		Ϛ		Ϝ		Ϟ		\upDigamma	capital digamma
U+003DD		ϛ	ϝ			ϟ		\updigamma	old greek small letter digamma
U+003F0	κ	κ	κ	κ	κ	κ	κ	\mupvarkappa	rounded small kappa, greek
U+003F1	ρ	ρ	ρ	ρ	ρ	ρ	ρ	\mupvarrho	rounded small rho, greek
U+003F4	Θ	Θ	Θ	Θ	Θ	Θ	Θ	\mupvarTheta	greek capital theta symbol
U+003F5	ϵ	ϵ	ϵ	ϵ	ϵ	ϵ	ϵ	\mupepsilon	greek lunate varepsilon symbol

### 15.1.3 Italic, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D434	<i>A</i>	\mitA	mathematical italic capital a						
U+1D435	<i>B</i>	\mitB	mathematical italic capital b						
U+1D436	<i>C</i>	\mitC	mathematical italic capital c						
U+1D437	<i>D</i>	\mitD	mathematical italic capital d						
U+1D438	<i>E</i>	\mitE	mathematical italic capital e						
U+1D439	<i>F</i>	\mitF	mathematical italic capital f						
U+1D43A	<i>G</i>	\mitG	mathematical italic capital g						
U+1D43B	<i>H</i>	\mitH	mathematical italic capital h						
U+1D43C	<i>I</i>	\mitI	mathematical italic capital i						
U+1D43D	<i>J</i>	\mitJ	mathematical italic capital j						
U+1D43E	<i>K</i>	\mitK	mathematical italic capital k						
U+1D43F	<i>L</i>	\mitL	mathematical italic capital l						
U+1D440	<i>M</i>	\mitM	mathematical italic capital m						
U+1D441	<i>N</i>	\mitN	mathematical italic capital n						
U+1D442	<i>O</i>	\mitO	mathematical italic capital o						
U+1D443	<i>P</i>	\mitP	mathematical italic capital p						
U+1D444	<i>Q</i>	\mitQ	mathematical italic capital q						
U+1D445	<i>R</i>	\mitR	mathematical italic capital r						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D446	<i>S</i>	<code>\mitS</code>	mathematical italic capital s						
U+1D447	<i>T</i>	<code>\mitT</code>	mathematical italic capital t						
U+1D448	<i>U</i>	<code>\mitU</code>	mathematical italic capital u						
U+1D449	<i>V</i>	<code>\mitV</code>	mathematical italic capital v						
U+1D44A	<i>W</i>	<code>\mitW</code>	mathematical italic capital w						
U+1D44B	<i>X</i>	<code>\mitX</code>	mathematical italic capital x						
U+1D44C	<i>Y</i>	<code>\mitY</code>	mathematical italic capital y						
U+1D44D	<i>Z</i>	<code>\mitZ</code>	mathematical italic capital z						

#### 15.1.4 Italic, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D44E	<i>a</i>	<code>\mita</code>	mathematical italic small a						
U+1D44F	<i>b</i>	<code>\mitb</code>	mathematical italic small b						
U+1D450	<i>c</i>	<code>\mitc</code>	mathematical italic small c						
U+1D451	<i>d</i>	<code>\mitd</code>	mathematical italic small d						
U+1D452	<i>e</i>	<code>\mite</code>	mathematical italic small e						
U+1D453	<i>f</i>	<code>\mitf</code>	mathematical italic small f						
U+1D454	<i>g</i>	<code>\mitg</code>	mathematical italic small g						
U+1D456	<i>i</i>	<code>\miti</code>	mathematical italic small i						
U+1D457	<i>j</i>	<code>\mitj</code>	mathematical italic small j						
U+1D458	<i>k</i>	<code>\mitk</code>	mathematical italic small k						
U+1D459	<i>l</i>	<code>\mitl</code>	mathematical italic small l						
U+1D45A	<i>m</i>	<code>\mitm</code>	mathematical italic small m						
U+1D45B	<i>n</i>	<code>\mitn</code>	mathematical italic small n						
U+1D45C	<i>o</i>	<code>\mito</code>	mathematical italic small o						
U+1D45D	<i>p</i>	<code>\mitp</code>	mathematical italic small p						
U+1D45E	<i>q</i>	<code>\mitq</code>	mathematical italic small q						
U+1D45F	<i>r</i>	<code>\mitr</code>	mathematical italic small r						
U+1D460	<i>s</i>	<code>\mits</code>	mathematical italic small s						
U+1D461	<i>t</i>	<code>\mitt</code>	mathematical italic small t						
U+1D462	<i>u</i>	<code>\mitu</code>	mathematical italic small u						
U+1D463	<i>v</i>	<code>\mitv</code>	mathematical italic small v						
U+1D464	<i>w</i>	<code>\mitw</code>	mathematical italic small w						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D465	<i>x</i>	<code>\mitx</code>	mathematical italic small x						
U+1D466	<i>y</i>	<code>\mity</code>	mathematical italic small y						
U+1D467	<i>z</i>	<code>\mitz</code>	mathematical italic small z						

### 15.1.5 Italic Greek, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D6E2	<i>A</i>	<code>\mitAlpha</code>	mathematical italic capital alpha						
U+1D6E3	<i>B</i>	<code>\mitBeta</code>	mathematical italic capital beta						
U+1D6E4	<i>Γ</i>	<code>\mitGamma</code>	mathematical italic capital gamma						
U+1D6E5	<i>Δ</i>	<code>\mitDelta</code>	mathematical italic capital delta						
U+1D6E6	<i>E</i>	<code>\mitEpsilon</code>	mathematical italic capital epsilon						
U+1D6E7	<i>Z</i>	<code>\mitZeta</code>	mathematical italic capital zeta						
U+1D6E8	<i>H</i>	<code>\mitEta</code>	mathematical italic capital eta						
U+1D6E9	<i>Θ</i>	<code>\mitTheta</code>	mathematical italic capital theta						
U+1D6EA	<i>I</i>	<code>\mitIota</code>	mathematical italic capital iota						
U+1D6EB	<i>K</i>	<code>\mitKappa</code>	mathematical italic capital kappa						
U+1D6EC	<i>Λ</i>	<code>\mitLambda</code>	mathematical italic capital lambda						
U+1D6ED	<i>M</i>	<code>\mitMu</code>	mathematical italic capital mu						
U+1D6EE	<i>N</i>	<code>\mitNu</code>	mathematical italic capital nu						
U+1D6EF	<i>Ξ</i>	<code>\mitXi</code>	mathematical italic capital xi						
U+1D6F0	<i>Ο</i>	<code>\mitOmicron</code>	mathematical italic capital omicron						
U+1D6F1	<i>Π</i>	<code>\mitPi</code>	mathematical italic capital pi						
U+1D6F2	<i>Ρ</i>	<code>\mitRho</code>	mathematical italic capital rho						
U+1D6F3	<i>ϑ</i>	<code>\mitvarTheta</code>	mathematical italic capital theta symbol						
U+1D6F4	<i>Σ</i>	<code>\mitSigma</code>	mathematical italic capital sigma						
U+1D6F5	<i>T</i>	<code>\mitTau</code>	mathematical italic capital tau						
U+1D6F6	<i>Υ</i>	<code>\mitUpsilon</code>	mathematical italic capital upsilon						
U+1D6F7	<i>Φ</i>	<code>\mitPhi</code>	mathematical italic capital phi						
U+1D6F8	<i>Χ</i>	<code>\mitChi</code>	mathematical italic capital chi						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D6F9	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	\mitPsi	mathematical italic capital psi
U+1D6FA	Ω	Ω	Ω	Ω	Ω	Ω	Ω	\mitOmega	mathematical italic capital omega

### 15.1.6 Italic Greek, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D6FC	α	α	α	α	α	α	α	\mitalpha	mathematical italic small alpha
U+1D6FD	β	β	β	β	β	β	β	\mitbeta	mathematical italic small beta
U+1D6FE	γ	γ	γ	γ	γ	γ	γ	\mitgamma	mathematical italic small gamma
U+1D6FF	δ	δ	δ	δ	δ	δ	δ	\mitdelta	mathematical italic small delta
U+1D700	ε	ε	ε	ε	ε	ε	ε	\mitvarepsilon	mathematical italic small varepsilon
U+1D701	ζ	ζ	ζ	ζ	ζ	ζ	ζ	\mitzeta	mathematical italic small zeta
U+1D702	η	η	η	η	η	η	η	\miteta	mathematical italic small eta
U+1D703	θ	θ	θ	θ	θ	θ	θ	\mittheta	mathematical italic small theta
U+1D704	ι	ι	ι	ι	ι	ι	ι	\mitiota	mathematical italic small iota
U+1D705	κ	κ	κ	κ	κ	κ	κ	\mitkappa	mathematical italic small kappa
U+1D706	λ	λ	λ	λ	λ	λ	λ	\mitlambda	mathematical italic small lambda
U+1D707	μ	μ	μ	μ	μ	μ	μ	\mitmu	mathematical italic small mu
U+1D708	ν	ν	ν	ν	ν	ν	ν	\mitnu	mathematical italic small nu
U+1D709	ξ	ξ	ξ	ξ	ξ	ξ	ξ	\mitxi	mathematical italic small xi
U+1D70A	ο	ο	ο	ο	ο	ο	ο	\mitomicron	mathematical italic small omicron
U+1D70B	π	π	π	π	π	π	π	\mitpi	mathematical italic small pi
U+1D70C	ρ	ρ	ρ	ρ	ρ	ρ	ρ	\mitrho	mathematical italic small rho
U+1D70D	ς	ς	ς	ς	ς	ς	ς	\mitvarsigma	mathematical italic small final sigma
U+1D70E	σ	σ	σ	σ	σ	σ	σ	\mitsigma	mathematical italic small sigma
U+1D70F	τ	τ	τ	τ	τ	τ	τ	\mittau	mathematical italic small tau
U+1D710	υ	υ	υ	υ	υ	υ	υ	\mitupsilon	mathematical italic small upsilon
U+1D711	φ	φ	φ	φ	φ	φ	φ	\mitvarphi	mathematical italic small phi
U+1D712	χ	χ	χ	χ	χ	χ	χ	\mitchi	mathematical italic small chi
U+1D713	ψ	ψ	ψ	ψ	ψ	ψ	ψ	\mitpsi	mathematical italic small psi
U+1D714	ω	ω	ω	ω	ω	ω	ω	\mitomega	mathematical italic small omega

USV	M	S	E	K	P	L	G	Macro	Description
U+1D715	<i>∂</i>	<code>\mitpartial</code>	mathematical italic partial differential						
U+1D716	<i>ε</i>	<code>\mitepsilon</code>	mathematical italic varepsilon symbol						
U+1D717	<i>ϑ</i>	<code>\mitvartheta</code>	mathematical italic theta symbol						
U+1D718	<i>κ</i>	<code>\mitvarkappa</code>	mathematical italic kappa symbol						
U+1D719	<i>φ</i>	<code>\mitphi</code>	mathematical italic phi symbol						
U+1D71A	<i>ρ</i>	<code>\mitvarrho</code>	mathematical italic rho symbol						
U+1D71B	<i>ϖ</i>	<code>\mitvarpi</code>	mathematical italic pi symbol						

### 15.1.7 Script, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D49C	<i>A</i>	<code>\mscrA</code>	mathematical script capital a						
U+1D49E	<i>C</i>	<code>\mscrC</code>	mathematical script capital c						
U+1D49F	<i>D</i>	<code>\mscrD</code>	mathematical script capital d						
U+1D4A2	<i>G</i>	<code>\mscrG</code>	mathematical script capital g						
U+1D4A5	<i>J</i>	<code>\mscrJ</code>	mathematical script capital j						
U+1D4A6	<i>K</i>	<code>\mscrK</code>	mathematical script capital k						
U+1D4A9	<i>N</i>	<code>\mscrN</code>	mathematical script capital n						
U+1D4AA	<i>O</i>	<code>\mscrO</code>	mathematical script capital o						
U+1D4AB	<i>P</i>	<code>\mscrP</code>	mathematical script capital p						
U+1D4AC	<i>Q</i>	<code>\mscrQ</code>	mathematical script capital q						
U+1D4AE	<i>S</i>	<code>\mscrS</code>	mathematical script capital s						
U+1D4AF	<i>T</i>	<code>\mscrT</code>	mathematical script capital t						
U+1D4B0	<i>U</i>	<code>\mscrU</code>	mathematical script capital u						
U+1D4B1	<i>V</i>	<code>\mscrV</code>	mathematical script capital v						
U+1D4B2	<i>W</i>	<code>\mscrW</code>	mathematical script capital w						
U+1D4B3	<i>X</i>	<code>\mscrX</code>	mathematical script capital x						
U+1D4B4	<i>Y</i>	<code>\mscrY</code>	mathematical script capital y						
U+1D4B5	<i>Z</i>	<code>\mscrZ</code>	mathematical script capital z						

### 15.1.8 Script, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D4B6		<i>a</i>			<i>a</i>	<i>a</i>	<i>a</i>	<code>\mscra</code>	mathematical script small a
U+1D4B7		<i>b</i>			<i>b</i>	<i>b</i>	<i>b</i>	<code>\mscrb</code>	mathematical script small b
U+1D4B8		<i>c</i>			<i>c</i>	<i>c</i>	<i>c</i>	<code>\mscra</code>	mathematical script small c
U+1D4B9		<i>d</i>			<i>d</i>	<i>d</i>	<i>d</i>	<code>\mscrd</code>	mathematical script small d
U+1D4BB		<i>f</i>			<i>f</i>	<i>f</i>	<i>f</i>	<code>\mscrf</code>	mathematical script small f
U+1D4BD		<i>h</i>			<i>h</i>	<i>h</i>	<i>h</i>	<code>\mscrh</code>	mathematical script small h
U+1D4BE		<i>i</i>			<i>i</i>	<i>i</i>	<i>i</i>	<code>\mscri</code>	mathematical script small i
U+1D4BF		<i>j</i>			<i>j</i>	<i>j</i>	<i>j</i>	<code>\mscrj</code>	mathematical script small j
U+1D4C0		<i>k</i>			<i>k</i>	<i>k</i>	<i>k</i>	<code>\mscrk</code>	mathematical script small k
U+1D4C1		<i>l</i>			<i>l</i>	<i>l</i>	<i>l</i>	<code>\mscrl</code>	mathematical script small l
U+1D4C2		<i>m</i>			<i>m</i>	<i>m</i>	<i>m</i>	<code>\mscrm</code>	mathematical script small m
U+1D4C3		<i>n</i>			<i>n</i>	<i>n</i>	<i>n</i>	<code>\mscrn</code>	mathematical script small n
U+1D4C5		<i>p</i>			<i>p</i>	<i>p</i>	<i>p</i>	<code>\mscrp</code>	mathematical script small p
U+1D4C6		<i>q</i>			<i>q</i>	<i>q</i>	<i>q</i>	<code>\mscrq</code>	mathematical script small q
U+1D4C7		<i>r</i>			<i>r</i>	<i>r</i>	<i>r</i>	<code>\mscrr</code>	mathematical script small r
U+1D4C8		<i>s</i>			<i>s</i>	<i>s</i>	<i>s</i>	<code>\mscrs</code>	mathematical script small s
U+1D4C9		<i>t</i>			<i>t</i>	<i>t</i>	<i>t</i>	<code>\mscrt</code>	mathematical script small t
U+1D4CA		<i>u</i>			<i>u</i>	<i>u</i>	<i>u</i>	<code>\mscru</code>	mathematical script small u
U+1D4CB		<i>v</i>			<i>v</i>	<i>v</i>	<i>v</i>	<code>\mscrv</code>	mathematical script small v
U+1D4CC		<i>w</i>			<i>w</i>	<i>w</i>	<i>w</i>	<code>\mscrw</code>	mathematical script small w
U+1D4CD		<i>x</i>			<i>x</i>	<i>x</i>	<i>x</i>	<code>\mscrx</code>	mathematical script small x
U+1D4CE		<i>y</i>			<i>y</i>	<i>y</i>	<i>y</i>	<code>\mscry</code>	mathematical script small y
U+1D4CF		<i>z</i>			<i>z</i>	<i>z</i>	<i>z</i>	<code>\mscrz</code>	mathematical script small z

### 15.1.9 Fraktur, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D504	<i>A</i>	<code>\mfrakA</code>	mathematical fraktur capital a						
U+1D505	<i>B</i>	<code>\mfrakB</code>	mathematical fraktur capital b						
U+1D507	<i>D</i>	<code>\mfrakD</code>	mathematical fraktur capital d						
U+1D508	<i>E</i>	<code>\mfrakE</code>	mathematical fraktur capital e						
U+1D509	<i>F</i>	<code>\mfrakF</code>	mathematical fraktur capital f						
U+1D50A	<i>G</i>	<code>\mfrakG</code>	mathematical fraktur capital g						
U+1D50D	<i>J</i>	<code>\mfrakJ</code>	mathematical fraktur capital j						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D50E	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracK	mathematical fraktur capital k
U+1D50F	Ǝ	Ǝ	Ǝ	Ǝ	Ǝ	Ǝ	Ǝ	\mfracL	mathematical fraktur capital l
U+1D510	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracM	mathematical fraktur capital m
U+1D511	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracN	mathematical fraktur capital n
U+1D512	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracO	mathematical fraktur capital o
U+1D513	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracP	mathematical fraktur capital p
U+1D514	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracQ	mathematical fraktur capital q
U+1D516	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracS	mathematical fraktur capital s
U+1D517	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracT	mathematical fraktur capital t
U+1D518	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracU	mathematical fraktur capital u
U+1D519	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracV	mathematical fraktur capital v
U+1D51A	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracW	mathematical fraktur capital w
U+1D51B	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracX	mathematical fraktur capital x
U+1D51C	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracY	mathematical fraktur capital y

### 15.1.10 Fraktur, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D51E	ɑ	ɑ	ɑ	ɑ	ɑ	ɑ	ɑ	\mfraka	mathematical fraktur small a
U+1D51F	ʙ	ʙ	ʙ	ʙ	ʙ	ʙ	ʙ	\mfrakb	mathematical fraktur small b
U+1D520	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracc	mathematical fraktur small c
U+1D521	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracd	mathematical fraktur small d
U+1D522	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfrace	mathematical fraktur small e
U+1D523	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracf	mathematical fraktur small f
U+1D524	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracg	mathematical fraktur small g
U+1D525	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfrach	mathematical fraktur small h
U+1D526	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfraci	mathematical fraktur small i
U+1D527	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracj	mathematical fraktur small j
U+1D528	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfrack	mathematical fraktur small k
U+1D529	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracl	mathematical fraktur small l
U+1D52A	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracm	mathematical fraktur small m
U+1D52B	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracn	mathematical fraktur small n
U+1D52C	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfraco	mathematical fraktur small o
U+1D52D	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	\mfracp	mathematical fraktur small p

USV	M	S	E	K	P	L	G	Macro	Description
U+1D52E	q	q	q	q	q	q	q	<code>\mfracq</code>	mathematical fraktur small q
U+1D52F	r	r	r	r	r	r	r	<code>\mfracr</code>	mathematical fraktur small r
U+1D530	s	s	s	s	s	s	s	<code>\mfraks</code>	mathematical fraktur small s
U+1D531	t	t	t	t	t	t	t	<code>\mfract</code>	mathematical fraktur small t
U+1D532	u	u	u	u	u	u	u	<code>\mfracu</code>	mathematical fraktur small u
U+1D533	v	v	v	v	v	v	v	<code>\mfracv</code>	mathematical fraktur small v
U+1D534	w	w	w	w	w	w	w	<code>\mfracw</code>	mathematical fraktur small w
U+1D535	x	x	x	x	x	x	x	<code>\mfracx</code>	mathematical fraktur small x
U+1D536	y	y	y	y	y	y	y	<code>\mfracy</code>	mathematical fraktur small y
U+1D537	z	z	z	z	z	z	z	<code>\mfracz</code>	mathematical fraktur small z

### 15.1.11 Blackboard, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D538	A	A	A	A	A	A	A	<code>\BbbA</code>	mathematical double-struck capital a
U+1D539	B	B	B	B	B	B	B	<code>\BbbB</code>	mathematical double-struck capital b
U+1D53B	D	D	D	D	D	D	D	<code>\BbbD</code>	mathematical double-struck capital d
U+1D53C	E	E	E	E	E	E	E	<code>\BbbE</code>	mathematical double-struck capital e
U+1D53D	F	F	F	F	F	F	F	<code>\BbbF</code>	mathematical double-struck capital f
U+1D53E	G	G	G	G	G	G	G	<code>\BbbG</code>	mathematical double-struck capital g
U+1D540	I	I	I	I	I	I	I	<code>\BbbI</code>	mathematical double-struck capital i
U+1D541	J	J	J	J	J	J	J	<code>\BbbJ</code>	mathematical double-struck capital j
U+1D542	K	K	K	K	K	K	K	<code>\BbbK</code>	mathematical double-struck capital k
U+1D543	L	L	L	L	L	L	L	<code>\BbbL</code>	mathematical double-struck capital l
U+1D544	M	M	M	M	M	M	M	<code>\BbbM</code>	mathematical double-struck capital m
U+1D546	O	O	O	O	O	O	O	<code>\BbbO</code>	mathematical double-struck capital o
U+1D54A	S	S	S	S	S	S	S	<code>\BbbS</code>	mathematical double-struck capital s
U+1D54B	T	T	T	T	T	T	T	<code>\BbbT</code>	mathematical double-struck capital t
U+1D54C	U	U	U	U	U	U	U	<code>\BbbU</code>	mathematical double-struck capital u

USV	M	S	E	K	P	L	G	Macro	Description
U+1D54D	V	V	V	V	V	V	V	\BbbV	mathematical double-struck capital v
U+1D54E	W	W	W	W	W	W	W	\BbbW	mathematical double-struck capital w
U+1D54F	X	X	X	X	X	X	X	\BbbX	mathematical double-struck capital x
U+1D550	Y	Y	Y	Y	Y	Y	Y	\BbbY	mathematical double-struck capital y

### 15.1.12 Blackboard, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D552	a	a	a		a	a	a	\Bbba	mathematical double-struck small a
U+1D553	b	b	b		b	b	b	\Bbbb	mathematical double-struck small b
U+1D554	c	c	c		c	c	c	\Bbbc	mathematical double-struck small c
U+1D555	d	d	d		d	d	d	\Bbbd	mathematical double-struck small d
U+1D556	e	e	e		e	e	e	\Bbbe	mathematical double-struck small e
U+1D557	f	f	f		f	f	f	\Bbbf	mathematical double-struck small f
U+1D558	g	g	g		g	g	g	\Bbbg	mathematical double-struck small g
U+1D559	h	h	h		h	h	h	\Bbbh	mathematical double-struck small h
U+1D55A	i	i	i		i	i	i	\Bbbi	mathematical double-struck small i
U+1D55B	j	j	j		j	j	j	\Bbbj	mathematical double-struck small j
U+1D55C	k	k	k	k	k	k	k	\Bbbk <sup>(a)</sup>	mathematical double-struck small k
U+1D55D	l	l	l		l	l	l	\Bbb1	mathematical double-struck small l
U+1D55E	m	m	m		m	m	m	\Bbbm	mathematical double-struck small m
U+1D55F	n	n	n		n	n	n	\Bbbn	mathematical double-struck small n
U+1D560	o	o	o		o	o	o	\Bbbo	mathematical double-struck small o
U+1D561	p	p	p		p	p	p	\Bbbp	mathematical double-struck small p
U+1D562	q	q	q		q	q	q	\Bbbq	mathematical double-struck small q
U+1D563	r	r	r		r	r	r	\Bbbr	mathematical double-struck small r

USV	M	S	E	K	P	L	G	Macro	Description
U+1D564	š	ſ	ſ		š	ſ	ſ	\Bbbs	mathematical double-struck small s
U+1D565	ţ	ţ	ţ		ţ	ţ	ţ	\Bbbt	mathematical double-struck small t
U+1D566	u	u	u		u	u	u	\Bbbu	mathematical double-struck small u
U+1D567	v	v	v		v	v	v	\Bbbv	mathematical double-struck small v
U+1D568	w	w	w		w	w	w	\Bbbw	mathematical double-struck small w
U+1D569	x	x	x		x	x	x	\Bbbx	mathematical double-struck small x
U+1D56A	y	y	y		y	y	y	\Bbby	mathematical double-struck small y
U+1D56B	z	z	z		z	z	z	\Bbbz	mathematical double-struck small z

### 15.1.13 Sans serif, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D5A0	A	A	A	A	A	A	A	\msansA	mathematical sans-serif capital a
U+1D5A1	B	B	B	B	B	B	B	\msansB	mathematical sans-serif capital b
U+1D5A2	C	C	C	C	C	C	C	\msansC	mathematical sans-serif capital c
U+1D5A3	D	D	D	D	D	D	D	\msansD	mathematical sans-serif capital d
U+1D5A4	E	E	E	E	E	E	E	\msansE	mathematical sans-serif capital e
U+1D5A5	F	F	F	F	F	F	F	\msansF	mathematical sans-serif capital f
U+1D5A6	G	G	G	G	G	G	G	\msansG	mathematical sans-serif capital g
U+1D5A7	H	H	H	H	H	H	H	\msansH	mathematical sans-serif capital h
U+1D5A8	I	I	I	I	I	I	I	\msansI	mathematical sans-serif capital i
U+1D5A9	J	J	J	J	J	J	J	\msansJ	mathematical sans-serif capital j
U+1D5AA	K	K	K	K	K	K	K	\msansK	mathematical sans-serif capital k
U+1D5AB	L	L	L	L	L	L	L	\msansL	mathematical sans-serif capital l
U+1D5AC	M	M	M	M	M	M	M	\msansM	mathematical sans-serif capital m
U+1D5AD	N	N	N	N	N	N	N	\msansN	mathematical sans-serif capital n
U+1D5AE	O	O	O	O	O	O	O	\msansO	mathematical sans-serif capital o

USV	M	S	E	K	P	L	G	Macro	Description
U+1D5AF	P	P	P	P	P	P	P	<code>\msansP</code>	mathematical sans-serif capital P
U+1D5B0	Q	Q	Q	Q	Q	Q	Q	<code>\msansQ</code>	mathematical sans-serif capital Q
U+1D5B1	R	R	R	R	R	R	R	<code>\msansR</code>	mathematical sans-serif capital R
U+1D5B2	S	S	S	S	S	S	S	<code>\msansS</code>	mathematical sans-serif capital S
U+1D5B3	T	T	T	T	T	T	T	<code>\msansT</code>	mathematical sans-serif capital T
U+1D5B4	U	U	U	U	U	U	U	<code>\msansU</code>	mathematical sans-serif capital U
U+1D5B5	V	V	V	V	V	V	V	<code>\msansV</code>	mathematical sans-serif capital V
U+1D5B6	W	W	W	W	W	W	W	<code>\msansW</code>	mathematical sans-serif capital W
U+1D5B7	X	X	X	X	X	X	X	<code>\msansX</code>	mathematical sans-serif capital X
U+1D5B8	Y	Y	Y	Y	Y	Y	Y	<code>\msansY</code>	mathematical sans-serif capital Y
U+1D5B9	Z	Z	Z	Z	Z	Z	Z	<code>\msansZ</code>	mathematical sans-serif capital Z

#### 15.1.14 Sans serif, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D5BA	a	a	a	a	a	a	a	<code>\msansa</code>	mathematical sans-serif small a
U+1D5BB	b	b	b	b	b	b	b	<code>\msansb</code>	mathematical sans-serif small b
U+1D5BC	c	c	c	c	c	c	c	<code>\msansc</code>	mathematical sans-serif small c
U+1D5BD	d	d	d	d	d	d	d	<code>\msansd</code>	mathematical sans-serif small d
U+1D5BE	e	e	e	e	e	e	e	<code>\msanse</code>	mathematical sans-serif small e
U+1D5BF	f	f	f	f	f	f	f	<code>\msansf</code>	mathematical sans-serif small f
U+1D5C0	g	g	g	g	g	g	g	<code>\msansg</code>	mathematical sans-serif small g
U+1D5C1	h	h	h	h	h	h	h	<code>\msansh</code>	mathematical sans-serif small h
U+1D5C2	i	i	i	i	i	i	i	<code>\msansi</code>	mathematical sans-serif small i
U+1D5C3	j	j	j	j	j	j	j	<code>\msansj</code>	mathematical sans-serif small j
U+1D5C4	k	k	k	k	k	k	k	<code>\msansk</code>	mathematical sans-serif small k
U+1D5C5	l	l	l	l	l	l	l	<code>\msansl</code>	mathematical sans-serif small l
U+1D5C6	m	m	m	m	m	m	m	<code>\msansm</code>	mathematical sans-serif small m
U+1D5C7	n	n	n	n	n	n	n	<code>\msansn</code>	mathematical sans-serif small n
U+1D5C8	o	o	o	o	o	o	o	<code>\msanso</code>	mathematical sans-serif small o

USV	M	S	E	K	P	L	G	Macro	Description
U+1D5C9	p	p	p	p	p	p	p	<code>\msansp</code>	mathematical sans-serif small p
U+1D5CA	q	q	q	q	q	q	q	<code>\msansq</code>	mathematical sans-serif small q
U+1D5CB	r	r	r	r	r	r	r	<code>\msansr</code>	mathematical sans-serif small r
U+1D5CC	s	s	s	s	s	s	s	<code>\msanss</code>	mathematical sans-serif small s
U+1D5CD	t	t	t	t	t	t	t	<code>\msanst</code>	mathematical sans-serif small t
U+1D5CE	u	u	u	u	u	u	u	<code>\msansu</code>	mathematical sans-serif small u
U+1D5CF	v	v	v	v	v	v	v	<code>\msansv</code>	mathematical sans-serif small v
U+1D5D0	w	w	w	w	w	w	w	<code>\msansw</code>	mathematical sans-serif small w
U+1D5D1	x	x	x	x	x	x	x	<code>\msansx</code>	mathematical sans-serif small x
U+1D5D2	y	y	y	y	y	y	y	<code>\msansy</code>	mathematical sans-serif small y
U+1D5D3	z	z	z	z	z	z	z	<code>\msansz</code>	mathematical sans-serif small z

### 15.1.15 Italic sans serif, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D608	A	A	A	A	A	A	A	<code>\mitsansA</code>	mathematical sans-serif italic capital a
U+1D609	B	B	B	B	B	B	B	<code>\mitsansB</code>	mathematical sans-serif italic capital b
U+1D60A	C	C	C	C	C	C	C	<code>\mitsansC</code>	mathematical sans-serif italic capital c
U+1D60B	D	D	D	D	D	D	D	<code>\mitsansD</code>	mathematical sans-serif italic capital d
U+1D60C	E	E	E	E	E	E	E	<code>\mitsansE</code>	mathematical sans-serif italic capital e
U+1D60D	F	F	F	F	F	F	F	<code>\mitsansF</code>	mathematical sans-serif italic capital f
U+1D60E	G	G	G	G	G	G	G	<code>\mitsansG</code>	mathematical sans-serif italic capital g
U+1D60F	H	H	H	H	H	H	H	<code>\mitsansH</code>	mathematical sans-serif italic capital h
U+1D610	I	I	I	I	I	I	I	<code>\mitsansI</code>	mathematical sans-serif italic capital i
U+1D611	J	J	J	J	J	J	J	<code>\mitsansJ</code>	mathematical sans-serif italic capital j
U+1D612	K	K	K	K	K	K	K	<code>\mitsansK</code>	mathematical sans-serif italic capital k
U+1D613	L	L	L	L	L	L	L	<code>\mitsansL</code>	mathematical sans-serif italic capital l
U+1D614	M	M	M	M	M	M	M	<code>\mitsansM</code>	mathematical sans-serif italic capital m
U+1D615	N	N	N	N	N	N	N	<code>\mitsansN</code>	mathematical sans-serif italic capital n

USV	M	S	E	K	P	L	G	Macro	Description
U+1D616	<i>O</i>	<code>\mitsansO</code>	mathematical sans-serif italic capital o						
U+1D617	<i>P</i>	<code>\mitsansP</code>	mathematical sans-serif italic capital p						
U+1D618	<i>Q</i>	<code>\mitsansQ</code>	mathematical sans-serif italic capital q						
U+1D619	<i>R</i>	<code>\mitsansR</code>	mathematical sans-serif italic capital r						
U+1D61A	<i>S</i>	<code>\mitsansS</code>	mathematical sans-serif italic capital s						
U+1D61B	<i>T</i>	<code>\mitsansT</code>	mathematical sans-serif italic capital t						
U+1D61C	<i>U</i>	<code>\mitsansU</code>	mathematical sans-serif italic capital u						
U+1D61D	<i>V</i>	<code>\mitsansV</code>	mathematical sans-serif italic capital v						
U+1D61E	<i>W</i>	<code>\mitsansW</code>	mathematical sans-serif italic capital w						
U+1D61F	<i>X</i>	<code>\mitsansX</code>	mathematical sans-serif italic capital x						
U+1D620	<i>Y</i>	<code>\mitsansY</code>	mathematical sans-serif italic capital y						
U+1D621	<i>Z</i>	<code>\mitsansZ</code>	mathematical sans-serif italic capital z						

### 15.1.16 Italic sans serif, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D622	<i>a</i>	<code>\mitsansa</code>	mathematical sans-serif italic small a						
U+1D623	<i>b</i>	<code>\mitsansb</code>	mathematical sans-serif italic small b						
U+1D624	<i>c</i>	<code>\mitsansc</code>	mathematical sans-serif italic small c						
U+1D625	<i>d</i>	<code>\mitsansd</code>	mathematical sans-serif italic small d						
U+1D626	<i>e</i>	<code>\mitsanse</code>	mathematical sans-serif italic small e						
U+1D627	<i>f</i>	<code>\mitsansf</code>	mathematical sans-serif italic small f						
U+1D628	<i>g</i>	<code>\mitsansg</code>	mathematical sans-serif italic small g						
U+1D629	<i>h</i>	<code>\mitsansh</code>	mathematical sans-serif italic small h						
U+1D62A	<i>i</i>	<code>\mitsansi</code>	mathematical sans-serif italic small i						
U+1D62B	<i>j</i>	<code>\mitsansj</code>	mathematical sans-serif italic small j						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D62C	<i>k</i>	<code>\mitsansk</code>	mathematical sans-serif italic small k						
U+1D62D	<i>l</i>	<code>\mitsansl</code>	mathematical sans-serif italic small l						
U+1D62E	<i>m</i>	<code>\mitsansm</code>	mathematical sans-serif italic small m						
U+1D62F	<i>n</i>	<code>\mitsansn</code>	mathematical sans-serif italic small n						
U+1D630	<i>o</i>	<code>\mitsanso</code>	mathematical sans-serif italic small o						
U+1D631	<i>p</i>	<code>\mitsansp</code>	mathematical sans-serif italic small p						
U+1D632	<i>q</i>	<code>\mitsansq</code>	mathematical sans-serif italic small q						
U+1D633	<i>r</i>	<code>\mitsansr</code>	mathematical sans-serif italic small r						
U+1D634	<i>s</i>	<code>\mitsanss</code>	mathematical sans-serif italic small s						
U+1D635	<i>t</i>	<code>\mitsanst</code>	mathematical sans-serif italic small t						
U+1D636	<i>u</i>	<code>\mitsansu</code>	mathematical sans-serif italic small u						
U+1D637	<i>v</i>	<code>\mitsansv</code>	mathematical sans-serif italic small v						
U+1D638	<i>w</i>	<code>\mitsansw</code>	mathematical sans-serif italic small w						
U+1D639	<i>x</i>	<code>\mitsansx</code>	mathematical sans-serif italic small x						
U+1D63A	<i>y</i>	<code>\mitsansy</code>	mathematical sans-serif italic small y						
U+1D63B	<i>z</i>	<code>\mitsansz</code>	mathematical sans-serif italic small z						

### 15.1.17 Typewriter, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D670	A	A	A	A	A	A	A	<code>\mttA</code>	mathematical monospace capital a
U+1D671	B	B	B	B	B	B	B	<code>\mttB</code>	mathematical monospace capital b
U+1D672	C	C	C	C	C	C	C	<code>\mttC</code>	mathematical monospace capital c
U+1D673	D	D	D	D	D	D	D	<code>\mttD</code>	mathematical monospace capital d
U+1D674	E	E	E	E	E	E	E	<code>\mttE</code>	mathematical monospace capital e
U+1D675	F	F	F	F	F	F	F	<code>\mttF</code>	mathematical monospace capital f

USV	M	S	E	K	P	L	G	Macro	Description
U+1D676	G	G	G	G	G	G	G	\mttG	mathematical monospace capital g
U+1D677	H	H	H	H	H	H	H	\mttH	mathematical monospace capital h
U+1D678	I	I	I	I	I	I	I	\mttI	mathematical monospace capital i
U+1D679	J	J	J	J	J	J	J	\mttJ	mathematical monospace capital j
U+1D67A	K	K	K	K	K	K	K	\mttK	mathematical monospace capital k
U+1D67B	L	L	L	L	L	L	L	\mttL	mathematical monospace capital l
U+1D67C	M	M	M	M	M	M	M	\mttM	mathematical monospace capital m
U+1D67D	N	N	N	N	N	N	N	\mttN	mathematical monospace capital n
U+1D67E	O	O	O	O	O	O	O	\mttO	mathematical monospace capital o
U+1D67F	P	P	P	P	P	P	P	\mttP	mathematical monospace capital p
U+1D680	Q	Q	Q	Q	Q	Q	Q	\mttQ	mathematical monospace capital q
U+1D681	R	R	R	R	R	R	R	\mttR	mathematical monospace capital r
U+1D682	S	S	S	S	S	S	S	\mttS	mathematical monospace capital s
U+1D683	T	T	T	T	T	T	T	\mttT	mathematical monospace capital t
U+1D684	U	U	U	U	U	U	U	\mttU	mathematical monospace capital u
U+1D685	V	V	V	V	V	V	V	\mttV	mathematical monospace capital v
U+1D686	W	W	W	W	W	W	W	\mttW	mathematical monospace capital w
U+1D687	X	X	X	X	X	X	X	\mttX	mathematical monospace capital x
U+1D688	Y	Y	Y	Y	Y	Y	Y	\mttY	mathematical monospace capital y
U+1D689	Z	Z	Z	Z	Z	Z	Z	\mttZ	mathematical monospace capital z

### 15.1.18 Typewriter, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D68A	a	a	a	a	a	a	a	\mtta	mathematical monospace small a

USV	M	S	E	K	P	L	G	Macro	Description
U+1D68B	b	b	b	b	b	b	b	\mttb	mathematical monospace small b
U+1D68C	c	c	c	c	c	c	c	\mttc	mathematical monospace small c
U+1D68D	d	d	d	d	d	d	d	\mttd	mathematical monospace small d
U+1D68E	e	e	e	e	e	e	e	\mtte	mathematical monospace small e
U+1D68F	f	f	f	f	f	f	f	\mttf	mathematical monospace small f
U+1D690	g	g	g	g	g	g	g	\mttg	mathematical monospace small g
U+1D691	h	h	h	h	h	h	h	\mtth	mathematical monospace small h
U+1D692	i	i	i	i	i	i	i	\mtti	mathematical monospace small i
U+1D693	j	j	j	j	j	j	j	\mttj	mathematical monospace small j
U+1D694	k	k	k	k	k	k	k	\mttk	mathematical monospace small k
U+1D695	l	l	l	l	l	l	l	\mttl	mathematical monospace small l
U+1D696	m	m	m	m	m	m	m	\mttm	mathematical monospace small m
U+1D697	n	n	n	n	n	n	n	\mttn	mathematical monospace small n
U+1D698	o	o	o	o	o	o	o	\mtto	mathematical monospace small o
U+1D699	p	p	p	p	p	p	p	\mttp	mathematical monospace small p
U+1D69A	q	q	q	q	q	q	q	\mttq	mathematical monospace small q
U+1D69B	r	r	r	r	r	r	r	\mttr	mathematical monospace small r
U+1D69C	s	s	s	s	s	s	s	\mtts	mathematical monospace small s
U+1D69D	t	t	t	t	t	t	t	\mttt	mathematical monospace small t
U+1D69E	u	u	u	u	u	u	u	\mttu	mathematical monospace small u
U+1D69F	v	v	v	v	v	v	v	\mttv	mathematical monospace small v
U+1D6A0	w	w	w	w	w	w	w	\mttw	mathematical monospace small w
U+1D6A1	x	x	x	x	x	x	x	\mttx	mathematical monospace small x
U+1D6A2	y	y	y	y	y	y	y	\mtty	mathematical monospace small y
U+1D6A3	z	z	z	z	z	z	z	\mttz	mathematical monospace small z

---

USV	M	S	E	K	P	L	G	Macro	Description
-----	---	---	---	---	---	---	---	-------	-------------

---

## 15.2 Bold

### 15.2.1 Bold, Latin, uppercase

---

USV	M	S	E	K	P	L	G	Macro	Description
U+1D400	<b>A</b>	<code>\mbfA</code>	mathematical bold capital a						
U+1D401	<b>B</b>	<code>\mbfB</code>	mathematical bold capital b						
U+1D402	<b>C</b>	<code>\mbfC</code>	mathematical bold capital c						
U+1D403	<b>D</b>	<code>\mbfD</code>	mathematical bold capital d						
U+1D404	<b>E</b>	<code>\mbfE</code>	mathematical bold capital e						
U+1D405	<b>F</b>	<code>\mbfF</code>	mathematical bold capital f						
U+1D406	<b>G</b>	<code>\mbfG</code>	mathematical bold capital g						
U+1D407	<b>H</b>	<code>\mbfH</code>	mathematical bold capital h						
U+1D408	<b>I</b>	<code>\mbfI</code>	mathematical bold capital i						
U+1D409	<b>J</b>	<code>\mbfJ</code>	mathematical bold capital j						
U+1D40A	<b>K</b>	<code>\mbfK</code>	mathematical bold capital k						
U+1D40B	<b>L</b>	<code>\mbfL</code>	mathematical bold capital l						
U+1D40C	<b>M</b>	<code>\mbfM</code>	mathematical bold capital m						
U+1D40D	<b>N</b>	<code>\mbfN</code>	mathematical bold capital n						
U+1D40E	<b>O</b>	<code>\mbfO</code>	mathematical bold capital o						
U+1D40F	<b>P</b>	<code>\mbfP</code>	mathematical bold capital p						
U+1D410	<b>Q</b>	<code>\mbfQ</code>	mathematical bold capital q						
U+1D411	<b>R</b>	<code>\mbfR</code>	mathematical bold capital r						
U+1D412	<b>S</b>	<code>\mbfS</code>	mathematical bold capital s						
U+1D413	<b>T</b>	<code>\mbfT</code>	mathematical bold capital t						
U+1D414	<b>U</b>	<code>\mbfU</code>	mathematical bold capital u						
U+1D415	<b>V</b>	<code>\mbfV</code>	mathematical bold capital v						
U+1D416	<b>W</b>	<code>\mbfW</code>	mathematical bold capital w						
U+1D417	<b>X</b>	<code>\mbfX</code>	mathematical bold capital x						
U+1D418	<b>Y</b>	<code>\mbfY</code>	mathematical bold capital y						
U+1D419	<b>Z</b>	<code>\mbfZ</code>	mathematical bold capital z						

---

### 15.2.2 Bold, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D41A	<b>a</b>	<code>\mbfa</code>	mathematical bold small a						
U+1D41B	<b>b</b>	<code>\mbfb</code>	mathematical bold small b						
U+1D41C	<b>c</b>	<code>\mbfc</code>	mathematical bold small c						
U+1D41D	<b>d</b>	<code>\mbfd</code>	mathematical bold small d						
U+1D41E	<b>e</b>	<code>\mbfe</code>	mathematical bold small e						
U+1D41F	<b>f</b>	<code>\mbff</code>	mathematical bold small f						
U+1D420	<b>g</b>	<code>\mbfg</code>	mathematical bold small g						
U+1D421	<b>h</b>	<code>\mbfh</code>	mathematical bold small h						
U+1D422	<b>i</b>	<code>\mbfi</code>	mathematical bold small i						
U+1D423	<b>j</b>	<code>\mbfj</code>	mathematical bold small j						
U+1D424	<b>k</b>	<code>\mbfk</code>	mathematical bold small k						
U+1D425	<b>l</b>	<code>\mbfl</code>	mathematical bold small l						
U+1D426	<b>m</b>	<code>\mbfm</code>	mathematical bold small m						
U+1D427	<b>n</b>	<code>\mbfn</code>	mathematical bold small n						
U+1D428	<b>o</b>	<code>\mbfo</code>	mathematical bold small o						
U+1D429	<b>p</b>	<code>\mbfp</code>	mathematical bold small p						
U+1D42A	<b>q</b>	<code>\mbfq</code>	mathematical bold small q						
U+1D42B	<b>r</b>	<code>\mbfr</code>	mathematical bold small r						
U+1D42C	<b>s</b>	<code>\mbfs</code>	mathematical bold small s						
U+1D42D	<b>t</b>	<code>\mbft</code>	mathematical bold small t						
U+1D42E	<b>u</b>	<code>\mbfu</code>	mathematical bold small u						
U+1D42F	<b>v</b>	<code>\mbfv</code>	mathematical bold small v						
U+1D430	<b>w</b>	<code>\mbfw</code>	mathematical bold small w						
U+1D431	<b>x</b>	<code>\mbfx</code>	mathematical bold small x						
U+1D432	<b>y</b>	<code>\mbfy</code>	mathematical bold small y						
U+1D433	<b>z</b>	<code>\mbfz</code>	mathematical bold small z						

### 15.2.3 Bold Greek, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D6A8	<b>Α</b>	<code>\mbfAlpha</code>	mathematical bold capital alpha						
U+1D6A9	<b>Β</b>	<code>\mbfBeta</code>	mathematical bold capital beta						
U+1D6AA	<b>Γ</b>	<code>\mbfGamma</code>	mathematical bold capital gamma						
U+1D6AB	<b>Δ</b>	<code>\mbfDelta</code>	mathematical bold capital delta						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D6AC	<b>Ε</b>	<code>\mbfEpsilon</code>	mathematical bold capital epsilon						
U+1D6AD	<b>Ζ</b>	<code>\mbfZeta</code>	mathematical bold capital zeta						
U+1D6AE	<b>Η</b>	<code>\mbfEta</code>	mathematical bold capital eta						
U+1D6AF	<b>Θ</b>	<code>\mbfTheta</code>	mathematical bold capital theta						
U+1D6B0	<b>Ι</b>	<code>\mbfIota</code>	mathematical bold capital iota						
U+1D6B1	<b>Κ</b>	<code>\mbfKappa</code>	mathematical bold capital kappa						
U+1D6B2	<b>Λ</b>	<code>\mbfLambda</code>	mathematical bold capital lambda						
U+1D6B3	<b>Μ</b>	<code>\mbfMu</code>	mathematical bold capital mu						
U+1D6B4	<b>Ν</b>	<code>\mbfNu</code>	mathematical bold capital nu						
U+1D6B5	<b>Ξ</b>	<code>\mbfXi</code>	mathematical bold capital xi						
U+1D6B6	<b>Ο</b>	<code>\mbfOmicron</code>	mathematical bold capital omicron						
U+1D6B7	<b>Π</b>	<code>\mbfPi</code>	mathematical bold capital pi						
U+1D6B8	<b>Ρ</b>	<code>\mbfRho</code>	mathematical bold capital rho						
U+1D6B9	<b>Θ</b>	<code>\mbfvarTheta</code>	mathematical bold capital theta symbol						
U+1D6BA	<b>Σ</b>	<code>\mbfSigma</code>	mathematical bold capital sigma						
U+1D6BB	<b>Τ</b>	<code>\mbfTau</code>	mathematical bold capital tau						
U+1D6BC	<b>Υ</b>	<code>\mbfUpsilon</code>	mathematical bold capital upsilon						
U+1D6BD	<b>Φ</b>	<code>\mbfPhi</code>	mathematical bold capital phi						
U+1D6BE	<b>Χ</b>	<code>\mbfChi</code>	mathematical bold capital chi						
U+1D6BF	<b>Ψ</b>	<code>\mbfPsi</code>	mathematical bold capital psi						
U+1D6C0	<b>Ω</b>	<code>\mbfOmega</code>	mathematical bold capital omega						

#### 15.2.4 Bold Greek, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D6C2	<b>α</b>	<code>\mbfalpha</code>	mathematical bold small alpha						
U+1D6C3	<b>β</b>	<code>\mbfbeta</code>	mathematical bold small beta						
U+1D6C4	<b>γ</b>	<code>\mbfgamma</code>	mathematical bold small gamma						
U+1D6C5	<b>δ</b>	<code>\mbfdelta</code>	mathematical bold small delta						
U+1D6C6	<b>ε</b>	<code>\mbfvarepsilon</code>	mathematical bold small varepsilon						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D6C7	ζ	ζ	ζ	ζ	ζ	ζ	ζ	<code>\mbfzeta</code>	mathematical bold small zeta
U+1D6C8	η	η	η	η	η	η	η	<code>\mbfeta</code>	mathematical bold small eta
U+1D6C9	θ	θ	θ	θ	θ	θ	θ	<code>\mbftheta</code>	mathematical bold small theta
U+1D6CA	ι	ι	ι	ι	ι	ι	ι	<code>\mbfiota</code>	mathematical bold small iota
U+1D6CB	κ	κ	κ	κ	κ	κ	κ	<code>\mbfkappa</code>	mathematical bold small kappa
U+1D6CC	λ	λ	λ	λ	λ	λ	λ	<code>\mbflambda</code>	mathematical bold small lambda
U+1D6CD	μ	μ	μ	μ	μ	μ	μ	<code>\mbfmu</code>	mathematical bold small mu
U+1D6CE	ν	ν	ν	ν	ν	ν	ν	<code>\mbfnu</code>	mathematical bold small nu
U+1D6CF	ξ	ξ	ξ	ξ	ξ	ξ	ξ	<code>\mbfxi</code>	mathematical bold small xi
U+1D6D0	ο	ο	ο	ο	ο	ο	ο	<code>\mbfomicron</code>	mathematical bold small omicron
U+1D6D1	π	π	π	π	π	π	π	<code>\mbfpi</code>	mathematical bold small pi
U+1D6D2	ρ	ρ	ρ	ρ	ρ	ρ	ρ	<code>\mbfrho</code>	mathematical bold small rho
U+1D6D3	ς	ς	ς	ς	ς	ς	ς	<code>\mbfvarsigma</code>	mathematical bold small final sigma
U+1D6D4	σ	σ	σ	σ	σ	σ	σ	<code>\mbfsigma</code>	mathematical bold small sigma
U+1D6D5	τ	τ	τ	τ	τ	τ	τ	<code>\mbftau</code>	mathematical bold small tau
U+1D6D6	υ	υ	υ	υ	υ	υ	υ	<code>\mbfupsilon</code>	mathematical bold small up-silon
U+1D6D7	φ	φ	φ	φ	φ	φ	φ	<code>\mbfvarphi</code>	mathematical bold small phi
U+1D6D8	χ	χ	χ	χ	χ	χ	χ	<code>\mbfchi</code>	mathematical bold small chi
U+1D6D9	ψ	ψ	ψ	ψ	ψ	ψ	ψ	<code>\mbfpsi</code>	mathematical bold small psi
U+1D6DA	ω	ω	ω	ω	ω	ω	ω	<code>\mbfomega</code>	mathematical bold small omega
U+1D6DB	∂	∂	∂	∂	∂	∂	∂	<code>\mbfpartial</code>	mathematical bold partial differential
U+1D6DC	ε	ε	ε	ε	ε	ε	ε	<code>\mbfepsilon</code>	mathematical bold varepsilon symbol
U+1D6DD	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	<code>\mbfvartheta</code>	mathematical bold theta symbol
U+1D6DE	κ	κ	κ	κ	κ	κ	κ	<code>\mbfvarkappa</code>	mathematical bold kappa symbol
U+1D6DF	φ	φ	φ	φ	φ	φ	φ	<code>\mbfphi</code>	mathematical bold phi symbol
U+1D6E0	ρ	ρ	ρ	ρ	ρ	ρ	ρ	<code>\mbfvarrho</code>	mathematical bold rho symbol
U+1D6E1	ω	ω	ω	ω	ω	ω	ω	<code>\mbfvarpi</code>	mathematical bold pi symbol

### 15.2.5 Bold italic, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D468	<b>A</b>	<code>\mbfitA</code>	mathematical bold italic capital a						
U+1D469	<b>B</b>	<code>\mbfitB</code>	mathematical bold italic capital b						
U+1D46A	<b>C</b>	<code>\mbfitC</code>	mathematical bold italic capital c						
U+1D46B	<b>D</b>	<code>\mbfitD</code>	mathematical bold italic capital d						
U+1D46C	<b>E</b>	<code>\mbfitE</code>	mathematical bold italic capital e						
U+1D46D	<b>F</b>	<code>\mbfitF</code>	mathematical bold italic capital f						
U+1D46E	<b>G</b>	<code>\mbfitG</code>	mathematical bold italic capital g						
U+1D46F	<b>H</b>	<code>\mbfitH</code>	mathematical bold italic capital h						
U+1D470	<b>I</b>	<code>\mbfitI</code>	mathematical bold italic capital i						
U+1D471	<b>J</b>	<code>\mbfitJ</code>	mathematical bold italic capital j						
U+1D472	<b>K</b>	<code>\mbfitK</code>	mathematical bold italic capital k						
U+1D473	<b>L</b>	<code>\mbfitL</code>	mathematical bold italic capital l						
U+1D474	<b>M</b>	<code>\mbfitM</code>	mathematical bold italic capital m						
U+1D475	<b>N</b>	<code>\mbfitN</code>	mathematical bold italic capital n						
U+1D476	<b>O</b>	<code>\mbfitO</code>	mathematical bold italic capital o						
U+1D477	<b>P</b>	<code>\mbfitP</code>	mathematical bold italic capital p						
U+1D478	<b>Q</b>	<code>\mbfitQ</code>	mathematical bold italic capital q						
U+1D479	<b>R</b>	<code>\mbfitR</code>	mathematical bold italic capital r						
U+1D47A	<b>S</b>	<code>\mbfitS</code>	mathematical bold italic capital s						
U+1D47B	<b>T</b>	<code>\mbfitT</code>	mathematical bold italic capital t						
U+1D47C	<b>U</b>	<code>\mbfitU</code>	mathematical bold italic capital u						
U+1D47D	<b>V</b>	<code>\mbfitV</code>	mathematical bold italic capital v						
U+1D47E	<b>W</b>	<code>\mbfitW</code>	mathematical bold italic capital w						
U+1D47F	<b>X</b>	<code>\mbfitX</code>	mathematical bold italic capital x						
U+1D480	<b>Y</b>	<code>\mbfitY</code>	mathematical bold italic capital y						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D481	<b>Z</b>	<code>\mbfitZ</code>	mathematical bold italic capital Z						

### 15.2.6 Bold italic, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D482	<b>a</b>	<code>\mbfita</code>	mathematical bold italic small a						
U+1D483	<b>b</b>	<code>\mbfitb</code>	mathematical bold italic small b						
U+1D484	<b>c</b>	<code>\mbfitc</code>	mathematical bold italic small c						
U+1D485	<b>d</b>	<code>\mbfitd</code>	mathematical bold italic small d						
U+1D486	<b>e</b>	<code>\mbfite</code>	mathematical bold italic small e						
U+1D487	<b>f</b>	<code>\mbfitf</code>	mathematical bold italic small f						
U+1D488	<b>g</b>	<code>\mbfitg</code>	mathematical bold italic small g						
U+1D489	<b>h</b>	<code>\mbfith</code>	mathematical bold italic small h						
U+1D48A	<b>i</b>	<code>\mbfiti</code>	mathematical bold italic small i						
U+1D48B	<b>j</b>	<code>\mbfitj</code>	mathematical bold italic small j						
U+1D48C	<b>k</b>	<code>\mbfitk</code>	mathematical bold italic small k						
U+1D48D	<b>l</b>	<code>\mbfitl</code>	mathematical bold italic small l						
U+1D48E	<b>m</b>	<code>\mbfitm</code>	mathematical bold italic small m						
U+1D48F	<b>n</b>	<code>\mbfitn</code>	mathematical bold italic small n						
U+1D490	<b>o</b>	<code>\mbfito</code>	mathematical bold italic small o						
U+1D491	<b>p</b>	<code>\mbfitp</code>	mathematical bold italic small p						
U+1D492	<b>q</b>	<code>\mbfitq</code>	mathematical bold italic small q						
U+1D493	<b>r</b>	<code>\mbfitr</code>	mathematical bold italic small r						
U+1D494	<b>s</b>	<code>\mbfits</code>	mathematical bold italic small s						
U+1D495	<b>t</b>	<code>\mbfitt</code>	mathematical bold italic small t						
U+1D496	<b>u</b>	<code>\mbfitu</code>	mathematical bold italic small u						
U+1D497	<b>v</b>	<code>\mbfitv</code>	mathematical bold italic small v						
U+1D498	<b>w</b>	<code>\mbfitw</code>	mathematical bold italic small w						
U+1D499	<b>x</b>	<code>\mbfitx</code>	mathematical bold italic small x						
U+1D49A	<b>y</b>	<code>\mbfity</code>	mathematical bold italic small y						
U+1D49B	<b>z</b>	<code>\mbfitz</code>	mathematical bold italic small z						

## 15.2.7 Bold italic Greek, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D71C	<b>A</b>	<code>\mbfitAlpha</code>	mathematical bold italic capital alpha						
U+1D71D	<b>B</b>	<code>\mbfitBeta</code>	mathematical bold italic capital beta						
U+1D71E	<b>Γ</b>	<code>\mbfitGamma</code>	mathematical bold italic capital gamma						
U+1D71F	<b>Δ</b>	<code>\mbfitDelta</code>	mathematical bold italic capital delta						
U+1D720	<b>E</b>	<code>\mbfitEpsilon</code>	mathematical bold italic capital epsilon						
U+1D721	<b>Z</b>	<code>\mbfitZeta</code>	mathematical bold italic capital zeta						
U+1D722	<b>H</b>	<code>\mbfitEta</code>	mathematical bold italic capital eta						
U+1D723	<b>Θ</b>	<code>\mbfitTheta</code>	mathematical bold italic capital theta						
U+1D724	<b>I</b>	<code>\mbfitIota</code>	mathematical bold italic capital iota						
U+1D725	<b>K</b>	<code>\mbfitKappa</code>	mathematical bold italic capital kappa						
U+1D726	<b>Λ</b>	<code>\mbfitLambda</code>	mathematical bold italic capital lambda						
U+1D727	<b>M</b>	<code>\mbfitMu</code>	mathematical bold italic capital mu						
U+1D728	<b>N</b>	<code>\mbfitNu</code>	mathematical bold italic capital nu						
U+1D729	<b>Ξ</b>	<code>\mbfitXi</code>	mathematical bold italic capital xi						
U+1D72A	<b>O</b>	<code>\mbfitOmicron</code>	mathematical bold italic capital omicron						
U+1D72B	<b>Π</b>	<code>\mbfitPi</code>	mathematical bold italic capital pi						
U+1D72C	<b>P</b>	<code>\mbfitRho</code>	mathematical bold italic capital rho						
U+1D72D	<b>ϑ</b>	<code>\mbfitvarTheta</code>	mathematical bold italic capital theta symbol						
U+1D72E	<b>Σ</b>	<code>\mbfitSigma</code>	mathematical bold italic capital sigma						
U+1D72F	<b>T</b>	<code>\mbfitTau</code>	mathematical bold italic capital tau						
U+1D730	<b>Υ</b>	<code>\mbfitUpsilon</code>	mathematical bold italic capital upsilon						
U+1D731	<b>Φ</b>	<code>\mbfitPhi</code>	mathematical bold italic capital phi						
U+1D732	<b>X</b>	<code>\mbfitChi</code>	mathematical bold italic capital chi						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D733	<b>Ψ</b>	<code>\mbfitPsi</code>	mathematical bold italic capital psi						
U+1D734	<b>Ω</b>	<code>\mbfitOmega</code>	mathematical bold italic capital omega						

### 15.2.8 Bold italic Greek, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D736	<b>α</b>	<code>\mbfitalpha</code>	mathematical bold italic small alpha						
U+1D737	<b>β</b>	<code>\mbfitbeta</code>	mathematical bold italic small beta						
U+1D738	<b>γ</b>	<code>\mbfitgamma</code>	mathematical bold italic small gamma						
U+1D739	<b>δ</b>	<code>\mbfitdelta</code>	mathematical bold italic small delta						
U+1D73A	<b>ε</b>	<code>\mbfitvarepsilon</code>	mathematical bold italic small varepsilon						
U+1D73B	<b>ζ</b>	<code>\mbfitzeta</code>	mathematical bold italic small zeta						
U+1D73C	<b>η</b>	<code>\mbfiteta</code>	mathematical bold italic small eta						
U+1D73D	<b>θ</b>	<code>\mbfittheta</code>	mathematical bold italic small theta						
U+1D73E	<b>ι</b>	<code>\mbfitiota</code>	mathematical bold italic small iota						
U+1D73F	<b>κ</b>	<code>\mbfitkappa</code>	mathematical bold italic small kappa						
U+1D740	<b>λ</b>	<code>\mbfitlambda</code>	mathematical bold italic small lambda						
U+1D741	<b>μ</b>	<code>\mbfitmu</code>	mathematical bold italic small mu						
U+1D742	<b>ν</b>	<code>\mbfitnu</code>	mathematical bold italic small nu						
U+1D743	<b>ξ</b>	<code>\mbfitxi</code>	mathematical bold italic small xi						
U+1D744	<b>ο</b>	<code>\mbfitomicron</code>	mathematical bold italic small omicron						
U+1D745	<b>π</b>	<code>\mbfitpi</code>	mathematical bold italic small pi						
U+1D746	<b>ρ</b>	<code>\mbfitrho</code>	mathematical bold italic small rho						
U+1D747	<b>ς</b>	<code>\mbfitvarsigma</code>	mathematical bold italic small final sigma						
U+1D748	<b>σ</b>	<code>\mbfitsigma</code>	mathematical bold italic small sigma						
U+1D749	<b>τ</b>	<code>\mbfittau</code>	mathematical bold italic small tau						
U+1D74A	<b>υ</b>	<code>\mbfitupsilon</code>	mathematical bold italic small upsilon						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D74B	$\varphi$	$\phi$	$\wp$	$\phi$	$\phi$	$\phi$	$\phi$	<code>\mbfitvarphi</code>	mathematical bold italic small phi
U+1D74C	$\chi$	<code>\mbfitchi</code>	mathematical bold italic small chi						
U+1D74D	$\psi$	<code>\mbfitpsi</code>	mathematical bold italic small psi						
U+1D74E	$\omega$	<code>\mbfitomega</code>	mathematical bold italic small omega						
U+1D74F	$\partial$	<code>\mbfitpartial</code>	mathematical bold italic partial differential						
U+1D750	$\epsilon$	<code>\mbfitepsilon</code>	mathematical bold italic varepsilon symbol						
U+1D751	$\vartheta$	<code>\mbfitvartheta</code>	mathematical bold italic theta symbol						
U+1D752	$\kappa$	<code>\mbfitvarkappa</code>	mathematical bold italic kappa symbol						
U+1D753	$\phi$	<code>\mbfitphi</code>	mathematical bold italic phi symbol						
U+1D754	$\rho$	<code>\mbfitvarrho</code>	mathematical bold italic rho symbol						
U+1D755	$\varpi$	<code>\mbfitvarpi</code>	mathematical bold italic pi symbol						

### 15.2.9 Bold script, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D4D0	$\mathcal{A}$	<code>\mbfscrA</code>	mathematical bold script capital a						
U+1D4D1	$\mathcal{B}$	<code>\mbfscrB</code>	mathematical bold script capital b						
U+1D4D2	$\mathcal{C}$	<code>\mbfscrC</code>	mathematical bold script capital c						
U+1D4D3	$\mathcal{D}$	<code>\mbfscrD</code>	mathematical bold script capital d						
U+1D4D4	$\mathcal{E}$	<code>\mbfscrE</code>	mathematical bold script capital e						
U+1D4D5	$\mathcal{F}$	<code>\mbfscrF</code>	mathematical bold script capital f						
U+1D4D6	$\mathcal{G}$	<code>\mbfscrG</code>	mathematical bold script capital g						
U+1D4D7	$\mathcal{H}$	<code>\mbfscrH</code>	mathematical bold script capital h						
U+1D4D8	$\mathcal{I}$	<code>\mbfscrI</code>	mathematical bold script capital i						
U+1D4D9	$\mathcal{J}$	<code>\mbfscrJ</code>	mathematical bold script capital j						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D4DA	<i>K</i>	<code>\mbfscrK</code>	mathematical bold script capital k						
U+1D4DB	<i>L</i>	<code>\mbfscrL</code>	mathematical bold script capital l						
U+1D4DC	<i>M</i>	<code>\mbfscrM</code>	mathematical bold script capital m						
U+1D4DD	<i>N</i>	<code>\mbfscrN</code>	mathematical bold script capital n						
U+1D4DE	<i>O</i>	<code>\mbfscrO</code>	mathematical bold script capital o						
U+1D4DF	<i>P</i>	<code>\mbfscrP</code>	mathematical bold script capital p						
U+1D4E0	<i>Q</i>	<code>\mbfscrQ</code>	mathematical bold script capital q						
U+1D4E1	<i>R</i>	<code>\mbfscrR</code>	mathematical bold script capital r						
U+1D4E2	<i>S</i>	<code>\mbfscrS</code>	mathematical bold script capital s						
U+1D4E3	<i>T</i>	<code>\mbfscrT</code>	mathematical bold script capital t						
U+1D4E4	<i>U</i>	<code>\mbfscrU</code>	mathematical bold script capital u						
U+1D4E5	<i>V</i>	<code>\mbfscrV</code>	mathematical bold script capital v						
U+1D4E6	<i>W</i>	<code>\mbfscrW</code>	mathematical bold script capital w						
U+1D4E7	<i>X</i>	<code>\mbfscrX</code>	mathematical bold script capital x						
U+1D4E8	<i>Y</i>	<code>\mbfscrY</code>	mathematical bold script capital y						
U+1D4E9	<i>Z</i>	<code>\mbfscrZ</code>	mathematical bold script capital z						

### 15.2.10 Bold script, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D4EA	<i>a</i>				<i>a</i>	<i>a</i>	<i>a</i>	<code>\mbfscra</code>	mathematical bold script small a
U+1D4EB	<i>b</i>				<i>b</i>	<i>b</i>	<i>b</i>	<code>\mbfscrb</code>	mathematical bold script small b
U+1D4EC	<i>c</i>				<i>c</i>	<i>c</i>	<i>c</i>	<code>\mbfscrc</code>	mathematical bold script small c
U+1D4ED	<i>d</i>				<i>d</i>	<i>d</i>	<i>d</i>	<code>\mbfscrd</code>	mathematical bold script small d
U+1D4EE	<i>e</i>				<i>e</i>	<i>e</i>	<i>e</i>	<code>\mbfscre</code>	mathematical bold script small e
U+1D4EF	<i>f</i>				<i>f</i>	<i>f</i>	<i>f</i>	<code>\mbfscrf</code>	mathematical bold script small f

USV	M	S	E	K	P	L	G	Macro	Description
U+1D4F0		<b>g</b>			<b>g</b>	<b>g</b>	<b>g</b>	<code>\mbfscr<sub>g</sub></code>	mathematical bold script small g
U+1D4F1		<b>h</b>			<b>h</b>	<b>h</b>	<b>h</b>	<code>\mbfscr<sub>h</sub></code>	mathematical bold script small h
U+1D4F2		<b>i</b>			<b>i</b>	<b>i</b>	<b>i</b>	<code>\mbfscr<sub>i</sub></code>	mathematical bold script small i
U+1D4F3		<b>j</b>			<b>j</b>	<b>j</b>	<b>j</b>	<code>\mbfscr<sub>j</sub></code>	mathematical bold script small j
U+1D4F4		<b>k</b>			<b>k</b>	<b>k</b>	<b>k</b>	<code>\mbfscr<sub>k</sub></code>	mathematical bold script small k
U+1D4F5		<b>l</b>			<b>l</b>	<b>l</b>	<b>l</b>	<code>\mbfscr<sub>l</sub></code>	mathematical bold script small l
U+1D4F6		<b>m</b>			<b>m</b>	<b>m</b>	<b>m</b>	<code>\mbfscr<sub>m</sub></code>	mathematical bold script small m
U+1D4F7		<b>n</b>			<b>n</b>	<b>n</b>	<b>n</b>	<code>\mbfscr<sub>n</sub></code>	mathematical bold script small n
U+1D4F8		<b>o</b>			<b>o</b>	<b>o</b>	<b>o</b>	<code>\mbfscr<sub>o</sub></code>	mathematical bold script small o
U+1D4F9		<b>p</b>			<b>p</b>	<b>p</b>	<b>p</b>	<code>\mbfscr<sub>p</sub></code>	mathematical bold script small p
U+1D4FA		<b>q</b>			<b>q</b>	<b>q</b>	<b>q</b>	<code>\mbfscr<sub>q</sub></code>	mathematical bold script small q
U+1D4FB		<b>r</b>			<b>r</b>	<b>r</b>	<b>r</b>	<code>\mbfscr<sub>r</sub></code>	mathematical bold script small r
U+1D4FC		<b>s</b>			<b>s</b>	<b>s</b>	<b>s</b>	<code>\mbfscr<sub>s</sub></code>	mathematical bold script small s
U+1D4FD		<b>t</b>			<b>t</b>	<b>t</b>	<b>t</b>	<code>\mbfscr<sub>t</sub></code>	mathematical bold script small t
U+1D4FE		<b>u</b>			<b>u</b>	<b>u</b>	<b>u</b>	<code>\mbfscr<sub>u</sub></code>	mathematical bold script small u
U+1D4FF		<b>v</b>			<b>v</b>	<b>v</b>	<b>v</b>	<code>\mbfscr<sub>v</sub></code>	mathematical bold script small v
U+1D500		<b>w</b>			<b>w</b>	<b>w</b>	<b>w</b>	<code>\mbfscr<sub>w</sub></code>	mathematical bold script small w
U+1D501		<b>x</b>			<b>x</b>	<b>x</b>	<b>x</b>	<code>\mbfscr<sub>x</sub></code>	mathematical bold script small x
U+1D502		<b>y</b>			<b>y</b>	<b>y</b>	<b>y</b>	<code>\mbfscr<sub>y</sub></code>	mathematical bold script small y
U+1D503		<b>z</b>			<b>z</b>	<b>z</b>	<b>z</b>	<code>\mbfscr<sub>z</sub></code>	mathematical bold script small z

### 15.2.11 Bold fraktur, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D56C	<b>A</b>	<code>\mbffrak<sub>A</sub></code>	mathematical bold fraktur capital a						
U+1D56D	<b>B</b>	<code>\mbffrak<sub>B</sub></code>	mathematical bold fraktur capital b						
U+1D56E	<b>C</b>	<code>\mbffrak<sub>C</sub></code>	mathematical bold fraktur capital c						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D56F	<b>Ɔ</b>	<code>\mbffrakD</code>	mathematical bold fraktur capital d						
U+1D570	<b>Ǝ</b>	<code>\mbffrakE</code>	mathematical bold fraktur capital e						
U+1D571	<b>Ƒ</b>	<code>\mbffrakF</code>	mathematical bold fraktur capital f						
U+1D572	<b>Ɠ</b>	<code>\mbffrakG</code>	mathematical bold fraktur capital g						
U+1D573	<b>ƕ</b>	<code>\mbffrakH</code>	mathematical bold fraktur capital h						
U+1D574	<b>Ɩ</b>	<code>\mbffrakI</code>	mathematical bold fraktur capital i						
U+1D575	<b>Ɨ</b>	<code>\mbffrakJ</code>	mathematical bold fraktur capital j						
U+1D576	<b>ƙ</b>	<code>\mbffrakK</code>	mathematical bold fraktur capital k						
U+1D577	<b>ƛ</b>	<code>\mbffrakL</code>	mathematical bold fraktur capital l						
U+1D578	<b>ƞ</b>	<code>\mbffrakM</code>	mathematical bold fraktur capital m						
U+1D579	<b>Ɵ</b>	<code>\mbffrakN</code>	mathematical bold fraktur capital n						
U+1D57A	<b>Ɛ</b>	<code>\mbffrakO</code>	mathematical bold fraktur capital o						
U+1D57B	<b>Ɔ</b>	<code>\mbffrakP</code>	mathematical bold fraktur capital p						
U+1D57C	<b>Ƒ</b>	<code>\mbffrakQ</code>	mathematical bold fraktur capital q						
U+1D57D	<b>Ɠ</b>	<code>\mbffrakR</code>	mathematical bold fraktur capital r						
U+1D57E	<b>ƕ</b>	<code>\mbffrakS</code>	mathematical bold fraktur capital s						
U+1D57F	<b>Ɩ</b>	<code>\mbffrakT</code>	mathematical bold fraktur capital t						
U+1D580	<b>Ɨ</b>	<code>\mbffrakU</code>	mathematical bold fraktur capital u						
U+1D581	<b>ƙ</b>	<code>\mbffrakV</code>	mathematical bold fraktur capital v						
U+1D582	<b>ƛ</b>	<code>\mbffrakW</code>	mathematical bold fraktur capital w						
U+1D583	<b>ƞ</b>	<code>\mbffrakX</code>	mathematical bold fraktur capital x						
U+1D584	<b>Ɵ</b>	<code>\mbffrakY</code>	mathematical bold fraktur capital y						
U+1D585	<b>Ɛ</b>	<code>\mbffrakZ</code>	mathematical bold fraktur capital z						

### 15.2.12 Bold fraktur, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D586	<b>ⱱ</b>	<b>Ⱳ</b>	<b>ⱳ</b>	<b>ⱴ</b>	<b>Ⱶ</b>	<b>ⱶ</b>	<b>ⱷ</b>	<code>\mbffraka</code>	mathematical bold fraktur small $\mathfrak{a}$
U+1D587	<b>ⱸ</b>	<b>ⱹ</b>	<b>ⱺ</b>	<b>ⱻ</b>	<b>ⱼ</b>	<b>ⱽ</b>	<b>Ȿ</b>	<code>\mbffrakb</code>	mathematical bold fraktur small $\mathfrak{b}$
U+1D588	<b>Ɀ</b>	<b>Ⳁ</b>	<b>ⳁ</b>	<b>Ⳃ</b>	<b>ⳃ</b>	<b>Ⳅ</b>	<b>ⳅ</b>	<code>\mbffrakc</code>	mathematical bold fraktur small $\mathfrak{c}$
U+1D589	<b>Ⳇ</b>	<b>ⳇ</b>	<b>Ⳉ</b>	<b>ⳉ</b>	<b>Ⳋ</b>	<b>ⳋ</b>	<b>Ⳍ</b>	<code>\mbffrakd</code>	mathematical bold fraktur small $\mathfrak{d}$
U+1D58A	<b>ⳍ</b>	<b>Ⳏ</b>	<b>ⳏ</b>	<b>Ⳑ</b>	<b>ⳑ</b>	<b>Ⳓ</b>	<b>ⳓ</b>	<code>\mbffrake</code>	mathematical bold fraktur small $\mathfrak{e}$
U+1D58B	<b>Ⳕ</b>	<b>ⳕ</b>	<b>Ⳗ</b>	<b>ⳗ</b>	<b>Ⳙ</b>	<b>ⳙ</b>	<b>Ⳛ</b>	<code>\mbffrakf</code>	mathematical bold fraktur small $\mathfrak{f}$
U+1D58C	<b>ⳛ</b>	<b>Ⳝ</b>	<b>ⳝ</b>	<b>Ⳟ</b>	<b>ⳟ</b>	<b>Ⳡ</b>	<b>ⳡ</b>	<code>\mbffragg</code>	mathematical bold fraktur small $\mathfrak{g}$
U+1D58D	<b>Ⳣ</b>	<b>ⳣ</b>	<b>ⳤ</b>	<b>⳥</b>	<b>⳦</b>	<b>⳧</b>	<b>⳨</b>	<code>\mbffrakh</code>	mathematical bold fraktur small $\mathfrak{h}$
U+1D58E	<b>⳩</b>	<b>⳪</b>	<b>Ⳬ</b>	<b>ⳬ</b>	<b>Ⳮ</b>	<b>ⳮ</b>	<b>⳯</b>	<code>\mbffraki</code>	mathematical bold fraktur small $\mathfrak{i}$
U+1D58F	<b>⳰</b>	<b>⳱</b>	<b>Ⳳ</b>	<b>ⳳ</b>	<b>⳴</b>	<b>⳵</b>	<b>⳶</b>	<code>\mbffrakj</code>	mathematical bold fraktur small $\mathfrak{j}$
U+1D590	<b>⳷</b>	<b>⳸</b>	<b>⳹</b>	<b>⳺</b>	<b>⳻</b>	<b>⳼</b>	<b>⳽</b>	<code>\mbffrakk</code>	mathematical bold fraktur small $\mathfrak{k}$
U+1D591	<b>⳾</b>	<b>⳿</b>	<b>ⴀ</b>	<b>ⴁ</b>	<b>ⴂ</b>	<b>ⴃ</b>	<b>ⴄ</b>	<code>\mbffrakl</code>	mathematical bold fraktur small $\mathfrak{l}$
U+1D592	<b>ⴅ</b>	<b>ⴆ</b>	<b>ⴇ</b>	<b>ⴈ</b>	<b>ⴉ</b>	<b>ⴊ</b>	<b>ⴋ</b>	<code>\mbffrakm</code>	mathematical bold fraktur small $\mathfrak{m}$
U+1D593	<b>ⴌ</b>	<b>ⴍ</b>	<b>ⴎ</b>	<b>ⴏ</b>	<b>ⴐ</b>	<b>ⴑ</b>	<b>ⴒ</b>	<code>\mbffrakn</code>	mathematical bold fraktur small $\mathfrak{n}$
U+1D594	<b>ⴓ</b>	<b>ⴔ</b>	<b>ⴕ</b>	<b>ⴖ</b>	<b>ⴗ</b>	<b>ⴘ</b>	<b>ⴙ</b>	<code>\mbffrako</code>	mathematical bold fraktur small $\mathfrak{o}$
U+1D595	<b>ⴚ</b>	<b>ⴛ</b>	<b>ⴜ</b>	<b>ⴝ</b>	<b>ⴞ</b>	<b>ⴟ</b>	<b>ⴠ</b>	<code>\mbffrakp</code>	mathematical bold fraktur small $\mathfrak{p}$
U+1D596	<b>ⴡ</b>	<b>ⴢ</b>	<b>ⴣ</b>	<b>ⴤ</b>	<b>ⴥ</b>	<b>⴦</b>	<b>ⴧ</b>	<code>\mbffrakq</code>	mathematical bold fraktur small $\mathfrak{q}$
U+1D597	<b>⴨</b>	<b>⴩</b>	<b>⴪</b>	<b>⴫</b>	<b>⴬</b>	<b>ⴭ</b>	<b>⴮</b>	<code>\mbffrakr</code>	mathematical bold fraktur small $\mathfrak{r}$
U+1D598	<b>⴯</b>	<b>ⴰ</b>	<b>ⴱ</b>	<b>ⴲ</b>	<b>ⴳ</b>	<b>ⴴ</b>	<b>ⴵ</b>	<code>\mbffraks</code>	mathematical bold fraktur small $\mathfrak{s}$
U+1D599	<b>ⴶ</b>	<b>ⴷ</b>	<b>ⴸ</b>	<b>ⴹ</b>	<b>ⴺ</b>	<b>ⴻ</b>	<b>ⴼ</b>	<code>\mbffrakt</code>	mathematical bold fraktur small $\mathfrak{t}$
U+1D59A	<b>ⴽ</b>	<b>ⴾ</b>	<b>ⴿ</b>	<b>ⵀ</b>	<b>ⵁ</b>	<b>ⵂ</b>	<b>ⵃ</b>	<code>\mbffraku</code>	mathematical bold fraktur small $\mathfrak{u}$
U+1D59B	<b>ⵄ</b>	<b>ⵅ</b>	<b>ⵆ</b>	<b>ⵇ</b>	<b>ⵈ</b>	<b>ⵉ</b>	<b>ⵊ</b>	<code>\mbffrakv</code>	mathematical bold fraktur small $\mathfrak{v}$
U+1D59C	<b>ⵋ</b>	<b>ⵌ</b>	<b>ⵍ</b>	<b>ⵎ</b>	<b>ⵏ</b>	<b>ⵐ</b>	<b>ⵑ</b>	<code>\mbffrakw</code>	mathematical bold fraktur small $\mathfrak{w}$
U+1D59D	<b>ⵒ</b>	<b>ⵓ</b>	<b>ⵔ</b>	<b>ⵕ</b>	<b>ⵖ</b>	<b>ⵗ</b>	<b>ⵘ</b>	<code>\mbffrakx</code>	mathematical bold fraktur small $\mathfrak{x}$
U+1D59E	<b>ⵙ</b>	<b>ⵚ</b>	<b>ⵛ</b>	<b>ⵜ</b>	<b>ⵝ</b>	<b>ⵞ</b>	<b>ⵟ</b>	<code>\mbffraky</code>	mathematical bold fraktur small $\mathfrak{y}$
U+1D59F	<b>ⵠ</b>	<b>ⵡ</b>	<b>ⵢ</b>	<b>ⵣ</b>	<b>ⵤ</b>	<b>ⵥ</b>	<b>ⵦ</b>	<code>\mbffrakz</code>	mathematical bold fraktur small $\mathfrak{z}$

### 15.2.13 Bold sans serif, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D5D4	<b>A</b>	<code>\mbfsansA</code>	mathematical sans-serif bold capital a						
U+1D5D5	<b>B</b>	<code>\mbfsansB</code>	mathematical sans-serif bold capital b						
U+1D5D6	<b>C</b>	<code>\mbfsansC</code>	mathematical sans-serif bold capital c						
U+1D5D7	<b>D</b>	<code>\mbfsansD</code>	mathematical sans-serif bold capital d						
U+1D5D8	<b>E</b>	<code>\mbfsansE</code>	mathematical sans-serif bold capital e						
U+1D5D9	<b>F</b>	<code>\mbfsansF</code>	mathematical sans-serif bold capital f						
U+1D5DA	<b>G</b>	<code>\mbfsansG</code>	mathematical sans-serif bold capital g						
U+1D5DB	<b>H</b>	<code>\mbfsansH</code>	mathematical sans-serif bold capital h						
U+1D5DC	<b>I</b>	<code>\mbfsansI</code>	mathematical sans-serif bold capital i						
U+1D5DD	<b>J</b>	<code>\mbfsansJ</code>	mathematical sans-serif bold capital j						
U+1D5DE	<b>K</b>	<code>\mbfsansK</code>	mathematical sans-serif bold capital k						
U+1D5DF	<b>L</b>	<code>\mbfsansL</code>	mathematical sans-serif bold capital l						
U+1D5E0	<b>M</b>	<code>\mbfsansM</code>	mathematical sans-serif bold capital m						
U+1D5E1	<b>N</b>	<code>\mbfsansN</code>	mathematical sans-serif bold capital n						
U+1D5E2	<b>O</b>	<code>\mbfsansO</code>	mathematical sans-serif bold capital o						
U+1D5E3	<b>P</b>	<code>\mbfsansP</code>	mathematical sans-serif bold capital p						
U+1D5E4	<b>Q</b>	<code>\mbfsansQ</code>	mathematical sans-serif bold capital q						
U+1D5E5	<b>R</b>	<code>\mbfsansR</code>	mathematical sans-serif bold capital r						
U+1D5E6	<b>S</b>	<code>\mbfsansS</code>	mathematical sans-serif bold capital s						
U+1D5E7	<b>T</b>	<code>\mbfsansT</code>	mathematical sans-serif bold capital t						
U+1D5E8	<b>U</b>	<code>\mbfsansU</code>	mathematical sans-serif bold capital u						
U+1D5E9	<b>V</b>	<code>\mbfsansV</code>	mathematical sans-serif bold capital v						
U+1D5EA	<b>W</b>	<code>\mbfsansW</code>	mathematical sans-serif bold capital w						
U+1D5EB	<b>X</b>	<code>\mbfsansX</code>	mathematical sans-serif bold capital x						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D5EC	Y	Y	Y	Y	Y	Y	Y	<code>\mbfsansY</code>	mathematical sans-serif bold capital y
U+1D5ED	Z	Z	Z	Z	Z	Z	Z	<code>\mbfsansZ</code>	mathematical sans-serif bold capital z

### 15.2.14 Bold sans serif, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D5EE	a	a	a	a	a	a	a	<code>\mbfsansa</code>	mathematical sans-serif bold small a
U+1D5EF	b	b	b	b	b	b	b	<code>\mbfsansb</code>	mathematical sans-serif bold small b
U+1D5F0	c	c	c	c	c	c	c	<code>\mbfsansc</code>	mathematical sans-serif bold small c
U+1D5F1	d	d	d	d	d	d	d	<code>\mbfsansd</code>	mathematical sans-serif bold small d
U+1D5F2	e	e	e	e	e	e	e	<code>\mbfsanse</code>	mathematical sans-serif bold small e
U+1D5F3	f	f	f	f	f	f	f	<code>\mbfsansf</code>	mathematical sans-serif bold small f
U+1D5F4	g	g	g	g	g	g	g	<code>\mbfsansg</code>	mathematical sans-serif bold small g
U+1D5F5	h	h	h	h	h	h	h	<code>\mbfsansh</code>	mathematical sans-serif bold small h
U+1D5F6	i	i	i	i	i	i	i	<code>\mbfsansi</code>	mathematical sans-serif bold small i
U+1D5F7	j	j	j	j	j	j	j	<code>\mbfsansj</code>	mathematical sans-serif bold small j
U+1D5F8	k	k	k	k	k	k	k	<code>\mbfsansk</code>	mathematical sans-serif bold small k
U+1D5F9	l	l	l	l	l	l	l	<code>\mbfsansl</code>	mathematical sans-serif bold small l
U+1D5FA	m	m	m	m	m	m	m	<code>\mbfsansm</code>	mathematical sans-serif bold small m
U+1D5FB	n	n	n	n	n	n	n	<code>\mbfsansn</code>	mathematical sans-serif bold small n
U+1D5FC	o	o	o	o	o	o	o	<code>\mbfsanso</code>	mathematical sans-serif bold small o
U+1D5FD	p	p	p	p	p	p	p	<code>\mbfsansp</code>	mathematical sans-serif bold small p
U+1D5FE	q	q	q	q	q	q	q	<code>\mbfsansq</code>	mathematical sans-serif bold small q
U+1D5FF	r	r	r	r	r	r	r	<code>\mbfsansr</code>	mathematical sans-serif bold small r
U+1D600	s	s	s	s	s	s	s	<code>\mbfsanss</code>	mathematical sans-serif bold small s
U+1D601	t	t	t	t	t	t	t	<code>\mbfsanst</code>	mathematical sans-serif bold small t

USV	M	S	E	K	P	L	G	Macro	Description
U+1D602	<b>u</b>	<code>\mbfsansu</code>	mathematical sans-serif bold small u						
U+1D603	<b>v</b>	<code>\mbfsansv</code>	mathematical sans-serif bold small v						
U+1D604	<b>w</b>	<code>\mbfsansw</code>	mathematical sans-serif bold small w						
U+1D605	<b>x</b>	<code>\mbfsansx</code>	mathematical sans-serif bold small x						
U+1D606	<b>y</b>	<code>\mbfsansy</code>	mathematical sans-serif bold small y						
U+1D607	<b>z</b>	<code>\mbfsansz</code>	mathematical sans-serif bold small z						

### 15.2.15 Bold italic sans serif, Latin, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D63C	<b>A</b>	<code>\mbfitsansA</code>	mathematical sans-serif bold italic capital a						
U+1D63D	<b>B</b>	<code>\mbfitsansB</code>	mathematical sans-serif bold italic capital b						
U+1D63E	<b>C</b>	<code>\mbfitsansC</code>	mathematical sans-serif bold italic capital c						
U+1D63F	<b>D</b>	<code>\mbfitsansD</code>	mathematical sans-serif bold italic capital d						
U+1D640	<b>E</b>	<code>\mbfitsansE</code>	mathematical sans-serif bold italic capital e						
U+1D641	<b>F</b>	<code>\mbfitsansF</code>	mathematical sans-serif bold italic capital f						
U+1D642	<b>G</b>	<code>\mbfitsansG</code>	mathematical sans-serif bold italic capital g						
U+1D643	<b>H</b>	<code>\mbfitsansH</code>	mathematical sans-serif bold italic capital h						
U+1D644	<b>I</b>	<code>\mbfitsansI</code>	mathematical sans-serif bold italic capital i						
U+1D645	<b>J</b>	<code>\mbfitsansJ</code>	mathematical sans-serif bold italic capital j						
U+1D646	<b>K</b>	<code>\mbfitsansK</code>	mathematical sans-serif bold italic capital k						
U+1D647	<b>L</b>	<code>\mbfitsansL</code>	mathematical sans-serif bold italic capital l						
U+1D648	<b>M</b>	<code>\mbfitsansM</code>	mathematical sans-serif bold italic capital m						
U+1D649	<b>N</b>	<code>\mbfitsansN</code>	mathematical sans-serif bold italic capital n						
U+1D64A	<b>O</b>	<code>\mbfitsansO</code>	mathematical sans-serif bold italic capital o						
U+1D64B	<b>P</b>	<code>\mbfitsansP</code>	mathematical sans-serif bold italic capital p						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D64C	<i>Q</i>	<code>\mbfitsansQ</code>	mathematical sans-serif bold italic capital q						
U+1D64D	<i>R</i>	<code>\mbfitsansR</code>	mathematical sans-serif bold italic capital r						
U+1D64E	<i>S</i>	<code>\mbfitsansS</code>	mathematical sans-serif bold italic capital s						
U+1D64F	<i>T</i>	<code>\mbfitsansT</code>	mathematical sans-serif bold italic capital t						
U+1D650	<i>U</i>	<code>\mbfitsansU</code>	mathematical sans-serif bold italic capital u						
U+1D651	<i>V</i>	<code>\mbfitsansV</code>	mathematical sans-serif bold italic capital v						
U+1D652	<i>W</i>	<code>\mbfitsansW</code>	mathematical sans-serif bold italic capital w						
U+1D653	<i>X</i>	<code>\mbfitsansX</code>	mathematical sans-serif bold italic capital x						
U+1D654	<i>Y</i>	<code>\mbfitsansY</code>	mathematical sans-serif bold italic capital y						
U+1D655	<i>Z</i>	<code>\mbfitsansZ</code>	mathematical sans-serif bold italic capital z						

### 15.2.16 Bold italic sans serif, Latin, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D656	<i>a</i>	<code>\mbfitsansa</code>	mathematical sans-serif bold italic small a						
U+1D657	<i>b</i>	<code>\mbfitsansb</code>	mathematical sans-serif bold italic small b						
U+1D658	<i>c</i>	<code>\mbfitsansc</code>	mathematical sans-serif bold italic small c						
U+1D659	<i>d</i>	<code>\mbfitsansd</code>	mathematical sans-serif bold italic small d						
U+1D65A	<i>e</i>	<code>\mbfitsanse</code>	mathematical sans-serif bold italic small e						
U+1D65B	<i>f</i>	<code>\mbfitsansf</code>	mathematical sans-serif bold italic small f						
U+1D65C	<i>g</i>	<code>\mbfitsansg</code>	mathematical sans-serif bold italic small g						
U+1D65D	<i>h</i>	<code>\mbfitsansh</code>	mathematical sans-serif bold italic small h						
U+1D65E	<i>i</i>	<code>\mbfitsansi</code>	mathematical sans-serif bold italic small i						
U+1D65F	<i>j</i>	<code>\mbfitsansj</code>	mathematical sans-serif bold italic small j						
U+1D660	<i>k</i>	<code>\mbfitsansk</code>	mathematical sans-serif bold italic small k						
U+1D661	<i>l</i>	<code>\mbfitsansl</code>	mathematical sans-serif bold italic small l						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D662	<b><i>m</i></b>	<code>\mbfitsansm</code>	mathematical sans-serif bold italic small m						
U+1D663	<b><i>n</i></b>	<code>\mbfitsansn</code>	mathematical sans-serif bold italic small n						
U+1D664	<b><i>o</i></b>	<code>\mbfitsanso</code>	mathematical sans-serif bold italic small o						
U+1D665	<b><i>p</i></b>	<code>\mbfitsansp</code>	mathematical sans-serif bold italic small p						
U+1D666	<b><i>q</i></b>	<code>\mbfitsansq</code>	mathematical sans-serif bold italic small q						
U+1D667	<b><i>r</i></b>	<code>\mbfitsansr</code>	mathematical sans-serif bold italic small r						
U+1D668	<b><i>s</i></b>	<code>\mbfitsanss</code>	mathematical sans-serif bold italic small s						
U+1D669	<b><i>t</i></b>	<code>\mbfitsanst</code>	mathematical sans-serif bold italic small t						
U+1D66A	<b><i>u</i></b>	<code>\mbfitsansu</code>	mathematical sans-serif bold italic small u						
U+1D66B	<b><i>v</i></b>	<code>\mbfitsansv</code>	mathematical sans-serif bold italic small v						
U+1D66C	<b><i>w</i></b>	<code>\mbfitsansw</code>	mathematical sans-serif bold italic small w						
U+1D66D	<b><i>x</i></b>	<code>\mbfitsansx</code>	mathematical sans-serif bold italic small x						
U+1D66E	<b><i>y</i></b>	<code>\mbfitsansy</code>	mathematical sans-serif bold italic small y						
U+1D66F	<b><i>z</i></b>	<code>\mbfitsansz</code>	mathematical sans-serif bold italic small z						

### 15.2.17 Bold sans serif Greek, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D756	<b>A</b>	<code>\mbfsansAlpha</code>	mathematical sans-serif bold capital alpha						
U+1D757	<b>B</b>	<code>\mbfsansBeta</code>	mathematical sans-serif bold capital beta						
U+1D758	<b>Γ</b>	<code>\mbfsansGamma</code>	mathematical sans-serif bold capital gamma						
U+1D759	<b>Δ</b>	<code>\mbfsansDelta</code>	mathematical sans-serif bold capital delta						
U+1D75A	<b>E</b>	<code>\mbfsansEpsilon</code>	mathematical sans-serif bold capital epsilon						
U+1D75B	<b>Z</b>	<code>\mbfsansZeta</code>	mathematical sans-serif bold capital zeta						
U+1D75C	<b>H</b>	<code>\mbfsansEta</code>	mathematical sans-serif bold capital eta						
U+1D75D	<b>Θ</b>	<code>\mbfsansTheta</code>	mathematical sans-serif bold capital theta						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D75E	Ι	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansIota</code>	mathematical sans-serif bold capital iota
U+1D75F	Κ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansKappa</code>	mathematical sans-serif bold capital kappa
U+1D760	Λ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansLambda</code>	mathematical sans-serif bold capital lambda
U+1D761	Μ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansMu</code>	mathematical sans-serif bold capital mu
U+1D762	Ν	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansNu</code>	mathematical sans-serif bold capital nu
U+1D763	Ξ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansXi</code>	mathematical sans-serif bold capital xi
U+1D764	Ο	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansOmicron</code>	mathematical sans-serif bold capital omicron
U+1D765	Π	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansPi</code>	mathematical sans-serif bold capital pi
U+1D766	Ρ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansRho</code>	mathematical sans-serif bold capital rho
U+1D767	Θ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansvarTheta</code>	mathematical sans-serif bold capital theta symbol
U+1D768	Σ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansSigma</code>	mathematical sans-serif bold capital sigma
U+1D769	Τ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansTau</code>	mathematical sans-serif bold capital tau
U+1D76A	Υ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansUpsilon</code>	mathematical sans-serif bold capital upsilon
U+1D76B	Φ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansPhi</code>	mathematical sans-serif bold capital phi
U+1D76C	Χ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansChi</code>	mathematical sans-serif bold capital chi
U+1D76D	Ψ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansPsi</code>	mathematical sans-serif bold capital psi
U+1D76E	Ω	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansOmega</code>	mathematical sans-serif bold capital omega

### 15.2.18 Bold sans serif Greek, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D770	α	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansalpha</code>	mathematical sans-serif bold small alpha
U+1D771	β	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansbeta</code>	mathematical sans-serif bold small beta
U+1D772	γ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansgamma</code>	mathematical sans-serif bold small gamma
U+1D773	δ	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansdelta</code>	mathematical sans-serif bold small delta
U+1D774	ε	Ⲙ	Ⲛ	Ⲟ	Ⲡ	Ⲣ	Ⲥ	<code>\mbfsansvarepsilon</code>	mathematical sans-serif bold small varepsilon

USV	M	S	E	K	P	L	G	Macro	Description
U+1D775	ζ	ζ	ζ	ζ	ζ	ζ	ζ	<code>\mbfsanszeta</code>	mathematical sans-serif bold small zeta
U+1D776	η	η	η	η	η	η	η	<code>\mbfsanseta</code>	mathematical sans-serif bold small eta
U+1D777	θ	θ	θ	θ	θ	θ	θ	<code>\mbfsanstheta</code>	mathematical sans-serif bold small theta
U+1D778	ι	ι	ι	ι	ι	ι	ι	<code>\mbfsansiota</code>	mathematical sans-serif bold small iota
U+1D779	κ	κ	κ	κ	κ	κ	κ	<code>\mbfsanskappa</code>	mathematical sans-serif bold small kappa
U+1D77A	λ	λ	λ	λ	λ	λ	λ	<code>\mbfsanslambda</code>	mathematical sans-serif bold small lambda
U+1D77B	μ	μ	μ	μ	μ	μ	μ	<code>\mbfsansmu</code>	mathematical sans-serif bold small mu
U+1D77C	ν	ν	ν	ν	ν	ν	ν	<code>\mbfsansnu</code>	mathematical sans-serif bold small nu
U+1D77D	ξ	ξ	ξ	ξ	ξ	ξ	ξ	<code>\mbfsansxi</code>	mathematical sans-serif bold small xi
U+1D77E	ο	ο	ο	ο	ο	ο	ο	<code>\mbfsansomicron</code>	mathematical sans-serif bold small omicron
U+1D77F	π	π	π	π	π	π	π	<code>\mbfsanspi</code>	mathematical sans-serif bold small pi
U+1D780	ρ	ρ	ρ	ρ	ρ	ρ	ρ	<code>\mbfsansrho</code>	mathematical sans-serif bold small rho
U+1D781	ς	ς	ς	ς	ς	ς	ς	<code>\mbfsansvarsigma</code>	mathematical sans-serif bold small final sigma
U+1D782	σ	σ	σ	σ	σ	σ	σ	<code>\mbfsanssigma</code>	mathematical sans-serif bold small sigma
U+1D783	τ	τ	τ	τ	τ	τ	τ	<code>\mbfsanstau</code>	mathematical sans-serif bold small tau
U+1D784	υ	υ	υ	υ	υ	υ	υ	<code>\mbfsansupsilon</code>	mathematical sans-serif bold small upsilon
U+1D785	φ	φ	φ	φ	φ	φ	φ	<code>\mbfsansvarphi</code>	mathematical sans-serif bold small phi
U+1D786	χ	χ	χ	χ	χ	χ	χ	<code>\mbfsanschi</code>	mathematical sans-serif bold small chi
U+1D787	ψ	ψ	ψ	ψ	ψ	ψ	ψ	<code>\mbfsanspsi</code>	mathematical sans-serif bold small psi
U+1D788	ω	ω	ω	ω	ω	ω	ω	<code>\mbfsansomega</code>	mathematical sans-serif bold small omega
U+1D789	∂	∂	∂	∂	∂			<code>\mbfsanspartial</code>	mathematical sans-serif bold partial differential
U+1D78A	ε	ε	ε	ε	ε		ε	<code>\mbfsansepsilon</code>	mathematical sans-serif bold varepsilon symbol
U+1D78B	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	<code>\mbfsansvartheta</code>	mathematical sans-serif bold theta symbol
U+1D78C	κ	κ	κ	κ	κ			<code>\mbfsansvarkappa</code>	mathematical sans-serif bold kappa symbol
U+1D78D	φ	φ	φ	φ	φ			<code>\mbfsansphi</code>	mathematical sans-serif bold phi symbol
U+1D78E	ρ	ρ	ρ	ρ	ρ			<code>\mbfsansvarrho</code>	mathematical sans-serif bold rho symbol

USV	M	S	E	K	P	L	G	Macro	Description
U+1D78F	<b>Ɑ</b>	<b>Ɱ</b>	<b>Ɐ</b>	<b>Ɒ</b>	<b>ⱱ</b>			<code>\mbfsansvarpi</code>	mathematical sans-serif bold pi symbol

### 15.2.19 Bold italic sans serif Greek, uppercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D790	<b>A</b>	<b>ⱱ</b>	<b>Ⱳ</b>	<b>ⱳ</b>	<b>ⱴ</b>	<b>Ⱶ</b>		<code>\mbfitsansAlpha</code>	mathematical sans-serif bold italic capital alpha
U+1D791	<b>B</b>	<b>ⱶ</b>	<b>ⱷ</b>	<b>ⱸ</b>	<b>ⱹ</b>	<b>ⱺ</b>		<code>\mbfitsansBeta</code>	mathematical sans-serif bold italic capital beta
U+1D792	<b>Γ</b>	<b>ⱼ</b>	<b>ⱋ</b>	<b>ⱌ</b>	<b>ⱍ</b>	<b>ⱎ</b>		<code>\mbfitsansGamma</code>	mathematical sans-serif bold italic capital gamma
U+1D793	<b>Δ</b>	<b>ⱐ</b>	<b>ⱑ</b>	<b>ⱒ</b>	<b>ⱓ</b>	<b>ⱔ</b>		<code>\mbfitsansDelta</code>	mathematical sans-serif bold italic capital delta
U+1D794	<b>E</b>	<b>ⱖ</b>	<b>ⱗ</b>	<b>ⱘ</b>	<b>ⱙ</b>	<b>ⱚ</b>		<code>\mbfitsansEpsilon</code>	mathematical sans-serif bold italic capital epsilon
U+1D795	<b>Z</b>	<b>ⱜ</b>	<b>ⱝ</b>	<b>ⱞ</b>	<b>ⱟ</b>	<b>Ⱡ</b>		<code>\mbfitsansZeta</code>	mathematical sans-serif bold italic capital zeta
U+1D796	<b>H</b>	<b>Ɫ</b>	<b>Ᵽ</b>	<b>Ɽ</b>	<b>ⱥ</b>	<b>ⱦ</b>		<code>\mbfitsansEta</code>	mathematical sans-serif bold italic capital eta
U+1D797	<b>Θ</b>	<b>ⱨ</b>	<b>Ⱪ</b>	<b>ⱪ</b>	<b>Ⱬ</b>	<b>ⱬ</b>		<code>\mbfitsansTheta</code>	mathematical sans-serif bold italic capital theta
U+1D798	<b>I</b>	<b>Ɱ</b>	<b>Ɐ</b>	<b>Ɒ</b>	<b>ⱱ</b>	<b>Ⱳ</b>		<code>\mbfitsansIota</code>	mathematical sans-serif bold italic capital iota
U+1D799	<b>K</b>	<b>ⱴ</b>	<b>Ⱶ</b>	<b>ⱶ</b>	<b>ⱷ</b>	<b>ⱸ</b>		<code>\mbfitsansKappa</code>	mathematical sans-serif bold italic capital kappa
U+1D79A	<b>Λ</b>	<b>ⱼ</b>	<b>ⱋ</b>	<b>ⱌ</b>	<b>ⱍ</b>	<b>ⱎ</b>		<code>\mbfitsansLambda</code>	mathematical sans-serif bold italic capital lambda
U+1D79B	<b>M</b>	<b>ⱖ</b>	<b>ⱗ</b>	<b>ⱘ</b>	<b>ⱙ</b>	<b>ⱚ</b>		<code>\mbfitsansMu</code>	mathematical sans-serif bold italic capital mu
U+1D79C	<b>N</b>	<b>ⱜ</b>	<b>ⱝ</b>	<b>ⱞ</b>	<b>ⱟ</b>	<b>Ⱡ</b>		<code>\mbfitsansNu</code>	mathematical sans-serif bold italic capital nu
U+1D79D	<b>Ξ</b>	<b>Ɫ</b>	<b>Ᵽ</b>	<b>Ɽ</b>	<b>ⱥ</b>	<b>ⱦ</b>		<code>\mbfitsansXi</code>	mathematical sans-serif bold italic capital xi
U+1D79E	<b>O</b>	<b>ⱨ</b>	<b>Ⱪ</b>	<b>ⱪ</b>	<b>Ⱬ</b>	<b>ⱬ</b>		<code>\mbfitsansOmicron</code>	mathematical sans-serif bold italic capital omicron
U+1D79F	<b>Π</b>	<b>Ɱ</b>	<b>Ɐ</b>	<b>Ɒ</b>	<b>ⱱ</b>	<b>Ⱳ</b>		<code>\mbfitsansPi</code>	mathematical sans-serif bold italic capital pi
U+1D7A0	<b>Ρ</b>	<b>ⱴ</b>	<b>Ⱶ</b>	<b>ⱶ</b>	<b>ⱷ</b>	<b>ⱸ</b>		<code>\mbfitsansRho</code>	mathematical sans-serif bold italic capital rho
U+1D7A1	<b>Ɑ</b>	<b>Ɱ</b>	<b>Ɐ</b>	<b>Ɒ</b>	<b>ⱱ</b>	<b>Ⱳ</b>		<code>\mbfitsansvarTheta</code>	mathematical sans-serif bold italic capital theta symbol
U+1D7A2	<b>Σ</b>	<b>ⱜ</b>	<b>ⱝ</b>	<b>ⱞ</b>	<b>ⱟ</b>	<b>Ⱡ</b>		<code>\mbfitsansSigma</code>	mathematical sans-serif bold italic capital sigma
U+1D7A3	<b>T</b>	<b>ⱖ</b>	<b>ⱗ</b>	<b>ⱘ</b>	<b>ⱙ</b>	<b>ⱚ</b>		<code>\mbfitsansTau</code>	mathematical sans-serif bold italic capital tau
U+1D7A4	<b>Υ</b>	<b>Ɫ</b>	<b>Ᵽ</b>	<b>Ɽ</b>	<b>ⱥ</b>	<b>ⱦ</b>		<code>\mbfitsansUpsilon</code>	mathematical sans-serif bold italic capital upsilon

USV	M	S	E	K	P	L	G	Macro	Description
U+1D7A5	<b>Φ</b>	<b>ϕ</b>	<b>ϕ</b>	<b>ϕ</b>	<b>ϕ</b>	<b>ϕ</b>		<code>\mbfitsansPhi</code>	mathematical sans-serif bold italic capital phi
U+1D7A6	<b>Χ</b>	<b>χ</b>	<b>χ</b>	<b>χ</b>	<b>χ</b>	<b>χ</b>		<code>\mbfitsansChi</code>	mathematical sans-serif bold italic capital chi
U+1D7A7	<b>Ψ</b>	<b>ψ</b>	<b>ψ</b>	<b>ψ</b>	<b>ψ</b>	<b>ψ</b>		<code>\mbfitsansPsi</code>	mathematical sans-serif bold italic capital psi
U+1D7A8	<b>Ω</b>	<b>ω</b>	<b>ω</b>	<b>ω</b>	<b>ω</b>	<b>ω</b>		<code>\mbfitsansOmega</code>	mathematical sans-serif bold italic capital omega

### 15.2.20 Bold italic sans serif Greek, lowercase

USV	M	S	E	K	P	L	G	Macro	Description
U+1D7AA	<b>α</b>	<b>α</b>	<b>α</b>	<b>α</b>	<b>α</b>	<b>α</b>		<code>\mbfitsansalpha</code>	mathematical sans-serif bold italic small alpha
U+1D7AB	<b>β</b>	<b>β</b>	<b>β</b>	<b>β</b>	<b>β</b>	<b>β</b>		<code>\mbfitsansbeta</code>	mathematical sans-serif bold italic small beta
U+1D7AC	<b>γ</b>	<b>γ</b>	<b>γ</b>	<b>γ</b>	<b>γ</b>	<b>γ</b>		<code>\mbfitsansgamma</code>	mathematical sans-serif bold italic small gamma
U+1D7AD	<b>δ</b>	<b>δ</b>	<b>δ</b>	<b>δ</b>	<b>δ</b>	<b>δ</b>		<code>\mbfitsansdelta</code>	mathematical sans-serif bold italic small delta
U+1D7AE	<b>ε</b>	<b>ε</b>	<b>ε</b>	<b>ε</b>	<b>ε</b>	<b>ε</b>		<code>\mbfitsansvarepsilon</code>	mathematical sans-serif bold italic small varepsilon
U+1D7AF	<b>ζ</b>	<b>ζ</b>	<b>ζ</b>	<b>ζ</b>	<b>ζ</b>	<b>ζ</b>		<code>\mbfitsanszeta</code>	mathematical sans-serif bold italic small zeta
U+1D7B0	<b>η</b>	<b>η</b>	<b>η</b>	<b>η</b>	<b>η</b>	<b>η</b>		<code>\mbfitsanseta</code>	mathematical sans-serif bold italic small eta
U+1D7B1	<b>θ</b>	<b>θ</b>	<b>θ</b>	<b>θ</b>	<b>θ</b>	<b>θ</b>		<code>\mbfitsanstheta</code>	mathematical sans-serif bold italic small theta
U+1D7B2	<b>ι</b>	<b>ι</b>	<b>ι</b>	<b>ι</b>	<b>ι</b>	<b>ι</b>		<code>\mbfitsansiota</code>	mathematical sans-serif bold italic small iota
U+1D7B3	<b>κ</b>	<b>κ</b>	<b>κ</b>	<b>κ</b>	<b>κ</b>	<b>κ</b>		<code>\mbfitsanskappa</code>	mathematical sans-serif bold italic small kappa
U+1D7B4	<b>λ</b>	<b>λ</b>	<b>λ</b>	<b>λ</b>	<b>λ</b>	<b>λ</b>		<code>\mbfitsanslambda</code>	mathematical sans-serif bold italic small lambda
U+1D7B5	<b>μ</b>	<b>μ</b>	<b>μ</b>	<b>μ</b>	<b>μ</b>	<b>μ</b>		<code>\mbfitsansmu</code>	mathematical sans-serif bold italic small mu
U+1D7B6	<b>ν</b>	<b>ν</b>	<b>ν</b>	<b>ν</b>	<b>ν</b>	<b>ν</b>		<code>\mbfitsansnu</code>	mathematical sans-serif bold italic small nu
U+1D7B7	<b>ξ</b>	<b>ξ</b>	<b>ξ</b>	<b>ξ</b>	<b>ξ</b>	<b>ξ</b>		<code>\mbfitsansxi</code>	mathematical sans-serif bold italic small xi
U+1D7B8	<b>ο</b>	<b>ο</b>	<b>ο</b>	<b>ο</b>	<b>ο</b>	<b>ο</b>		<code>\mbfitsansomicron</code>	mathematical sans-serif bold italic small omicron
U+1D7B9	<b>π</b>	<b>π</b>	<b>π</b>	<b>π</b>	<b>π</b>	<b>π</b>		<code>\mbfitsanspi</code>	mathematical sans-serif bold italic small pi
U+1D7BA	<b>ρ</b>	<b>ρ</b>	<b>ρ</b>	<b>ρ</b>	<b>ρ</b>	<b>ρ</b>		<code>\mbfitsansrho</code>	mathematical sans-serif bold italic small rho
U+1D7BB	<b>ς</b>	<b>ς</b>	<b>ς</b>	<b>ς</b>	<b>ς</b>	<b>ς</b>		<code>\mbfitsansvarsigma</code>	mathematical sans-serif bold italic small final sigma

USV	M	S	E	K	P	L	G	Macro	Description
U+1D7BC	$\sigma$	<code>\mbfitsanssigma</code>	mathematical sans-serif bold italic small sigma						
U+1D7BD	$\tau$	<code>\mbfitsanstau</code>	mathematical sans-serif bold italic small tau						
U+1D7BE	$\upsilon$	<code>\mbfitsansupsilon</code>	mathematical sans-serif bold italic small upsilon						
U+1D7BF	$\varphi$	<code>\mbfitsansvarphi</code>	mathematical sans-serif bold italic small phi						
U+1D7C0	$\chi$	<code>\mbfitsanschi</code>	mathematical sans-serif bold italic small chi						
U+1D7C1	$\psi$	<code>\mbfitsanspsi</code>	mathematical sans-serif bold italic small psi						
U+1D7C2	$\omega$	<code>\mbfitsansomega</code>	mathematical sans-serif bold italic small omega						
U+1D7C3	$\partial$	<code>\mbfitsanspartial</code>	mathematical sans-serif bold italic partial differential						
U+1D7C4	$\epsilon$	<code>\mbfitsansepsilon</code>	mathematical sans-serif bold italic varepsilon symbol						
U+1D7C5	$\vartheta$	<code>\mbfitsansvartheta</code>	mathematical sans-serif bold italic theta symbol						
U+1D7C6	$\kappa$	<code>\mbfitsansvarkappa</code>	mathematical sans-serif bold italic kappa symbol						
U+1D7C7	$\phi$	<code>\mbfitsansphi</code>	mathematical sans-serif bold italic phi symbol						
U+1D7C8	$\rho$	<code>\mbfitsansvarrho</code>	mathematical sans-serif bold italic rho symbol						
U+1D7C9	$\varpi$	<code>\mbfitsansvarpi</code>	mathematical sans-serif bold italic pi symbol						

### 15.3 Miscellaneous

USV	M	S	E	K	P	L	G	Macro	Description
U+000FO	$\eth$	<code>\matheth</code>	eth						
U+02010	-	-	-	-	-	-	-	<code>\mathhyphen</code>	hyphen
U+02102	$\textcircled{C}$	<code>\BbbC</code>	/bbb c, open face c						
U+0210A	$\textit{g}$	<code>\mscrG</code>	/scr g, script letter g						
U+0210B	$\mathcal{H}$	<code>\mscrH</code>	hamiltonian (script capital h)						
U+0210C	$\mathfrak{H}$	<code>\mfracH</code>	/frac h, upper case h						
U+0210D	$\textcircled{H}$	<code>\BbbH</code>	/bbb h, open face h						
U+0210F	$\hbar$	<code>\hslash<sup>(a)</sup></code>	/hslash - variant planck's over 2pi						
U+02110	$\textit{i}$	<code>\mscrI</code>	/scr i, script letter i						
U+02111	$\mathfrak{I}$	<code>\Im<sup>(p)</sup></code>	imaginary part						
U+02112	$\mathcal{L}$	<code>\mscrL</code>	lagrangian (script capital l)						

USV	M	S	E	K	P	L	G	Macro	Description
U+02113	<i>l</i>	<code>\ell<sup>(p)</sup></code>	cursive small l						
U+02115	<i>N</i>	<code>\BbbN</code>	/bbb n, open face n						
U+02118	<i>p</i>	<code>\wp<sup>(p)</sup></code>	weierstrass p						
U+02119	<i>P</i>	<code>\BbbP</code>	/bbb p, open face p						
U+0211A	<i>Q</i>	<code>\BbbQ</code>	/bbb q, open face q						
U+0211B	<i>R</i>	<code>\mscrR</code>	/scr r, script letter r						
U+0211C	<i>ℜ</i>	<code>\Re<sup>(p)</sup></code>	real part						
U+0211D	<i>℞</i>	<code>\BbbR</code>	/bbb r, open face r						
U+02124	<i>Z</i>	<code>\BbbZ</code>	/bbb z, open face z						
U+02128	<i>Ʒ</i>	<code>\mfracZ</code>	/frac z, upper case z						
U+02129		<i>ı</i>						<code>\turnediota</code>	turned iota
U+0212B	<i>Å</i>	<i>Å</i>	<i>Å</i>	<i>Å</i>	<i>Å</i>		<i>Å</i>	<code>\Angstrom</code>	angstrom capital a, ring
U+0212C	<i>B</i>	<code>\mscrB</code>	bernoulli function (script capital b)						
U+0212D	<i>Ɔ</i>	<code>\mfracC</code>	black-letter capital c						
U+0212F		<i>e</i>	<i>e</i>		<i>e</i>	<i>e</i>	<i>e</i>	<code>\mscre</code>	/scr e, script letter e
U+02130	<i>Ǝ</i>	<code>\mscrE</code>	/scr e, script letter e						
U+02131	<i>Ƒ</i>	<code>\mscrF</code>	/scr f, script letter f						
U+02133	<i>M</i>	<code>\mscrM</code>	physics m-matrix (script capital m)						
U+02134		<i>o</i>	<i>o</i>		<i>o</i>	<i>o</i>	<i>o</i>	<code>\mscro</code>	order of (script small o)
U+02135	<i>ℵ</i>	<code>\aleph<sup>(p)</sup></code>	aleph, hebrew						
U+02136	<i>ב</i>	<code>\beth<sup>(a)</sup></code>	beth, hebrew						
U+02137	<i>ג</i>	<code>\gimel<sup>(a)</sup></code>	gimel, hebrew						
U+02138	<i>ד</i>	<code>\daleth<sup>(a)</sup></code>	daleth, hebrew						
U+0213D	<i>Ƴ</i>	<i>Ƴ</i>	<i>Ƴ</i>		<i>Ƴ</i>		<i>Ƴ</i>	<code>\Bbbgamma</code>	double-struck small gamma
U+0213E	<i>Γ</i>	<i>Γ</i>	<i>Γ</i>		<i>Γ</i>		<i>Γ</i>	<code>\BbbGamma</code>	double-struck capital gamma
U+0213F	<i>Π</i>	<i>Π</i>	<i>Π</i>		<i>Π</i>		<i>Π</i>	<code>\BbbPi</code>	double-struck capital pi
U+02202	<i>∂</i>	<code>\partial<sup>(p)</sup></code>	partial differential						
U+02207	<i>∇</i>	<code>\nabla<sup>(p)</sup></code>	nabla, del, hamilton operator						
U+1D6A4	<i>ı</i>	<code>\imath<sup>(p)</sup></code>	mathematical italic small dotless i						
U+1D6A5	<i>ȷ</i>	<code>\jmath<sup>(p)</sup></code>	mathematical italic small dotless j						
U+1D6C1	<b>∇</b>	<code>\mbfnabla</code>	mathematical bold nabla						
U+1D6FB	<i>∇</i>	<code>\mitnabla</code>	mathematical italic nabla						
U+1D735	<b><i>∇</i></b>	<code>\mbfitnabla</code>	mathematical bold italic nabla						

USV	M	S	E	K	P	L	G	Macro	Description
U+1D76F	∇	∇	∇	∇	∇	∇	∇	<code>\mbfsansnabla</code>	mathematical sans-serif bold nabla
U+1D7A9	∇	∇	∇	∇	∇	∇		<code>\mbfitsansnabla</code>	mathematical sans-serif bold italic nabla
U+1D7CA		<b>F</b>				<b>F</b>		<code>\mbfDigamma</code>	mathematical bold capital digamma
U+1D7CB		<b>f</b>				<b>f</b>		<code>\mbfdigamma</code>	mathematical bold small digamma